



EYE & FACE PROTECTION



The items shown on our website are the items we Stock. However we have access to the full line of Safety Equipment that we can quickly special order for you. Browse this Catalog and if you want to place an order or get pricing and availability contact us at 1-800-561-3600 or email info@bapequipment.com Some Limitations May Apply.

"Dyna-Sun" EPDS12 Series

HIGH PERFORMANCE SUNGLASSES



Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



High performance dual 8.0 base lens sunglasses for optimum optical quality. Contemporary design with soft nosepice co-injected TPR temples. Lenses coated with our exclusive 4A anti-fog coating. Filters out blue light that causes eye fatigue.


FEATURES & BENEFITS

- Lightweight contemporary design with soft foam on the nosepiece for added comfort and stability
- Lenses are treated with our exclusive 4A coating: anti-scratch, anti-UV, anti-static and anti-foo
- Co-injected non-slip TPR temples for added comfort
- Double lens system with 8.0 base curve for superior optical quality
- Microfiber cleaning pouch supplied with each spectacle
- Offers great protection against dangerous the sun's UV rays
- · Also filters out blue light that causes eye fatigue



EPDS12B

EPDS12A





EPDS12C



HIGH PERFORMANCE SUNGLASSES


Z94.3-15 CERTIFIED BY CSA CANADA

4A anti-fog coating. Filters out blue light that causes eye fatigue.

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS High performance dual 8.0 base lens sunglasses for optimum optical quality. Contemporary design with unique artistic graphic on temples, soft nosepice and TPR temple pads. Lenses coated with our exclusive

FEATURES & BENEFITS

- · Stylish but robust design with unique artistic graphics on temples. "Diamond Plate" with black front and "Antique Maya" with white front
- · Smoke sunglass lenses are treated with our exclusive 4A coating: anti-scratch, anti-UV, antistatic and anti-fog
- Comfort cushions on nose bridge for extra comfort and increased stability
- · A micro-fiber cleaning pouch is supplied with each spectacle
- · Offers great protection against the sun's dangerous UV rays
- · Also filters out blue light that causes eye fatigue



"Dyna-Ray" Polarized **EPDP11 Series**

EXTREME GLARE POLARIZED SUNGLASSES



Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Lightweight half frame design with polarized lenses that eliminate glare and eye fatigue while increase visual acuity and more contrast of objects and surroundings. Lenses coated with our exclusive 4A anti-fog coating. Filters out blue light that causes eye fatigue.

FEATURES & BENEFITS

- · Lightweight half frame design
- · Lenses are treated with our exclusive 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- · Polarized lenses eliminate glare from scattered light that reduces visual acuity and causes eye
- Dual injection TPR temples for Maximum comfort and stability
- · Soft Brownguard foam for extra protection
- . Omni-Fit bridge for more comfort and better fit

ICH

	laugue			
	PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
	EPDP11A	POLARIZED SMOKE ANTI-FOG	BLACK FRAME / GREY TPR	MICRO-FIBER CLEANING POUC
EDDD440	EPDP11B	POLARIZED COPPER ANTI-FOG	TRANSLUCENT BROWN FRAME / BLACK TPR	MICRO-FIBER CLEANING POUC
EPDP11C	EPDP11C	POLARIZED BLUE-MIRROR ANTI-FOG	TRANSLUCENT GREY / BLACK TPR	MICRO-FIBER CLEANING POUC





EPDSW14








"The Falcon" EP810 Series

EXCLUSIVE 3 POSITIONS ADJUSTMENT FLEXI-FIT SOFT NOSE BRIDGE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS




- · Wrap around 9 base lightweight lens
- . "DYNA-SHIELD" anti fog coating
- . Nose bridge with 3 positions adjustment
- · Ratchet temples
- Dual shot temples

- · Ultra soft silicone nose pad
- Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



Dyna Shield

EP810C



"The Hawk" EP825 Series

FLEXI-FIT SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Beautiful Base 9 Lens
- . "DYNA-SHIELD" anti fog coating
- Flexi -Fit Adjustable nose bridge system
- Dual shot temples

- Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP825C

Dyna 3 Shield

 PART NO
 LENS COLOR
 FRAME COLOR

 EP825C
 CLEAR
 RED & BLACK

 EP825S
 SMOKE
 RED & BLACK

 EP825A
 AMBER
 RED & BLACK

 EP825IO
 I/O MIRROR
 RED & BLACK

7







"The Osprey" **EP845 Series**

ADJUSTABLE LENS ANGLE FOR INCREASED FRONTAL **COVERAGE**

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- . 9 Base curved lens with Black & Red frame
- · "DYNA-SHIELD" anti fog coating
- Flexi-Fit Adjustable nose bridge system
- · Adjustable lens angle for increased frontal coverage
- · Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	PART NO	LENS COLOR	FRAME COLOR
)	EP845C	CLEAR	RED & BLACK
	EP845S	SMOKE	RED & BLACK
	EP845A	AMBER	RED & BLACK
	EP845I0	I/O MIRROR	RED & BLACK

"The Spider" **EP875 Series**

FLEXI-FIT SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

- Lightweight Base 9 Wrap Around Lens
- . "DYNA-SHIELD" anti fog coating
- Flexi -Fit Adjustable nose bridge system
- Famous EZ-ON temple system

- · Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	FRAME COLOR
EP875C	CLEAR	RED & BLACK
EP875S	SMOKE	RED & BLACK
EP875A	AMBER	RED & BLACK
EP875I0	I/O MIRROR	RED & BLACK
	EP875C EP875S EP875A	EP875C CLEAR EP875S SMOKE EP875A AMBER













EP895C



"The Hummingbird" EP895 Series

SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

DART NO

- 9.5 base curve wrap around lens
- Very lightweight -as if it flies over the face of the user
- · "DYNA-SHIELD" anti fog coating
- · Contemporary dual-lens design
- Double injection temple arms and soft nose piece to prevent slipping
- · Fits a wide variety of different faces
- Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

ED 4 1 4 E 001 0D

PART NO	LENS COLOR	FRAME COLOR
EP895C	CLEAR	BLACK & WHITE
EP895S	SMOKE	BLACK & WHITE
EP895A	AMBER	BLACK & WHITE
EP895I0	I/O MIRROR	BLACK & WHITE
	EP895C EP895S EP895A	EP895C CLEAR EP895S SMOKE EP895A AMBER

.

"The Warrior" EP100 Series

FLEXI-FIT ADJUSTABLE SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Great looking eyewear, highly comfortable, incomparable fit, unique design. Made to please the most demanding user.

- Adjustable swivel nose pads to fit all faces
- Modern ergonomic design for comfort and fit
- Frame made of new Elasto LT chemical resistant material
- Comfortable curved temple ends
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

METALL FRAME	IC GRAY	BLACK FRAME	LENS COLOR
EP100M	IGC	EP100BC	CLEAR
EP100M	IGS	EP100BS	SMOKE
EP100M	IGA	EP100BA	AMBER
EP100M	GIO*	EP100BIO*	I/O MIRROR

^{*}Indoor/Outdoor Mirror lenses are not anti-fog







"The Shooting Star" **EP150 Series**

FLEXI-FIT ADJUSTABLE SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Great looking Eyewear similar to model EP100. Comfortable, incomparable fit and ultra modern design. The only difference with the EP100 is the frame made out of ultra resistant polycarbonate made of the same resin as the lenses.

FEATURES & BENEFITS

- Easy lens replacement system
- . Modern ergonomic design for comfort and fit
- Frame made out of ultra resistant polycarbonate
- . The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- · CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



^{*}Indoor/Outdoor Mirror lenses are not anti-fog

"The Thunder" **EP250 Series**

FLEXI-FIT SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Setting a new standard in eye protection, the spectacles that was engineered for safety officers but designed for users.

FEATURES & BENEFITS

- 9 base curve panoramic lens for a wide unobstructed field of view
- Frame made of new Elasto LT chemical resistant material
- · New Soft-Touch comfort pads on temples that insure a comfortable fit
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	PART NO	LENS COLOR	FRAME COLOR
0	EP250BC	CLEAR	BLACK
	EP250BS	SMOKE	BLACK
	EP250BA	AMBER	BLACK
	EP250BI0*	I/O MIRROR	BLACK
0	EP250BA	AMBER	BLACK

^{*}Indoor/Outdoor Mirror lenses are not anti-fog





EP150C

www.dsisafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789





EP250BA

"The Cyclone II" **EP310 Series**




UNIVERSAL COMFORT BRIDGE SYSTEM **Z94.3-15 CERTIFIED BY CSA CANADA**

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Great looking eyewear with the right comfort and fit to please your most demanding worker. A unique dual lens styling in a single-piece lens design.

FEATURES & BENEFITS

- Frames are available in 2 outstanding colors: Blue and Black
- EP310 series with stylish straight temples with soft rubber for extra comfort
- · Lenses available in: Clear, Amber, Smoke and I/O Mirror
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



"The Techno" **EP850 Series**

FLEXI-FIT SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- · Wraparound lightweight, frameless spectacles
- One piece lens with soft rubber temple ends
- Soft silicone nose piece for non-slip
- Lenses available in: Clear, Smoke, Amber, I/O Mirror and Blue Tint
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	PART NO	LENS COLOR	FRAME COLOR
0	EP850C	CLEAR	CLEAR
	EP850S	SMOKE	SMOKE
	EP850A	AMBER	AMBER
	EP850I0*	I/O MIRROR	INDOOR/OUTDOOR
	EP850BT	BLUE TINT	BLUE TINT

^{*}Indoor/Outdoor Mirror lenses are not anti-fog



EP310BI0



^{*}Indoor/Outdoor Mirror lenses are not anti-foo







FLEXI-FIT SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Wraparound lightweight, frameless spectacles for women
- One piece lens with soft rubber temple ends
- Soft silicone nose piece for non-slip
- Lenses available in: Clear, Smoke, Amber and I/O Mirror
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
EP855C	CLEAR	CLEAR
EP855S	SMOKE	SMOKE
EP855A	AMBER	AMBER
EP855I0*	I/O MIRROR	INDOOR/OUTDOOR
	EP855C EP855S EP855A	EP855C CLEAR EP855S SMOKE EP855A AMBER

^{*}Indoor/Outdoor Mirror lenses are not anti-fog

"The Racer" EP350 Series

SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Modern design with excellent comfort and adjustability
- Dual lens design
- Dual injection temple arms and soft nose piece to prevent slipping
- Angle adjustment temple for better coverage and fit
- Adjustable/removeable temple retaining strap
- Choice of three contemporary frame colors: Red/Black, Blue/Black & Lime-Green/Black
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	LENS COLOR	RED & BLACK Frame	BLUE & BLACK Frame	LIME-GREEN & BLACK FRAME
0	CLEAR	EP350RC	EP350BC	EP350GC
	SMOKE	EP350RS	EP350BS	EP350GS
	AMBER	EP350RA	EP350BA	EP350GA
	MIRROR I/O	EP350RIO	EP350BI0	EP350GI0

^{*}Indoor/Outdoor Mirror lenses are not anti-fog



EP350BS

www.dsisafety.com / T:450-687-7374 - 1-877-446-3278 / F:450-687-2243 - 1-877-463-2789







UNIVERSAL COMFORT BRIDGE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Popular low profile shape
- High 9 base curve for better coverage and wide field of view
- Made of lightweight non-conductive high impact polycarbonate material
- · Absorbs more than 99.9% of harmful UV light
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	PART NO	LENS COLOR	TEMPLE COLOR
	EP500 SERIES	3A COATING	
\cup	EP500C	CLEAR	SMOKE
	EP500S	SMOKE	SMOKE
	EP500A	AMBER	AMBER
	EP500I0	MIRROR I/O	SMOKE
	EP505 SERIES	4A COATING	
0	EP505C	CLEAR	CLEAR
		·	

"The Solus" EP550 Series

UNIVERSAL COMFORT BRIDGE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Wide field uni-lens design offering unobstructed vision
- Made of very lightweight high impact resistant Polycarbonate
- Lenses available in: Clear, Smoke, Amber and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements





EP505C





UNIVERSAL COMFORT BRIDGE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- · Lightweight materials for more comfort
- High impact resistant Polycarbonate lens offering a wide field of view
- Available in clear and smoke lens tints
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements







EP600BC

"The Firebird" EP800 Series

UNIVERSAL COMFORT BRIDGE SYSTEM

F

Z94.3-15 CERTIFIED BY CSA CANADA
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

- Wraparound lightweight, frameless spectacles
- One piece lens with soft rubber temple ends
- Hard nose piece

- Lenses available in: Clear, Smoke, Amber, I/O Mirror and Blue Tint
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



	PART NO	LENS COLOR	TEMPLE COLOR
0	EP800C	CLEAR	CLEAR
	EP800S	SMOKE	SMOKE
	EP800A	AMBER	AMBER
	EP800I0	I/O MIRROR	INDOOR/OUTDOOR
	EP800BT	BLUE TINT	BLUE TINT





"The Ladies Mini" EP325 Series

UNIVERSAL COMFORT BRIDGE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Made for ladies with narrow face that are looking for a tight fit cool looking spectacle.

FEATURES & BENEFITS

- · Stylish cool design with narrow and tight fitting
- Frames are available in 3 outstanding colors: Orange, Pink and Neon Green
- Lens available in: Clear, Smoke, Amber and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	LENS COLOR	PINK TEMPLE	GREEN TEMPLE	ORANGE TEMPLE
0	CLEAR	EP325PC	EP325GC	EP3250C
	SMOKE	EP325PS	EP325GS	EP3250S
	AMBER	EP325PA	EP325GA	EP3250A
	I/O MIRROR*	EP325PI0	EP325GIO	EP3250I0

"The Renegade" Readers EP400 Series

FLEXI-FIT SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Trendsetting eyewear that will please the most demanding user.



- Stylish European design
- 8.50 base curve dual lens design for wrap-around coverage
- Adjustable soft nosepiece for increased comfort
- Adjustable length temple arms
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirem



EP400TCGC1.5

	PART NO	LENS COLOR	FRAME COLOR	DIOPTER
\bigcirc	EP400TGC1.5	CLEAR	TRANSLUCENT GREY	1.5
Ō	EP400TGC2.0	CLEAR	TRANSLUCENT GREY	2.0
Ō	EP400TGC2.5	CLEAR	TRANSLUCENT GREY	2.5

"The Visitor" **EP700 Series**

UNIVERSAL COMFORT BRIDGE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- These spectacles offer premium protection to plant visitors
- Large lens that provide a wide viewing field
- Fits over most prescription eyewear
- The exclusive interlocking sideshield system offers all-around protection from flying particles
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements











Exclusive and unique "EZ-ON" temple system

"The OTG Extra" **EP750 Series**

FLEXI-FIT SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

A great looking OTG, over the glass spectacles. Extra large size to fit over all sizes of prescription spectacles. It offers the softest adjustable nose piece that exists, an adjustable mechanism to flip the lens up or down combined with a new, unique and highly comfortable temple system.

- Extra large size lens to fit over the largest prescription spectacles
- · Extra soft nose piece that will accommodate all kinds of nose configurations
- · Adjustable temples giving you the possibility to adjust the lens up and down for better vision
- . New unique highly comfortable EZ-ON temple system
- . The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	PART NO	LENS COLOR	TEMPLE COLOR
0	EP750C	CLEAR	BLACK
	EP750S	SMOKE	BLACK
	EP750A	AMBER	BLACK
	EP750I0	I/O MIROR	BLACK



"The Bushman" EP775 Series

WIRE MESH SPECTACLES - NOT CERTIFIED BY CSA

FEATURES & BENEFITS

 Wrap around nylon frame offering very good fit and comfort

 Wire mesh screen prevents large flying debris and does not fog

PART NO	LENS COLOR	FRAME COLOR
EP775W	BLACK WIRE MESH	BLACK



EPD6C17



MULTI-FIT ADJUSTABLE NOSE PIECE

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Robust yet stylish design with soft cushioned sealing gasket for increased protection and comfort.



DADT NO

- Multi-Fit adjustable nose piece for all facial features and sizes and provides a perfect fit all the time for optimal comfort and coverage
- Dual injection temples with non-slip soft TPR cushions for extra comfort and fit

DECCRIPTION

- Lenses are treated with our exclusive 4A coating: anti scratch, anti-UV, anti-static and anti-fog
- Comfort TPR on nose bridge for extra comfort and increased stability
- Certified CSA Z94.3-15 & meets or exceeds ANSI Z87.1-2015



	FANT NO	DESCRIPTION
0	EPD6C17	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND CLEAR ANTI-FOG LENS
	EPD6S17	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND SMOKE ANTI-FOG LENS
	EPD6A17	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND AMBER ANTI-FOG LENS
	EPD6I017	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND MIRROR/IO LENS
	+1 1 10 11 11 1	

^{*}Indoor/Outdoor Mirror lenses are not anti-fog

EPDGC18C & EPDGC18STR

"Dyna-Seal" EPDGC18 Series

CONVERTS INTO AN INDIRECT VENTED GOGGLE

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Full coverage sealed eyewear with soft rubber gasket on the front and removable adjustable length stability strap with clip on the temples. Converts into an indirect vented goggle with **Quick-Change** Elastic Neoprene strap (sold separately).

FEATURES & BENEFITS

- Designed to block out dust, particles and chemicals
- Front angle adjustment for a precise and tight fit. Angle clip made of strong polycarbonate
- 4A+ anti-fog coating "N" rated EN168 AF
- New Lens geometry for superior optical quality
- Certified CSA Z94.3-15 & meets or exceeds ANSI Z87.1-2015

PART NO	DESCRIPTION
EPDGC18C	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, TEMPLE STRAP AND QUICK-CHANGE ADJUSTABLE ELASTIC STRAP, CLEAR ANTI-FOG "N"
EPDGC18S	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, TEMPLE STRAP AND QUICK-CHANGE ADJUSTABLE ELASTIC STRAP, SMOKE ANTI-FOG "N"
EPDGC18A	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, TEMPLE STRAP AND QUICK- CHANGE ADJUSTABLE ELASTIC STRAP, AMBER ANTI-FOG "N"
EPDGC18I0	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, TEMPLE STRAP AND QUICK- CHANGE ADJUSTABLE ELASTIC STRAP, MIRROR I/O
EPDGC18STR	EPDGC18 ADJUSTABLE BLACK FR HEADBAND
*Indoor/Outdoor Mire	ray langua ara not anti fag

^{*}Indoor/Outdoor Mirror lenses are not anti-fog

"The Fusion" EP650 Series

FLEXI-FIT ADJUSTABLE SOFT NOSE-PIECE SYSTEM



EP65010

Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Specialty spectacles with "EZ-ON" temples offering incomparable comfort and fit. Put them on and feel no pressure at all from the temple. These spectacles will hold in place on your nose at all times even in the most humid environment. They will please the most demanding user.

- These spectacles offer maximum protection to the users
- Large 9° base curved double lens design molded in one piece
- Offers full protection coverage and extra wide viewing field
- High impact resistant polycarbonate lens
- Available in clear, smoke, amber and indoor/ outdoor lens colors
- Exclusive and unique highly comfortable "EZ-ON" temple system that redistributes the pressure on your temples evenly
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	PART NO	LENS COLOR	FRAME COLOR
\circ	EP650C	CLEAR	BLACK
	EP650S	SMOKE	BLACK
	EP650A	AMBER	BLACK
	EP650I0*	I/O MIRROR	BLACK

^{*}Indoor/Outdoor Mirror lenses are not anti-fog

"The Fusion Plus" EP650G Series

FLEXI-FIT ADJUSTABLE SOFT NOSE-PIECE SYSTEM



Specialty spectacles with "EZ-ON" temples offering incomparable comfort and fit. Put them on and feel no pressure at all from the temple. These spectacles will hold in place on your nose at all times even in the most humid environment. They will please the most demanding user. EP650G series comes with a foam band forming a joint that protect against dust and particles.






- These spectacles offer maximum protection to the users
- Large 9° base curved double lens design molded in one piece
- Offers full protection coverage and extra wide viewing field
- High impact resistant polycarbonate lens
- Available in clear, smoke, amber and indoor/ outdoor lens colors
- Exclusive and unique highly comfortable "EZ-ON" temple system that redistributes the pressure on your temples evenly
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP650GA





Exclusive and unique "EZ-ON" temple system

"The Volcano" EP675 Series

UNIVERSAL COMFORT BRIDGE Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- · A contemporary, single lens design
- Frameless design with a wide field of vision
- Dual injection, wide temple arms for better protection and comfort
- 4A Anti-Fog coating (Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static)
- Available in 4 lens colors: Clear, Smoke, Amber and I/O Miror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



	PART NO	LENS COLOR	TEMPLE COLOR
0	EP675C	CLEAR	BLACK & RED
	EP675S	SMOKE	BLACK & RED
	EP675A	AMBER	BLACK & RED
	EP675I0*	I/O MIRROR	BLACK & RED
	*1. 1		

^{*}Indoor/Outdoor Mirror lenses are not anti-fog

"The Volcano Plus" EP675G Series

UNIVERSAL COMFORT BRIDGE

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- A contemporary, single lens design
- Frameless design with a wide field of vision
- Dual injection, wide temple arms for better protection and comfort
- 4A Anti-Fog coating (Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static)
- Removeable foam padding for better protection against dust and debris
- Available in 4 lens colors: Clear, Smoke, Amber and I/O Miror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



PART NO	LENS COLOR	TEMPLE COLOR
EP675GC	CLEAR	BLACK & RED
EP675GS	SMOKE	BLACK & RED
EP675GA	AMBER	BLACK & RED
EP675GIO*	I/O MIRROR	BLACK & RED

^{*}Indoor/Outdoor Mirror lenses are not anti-foo

www.dsisafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789

REVÊTEMENT





"The SpectaGoggle" EP900 Series

HEAVY DUTY PERFORMANCE

Z94.3-15 CERTIFIED BY CSA CANADA
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- "FR" Foam padding forms a seal to keep out dust and air born particles
- Interchangeable temple/strap included with each pair
- Strap has quick fit retainer for easy on/off
- Designed to allow air to flow freely to reduce heat
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	FRAME COLOR
○ EP900C	CLEAR	BLACK
EP900S	SMOKE	BLACK
EP900A	AMBER	BLACK
EP900M ³	MIRROR	BLACK

^{*10} Mirror lenses are not anti-fog

"The Mini SpectaGoggle" EP950 Series

LIGHT & MEDIUM DUTY PERFORMANCE



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

- Easily removable foam padding forms a seal to keep dust and air born particles out.
- Fast and easy interchangeable temples/straps included with each pair
- Available in a kit format with 4 easy replaceable lenses
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

	PART NO	LENS COLOR	FRAME COLOR
	SAFETY GLASSES		
\circ	EP950C	CLEAR	CLEAR
	EP950S	SMOKE	SMOKE
	EP950A	AMBER	AMBER
	EP950I0*	I/O MIRROR	SMOKE
	COMPLETE KIT		
	EP950K	CLEAR, SMOKE, AMBER, I/O MIRROR	SMOKE

^{*}IO Mirror lenses are not anti-fog







"The Phantom OTG" EPMK01 Series





Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

This modern design offers the highest levels of comfort, performance, look and protection. This comfortable goggle comes complete with an Anti-Fog coated polycarbonate lens and a soft TPR shroud in a nylon outer rim frame with hidden indirect ventilation holes. This "OTG" style can be used over prescription glasses. The EPMK01 Phantom OTG Safety Goggle comes with a FR fabric strap and lenses of various shades. An optional shield may be attached to the EPMK01 goggle for splash protection.

FEATURES & BENEFITS

- · Large comfortable soft frame
- Wide one piece lens
- Anti-Fog protection
- Indirect ventilation providing maximum protection against chemical splashes
- Lens available in Clear, Smoke, Amber and I/O Mirror
- Strap made of "FR" material
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9%, Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



"THE PHANTOM OTG" EPMK01 SERIES

	PART NO	LENS COLOR	FRAME COLOR
)	EPMK01C	CLEAR	BLACK
	EPMK01S	SMOKE	BLACK
	EPMK01A	AMBER	BLACK
	EPMK01I0	IO MIRROR	BLACK







Shown with EPMK01C







Z94.3-15 CERTIFIED BY CSA CANADA MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- · Large comfortable soft frame
- Indirect ventilation
- Wide one piece lens

- Clear Lens
- Chemical splash protection
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements





EP30

The "Chem Pro" EP30 Series The "Ultra-Tek" EP40 Series





EP30 Series

- . Soft, lightweight PVC frame
- 4 cap vents provide indirect ventilation
- Neoprene strap for better resistance to solvents and chemicals
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9%, Anti-Static
- · CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

EP40 Series

- Same as EP30 Series, plus;
- · Maximum panoramic and peripheral field
- Large frame designed to fit over prescription eyewear



	PART NO	LENS COLOR	FRAME COLOR
)	EP30	CLEAR	GREEN
)	EP40	CLEAR	GREEN



Counter Displays

Eyewear displays have been carefully designed and manufactured to address the needs of our distributors and clients. Their unique multi frame capacity make them the ideal tool to present any of Dynamic's safety glasses.

FEATURES & BENEFITS

- EPRACK1 holds 10 pairs of safety glasses
- EPRACK2 holds 24 pairs of safety glasses
- · Revolves for easy selection
- · Mirror on top for viewing
- Lightweight

PART NO	DESCRIPTION
EPRACK1	10 pair revolving eyewear display
EPRACK2	24 pair revolving eyewear display



Spectacles Cases

PART NO	DESCRIPTION
EP11	Vinyl case with spring pocket clip and fastening snap
EP12	Large nylon spectacles case with double belt loop and zipper closure
EPPMFB	Micro-fiber cleaning pouch black

Spectacles Cord

PART NO	DESCRIPTION
EP14	Spectacles cord holder

www.dsisafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789



Lens Cleaning Stations

ANTI-FOG • ANTI-STATIC • SILICONE FREE • FAST DRYING

PART NO	DESCRIPTION
EP16	Metal lens cleaning station - Complete with 2 bottles of 16 oz (500 ml) #EP22/16 of anti-fog cleaning liquid and 2 boxes of cleaning tissues #EP21
EP17	Disposable lens Cleaning station - Complete with 1 bottle of 16 oz (500 ml) #EP22/16 of anti-fog liquid cleaning liquid and 4 boxes of cleaning tissues #EP21
EP18	Disposable lens Cleaning station - Complete with 1 bottle of 8 oz (250 ml) #EP22/8 of anti-fog cleaning liquid and 2 boxes of cleaning tissues #EP21



Lens Cleaning Products

ANTI-FOG • ANTI-STATIC • SILICONE FREE • FAST DRYING

25



EPHG400R

High Performance Headgears

TO USE WITHOUT PROTECTIVE CAP

FEATURES & BENEFITS

- · Accepts a wide range of faceshield styles
- · Large sparkguard provides excellent protection
- · Cross strap adjusts to allow an exceptional fit
- Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- Comes with pinlock or ratchet adjustment for quick, easy and perfect fit
- Noryl is a very tough material which is resistant to sparks and heat
- The EPHG300 and EPHG300R are not compatible with the EP919 faceshield series

PART NO	ADJUSTMENT	MATERIAL	USE
EPHG200	Pinlock	HDPE	Regular
EPHG200R	Ratchet	HDPE	Regular
EPHG300	Pinlock	HDPE	Regular
EPHG300R	Ratchet	HDPE	Regular
EPHG400R	Ratchet	NORYL	Sparks / high heat
EPHG700R	Ratchet	NORYL	Sparks / high heat



EPHG700R

EPHGC500

High Performance Cap Mounted Headgears

TO USE WITH HARD HATS

FEATURES & BENEFITS

- Accepts a wide range of faceshield styles
- Large sparkguard provides excellent protection
- Includes (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap
- Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- Noryl is a very tough material which is resistant to sparks and heat

PART NO	MATERIAL	USE
EPHG401R	NORYL	Sparks / high heat
EPHG701R	NORYL	Sparks / high heat

Chin Protector

TO USE WITH ALL TYPES OF HEADGEARS

PART NO	MATERIAL	USE
EPHGC500	NORYL	Sparks / high heat

EPHG401R headgear and EP919PFT40 visor

www.dsisafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789



EPB101



EPB101VD









EPB301

EPB201VD





High Performance Faceshield Brackets

TO USE WITH PROTECTIVE CAPS

FEATURES & BENEFITS

- Accepts a wide range of faceshield styles
- Attachment system designed to accommodate many competitor's faceshields
- Swivel system to raise or lower faceshield

PART NO	DESCRIPTION
EPB101	Plastic bracket, totally dielectric and blades for slotted hard hats. Available September 2019
EPB101VD	Plastic bracket, totally dielectric and blades for slotted hard hats with debris control rubber cover
EPB101VDV	Plastic bracket, totally dielectric and comes with a rubber band to fit any hard hat with debris control rubber cover
EPB102	High Performance Face Shield Bracket Plastic, Totally Dielectric To be used with Full Brim Hats
EPB103	High Performance Face Shield Bracket to be used with THE ROCKY climbing hat Model HP141R and HP142R
EPB201	Aluminum bracket, heat resistant, with Cam lock system
EPB201VD	Aluminum bracket, heat resistant, with Cam lock system with debris control rubber cover
EPB301	High Performance Face Shield Bracket, heat resistant, aluminum cam lock system, fit most wide brim hard hats

Cap-Lock Adapter Kit

TO USE WITH HEADGEAR, BRACKETS & WELDING HELMET

- To attach welding helmets, headgears or brackets to a hard hat
- Fits easily on to most hard hats with slots
- Quick & Easy snap on and off feature
- Will accommodate narrow welding helmet if used with the extension

PART NO	DESCRIPTION
EPHC01	Cap lock adaptor kit with extension pieces
EPHC02	Cap lock blades only

High Performance Faceshield Visors Windows


DIE CUT WINDOWS - FLAT


- All the visors, faceshields and windows offer the multi-fit attachment pattern (or universal fit).
 This pattern consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- · 2 types of materials are available: PETG and Polycarbonate
- 2 thicknesses of material are available .040 in / 1.0mm and .060 in / 1.5 mm
- · Clear and green colors of materials are available on certain products















High Performance Faceshield Visors Windows


FORMED WINDOWS


- All the visors and faceshields offer the multi-fit attachment pattern (or universal fit). This pattern consists
 of 5 slots strategically located to fit a wide variety of headgear and brackets
- Made of Polycarbonate material
- 2 thicknesses of material are available .040 in/1.0mm and .060 in/ 1.5 mm
- 2 colors of material available, Green and Clear

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP811PF/60	8 x 11	Polycarbonate	Clear	0.060 in /1.5 mm
EP811F/60	8 x 11	PETG	Clear	0.060 in /1.5 mm
EP815PF/40	8 x 15 ½	Polycarbonate	Clear	0.040 in /1.0 mm
EP815PFG/40	8 x 15 ½	Polycarbonate	Green	0.040 in /1.0 mm
EP815PF/60	8 x 15 ½	Polycarbonate	Clear	0.060 in /1.5 mm
EP815F/60	8 x 15 ½	PETG	Clear	0.060 in /1.5 mm
EP816PF/40	8 x 16 ½	Polycarbonate	Clear	0.040 in /1.0 mm
EP816PFG/40	8 x 16 ½	Polycarbonate	Green	0.040 in /1.0 mm
EP816PF/60	8 x 16 ½	Polycarbonate	Clear	0.060 in /1.5 mm
EP816PFG/60	8 x 16 ½	Polycarbonate	Green	0.060 in /1.5 mm
EP816F/60	8 x 16 ½	PETG	Clear	0.060 in /1.5 mm
EP919PF/40	9 ½ x 20	Polycarbonate	Clear	0.040 in /1.0 mm
EP919PFG/40	9 ½ x 20	Polycarbonate	Green	0.040 in /1.0 mm
EP919PF/60	9 ½ x 20	Polycarbonate	Clear	0.060 in /1.5 mm
EP919F/60	9 ½ x 20	PETG	Clear	0.060 in /1.5 mm
EP919PFG/60	9 ½ x 20	Polycarbonate	Green	0.060 in /1.5 mm



EP815PF






High Performance Faceshield Visors Windows

FORMED WINDOWS (SPECIALITIES)

- All the visors and faceshields offer the multi-fit attachment pattern (or universal fit). This pattern consists
 of 5 slots strategically located to fit a wide variety of headgear and brackets
- Made of Polycarbonate material
- · All molded faceshields are made of Polycarbonate
- 2 colors of material available, Green and Clear





EP815PFGT/40



EP919PFGT/40



High Performance Faceshield Visors Windows

MOLDED WINDOWS

- · All visors and faceshields offer the multi-fit attachment pattern (or universal fit)
- All molded faceshields are made of PETG or Policarbonate of .060 in / 1.5mm thickness
- PETG has the same physical properties as Proprionate and reacts the same way when scratched (the scratches stay clear and do not affect your vision)



EP919MG5/60



EP919MG/60



EP919M/60

High Performance Faceshield Visors Windows



EP919MGAF/60

ARC FLASH WINDOW

Protect yourself against hazards from glares of light produced by electric arcs by using Dynamic protection system. Electric arcs are produced by an electric shock that result in an electromagnetic explosion of energy from fragments of fused metal being able to cause serious wounds. "Arc Flash" faceshield from Dynamic are conceived in order to provide to the user best possible vision and protection at work.

- 9.9 Cal/Cm2 et 12 Cal/Cm2
- Special formulation
- Complete panoramic vision
- Molded faceshield that offers a clear vision without any distortion
- · Perfect definition of colors
- Made of Polycarbonate highly resistant to the impacts and chemical splashes
- Curved faceshield to cover the entire face and chin ensuring you of a total protection
- Meets CSA Z94.3-15 standards and ANSI Z87.1 requirements
- Meets ASTM F-2178-6 and NFPA 70E standards

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP919MGAF/60	9 1/2" x 20"	Polycarbonate	Green	0.060/1.5MM 12 CAL



High Performance Faceshield Visors Windows

ARC FLASH WINDOWS AND ACCESSORIES KITS		
PART NO	DESCRIPTION	
EPAFK01	"ARC FLASH" kit including: (1) headgear #EPHG700R and (1) visor #EP919MGAF/60 12 CAL	
EPAFK04		



EPWM815 shown with EPB103 on HP141R/02 hard hat

WIRE MESH VISOR

Faceshield for landscaping, forestry workers, pruners etc. Can be worn with any brackets or in combination with our hearing protectors.

PART NO	DESCRIPTION	
EPWM815	Wire mesh visor of 8" x 15 1/2"	
EPPM815	Plastic mesh visor of 8" x 15 1/2"	



Dyna-Star Full Graphic Welding Helmet

WITH DYNAMIC "SURE-LOCK" RATCHET SUSPENSION TO USE WITHOUT PROTECTIVE CAP

FEATURES & BENEFITS

- Thermoplastic welding helmet
- 5.25" x 4.5" fixed front
- Wide vision impulse auto darkening filter plus cover plate
- Ratchet headgear suspension
- Choice of 3 different graphic styles: (A) Flame,
 (B) Face Off or (C) Volcano

PART NO	FRONT	LENS SHADE	LENS SIZE	
EP209G10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	
EP209G913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	



Dyna-Star Full Graphic Welding Helmet

TO USE WITH PROTECTIVE CAP

FEATURES & BENEFITS

- Thermoplastic welding helmet
- 5.25" x 4.5" fixed front
- Wide vision impulse auto darkening filter plus cover plate
- Include (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap
- Choice of 3 different graphic styles: (A) Flame, (B) Face Off or (C) Volcano

PART NO	FRONT	LENS SHADE	LENS SIZE
EP4209G10AD	Fixed	ADF, Shade #10	5.25" x 4.5"
EP4209G913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"



EP4209G10AD/B

www.dsisafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789



EP209B10AD

Dyna-Star Classic Welding Helmet

WITH DYNAMIC "SURE-LOCK" RATCHET SUSPENSION TO USE WITHOUT PROTECTIVE CAP

FEATURES & BENEFITS

- Thermoplastic welding helmet
- 5.25" x 4.5" fixed front
- Wide vision impulse auto darkening filter plus cover plate
- Ratchet headgear suspension
- Available in black or silver color

PART NO	FRONT	LENS SHADE	LENS SIZE	HELMET COLOR
EP209B10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	Black
EP209S10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	Silver
EP209B913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	Black
EP209S913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	Silver

Dyna-Star Classic Welding Helmet

TO USE WITH PROTECTIVE CAP



- Thermoplastic welding helmet
- 5.25" x 4.5" fixed front
- Wide vision impulse auto darkening filter plus cover plate
- Include (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap
- · Available in black or silver color



EP4209S10AD

PART NO	FRONT	LENS SHADE	LENS SIZE	HELMET COLOR
EP4209B10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	Black
EP4209S10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	Silver
EP4209B913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	Black
EP4209S913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	Silver



SuperTuff Black Basic Welding Helmet

WITH DYNAMIC "SURE-LOCK" RATCHET SUSPENSION TO USE WITHOUT PROTECTIVE CAP

FEATURES & BENEFITS

- Black thermoplastic welding helmet
- 2" x 4.25" lift or fixed front or 4.5" x 5.25" fixed front
- · Ratchet headgear suspension
- Available in black color only



PART NO	FRONT	LENS SHADE	LENS SIZE
EP101	Fixed	Polycarbonate Shade #10	2" x 4.25"
EP101AD	Fixed	ADF, Shade #10	2" x 4.25"
EP106	Lift	Polycarbonate Shade #10	2" x 4.25"
EP109	Fixed	Polycarbonate Shade #10	4.5" x 5.25"

SuperTuff Black Basic Welding Helmet

TO USE WITH PROTECTIVE CAP



- Black thermoplastic welding helmet
- 2" x 4.25" lift or fixed front or 4.5" x 5.25" fixed front
- Include (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap
- Available in black color only



PART NO	FRONT	LENS SHADE	LENS SIZE
EP4101	Fixed	Polycarbonate Shade #10	2" x 4.25"
EP4101AD	Fixed	ADF, Shade #10	2" x 4.25"
EP4106	Lift	Polycarbonate Shade #10	2" x 4.25"
EP4109	Fixed	Polycarbonate Shade #10	4.5" x 5.25"

www.dsisafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789



Dyna-Weld Class II Welding Helmet

WITH DYNAMIC "SURE-LOCK" RATCHET SUSPENSION TO USE WITHOUT PROTECTIVE CAP

FEATURES & BENEFITS

- The only class II welding helmet on the market
- Made of black thermoplastic
- 2" x 4.25" lift or fixed front OR
- 5.25" x 4.5" lift or fixed front

- Also available with ADF filter plate
- Ratchet headgear suspension
- · Available in black color only

PART NO	FRONT	LENS SHADE	LENS SIZE
EP501	Fixed	Polycarbonate Shade #10	2" x 4.25"
EP501AD	Fixed	ADF Shade #10	2" x 4.25"
EP506	Lift	Polycarbonate Shade #10	2" x 4.25"
EP509	Fixed	Polycarbonate Shade #10	4.5" x 5.25"
EP509AD	Fixed	ADF Shade #10	4.5" x 5.25"
EP509AD13	Fixed	ADF Shade #9-13	4.5" x 5.25"





Dyna-Weld Class II Welding Helmet

TO USE WITH PROTECTIVE CAP

- The only class II welding helmet on the market
- Made of back thermoplastic
- 2" x 4.25" lift or fixed front OR
- 5.25" x 4.5" lift or fixed front

- Also available with ADF filter plate
- Include (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap
- Available in black color only

PART NO	FRONT	LENS SHADE	LENS SIZE
EP7101	Fixed	Polycarbonate Shade #10	2" x 4.25"
EP7101AD	Fixed	ADF Shade #10	2" x 4.25"
EP7106	Lift	Polycarbonate Shade #10	2" x 4.25"
EP7109	Fixed	Polycarbonate Shade #10	4.5" x 5.25"
EP7109AD	Fixed	ADF Shade #10	4.5" x 5.25"
EP7109AD13	Fixed	ADF Shade #9-13	4.5" x 5.25"











Welding Filter Lens and Cover Plates

Full line of filters, lens, cover plates and magnifiers. Includes top quality glass or plastic plates and lenses for virtually every metal fabrication application.

MAGNIFIERS GLASS			
PART NO	SIZE	DIOPTER	
EP189/150	2" x 4.25"	1.5	
EP189/175	2" x 4.25"	1.75	
EP189/200	2" x 4.25"	2.00	

MAGNIFIERS POLYCARBONATE			
PART NO	SIZE	DIOPTER	
EP182/150	2" x 4.25"	1.5	
EP182/175	2" x 4.25"	1.75	
EP182/200	2" x 4.25"	2.00	

REPLACEMENT POLYCARBONATE FILTER PLATES			
PART NO	SIZE	SHADE	
EP24P100	2" x 4.25"	9, 10, 11 or 12	
EP45P50	4.5" x 5.25"	9, 10, 11 or 12	

SAFETY COVER PLATES				
PART NO	SIZE	MATERIAL TYPE		
EP24CP100	2" x 4.25"	Polycarbonate		
EP45CP50	4.5" x 5.25"	Polycarbonate		

AUTO DARKENING FILTER (ADF) CASSETTES				
PART NO	SIZE	SHADE		
EP160	2" x 4.25"	10		
EP170	4.5" x 5.25"	10		
EP190	4.5" x 5.25"	Variable, shade 9 to 13		

www.dsisafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789