

71353 OSLO H2FLOW CIS COAT

COLORS: 369 EN471-YELLOW/CHARCOAL

SIZES: S, M, L, XL, 2XL, 3XL, 4XL



369

STANDARDS:



FABRIC: Helly Tech® Protection
100% Polyester

A hi-vis certified highly versatile coat for whatever Mother Nature throws your way. The Helly Tech® Performance waterproof, windproof and breathable fully taped construction will keep you protected from wind, rain, snow and hail. Side zips for easy access to utility and tool pockets and better movement. The zip-in H2Flow® jacket inside will keep you warmer, cooler in a lightweight construction - whatever the weather - whatever the season. Primaloft® synthetic strategically placed insulation for warmth and comfort. Use them together for maximum protection or separate to accommodate for different seasons.

- CSA Z96 Class 2 Level 2
- ANSI/ISEA 2010 2:2 (for size XS) and 2:3 for size S and up
- EN 343 3,1 Waterproof/Breathable with zip-in jacket
- EN 343 3,3 Waterproof/Breathable without zip-in jacket
- EN 342 0,349 m2 K/W Cold norm with zip-in jkt and Kiruna pant
- Main fabric cc 369: 100% Polyester - 169 g/m2
- Black fabric: 100% Nylon Oxford - 140 g/m2
- H2Flow® technology
- Warmer. Cooler. Lighter
- Taped seams
- Insulator fabric: 100% Polyamid
- Insulator Lining: 100% polyester
- Coat Lining: 100% Polyamid
- Insulation; Primaloft® Synergy 100g + Polartec® Fleece - 100% Polyester - 200 g/m2
- YKK Vislon center front zip, with zip-in opportunity
- 3M EN 471 HiVis approved printed reflectives on sleeves, shoulders and body
- Bigger gap between the reflective stripes on sleeve for better comfort
- Hood with draw cord adjustment at front and back
- Laminated hood brim
- Back placket with chin guard brushed tricot
- Storm flap with velcro closure
- Four hand pockets, two with with flap & velcro closing



71364/71354 OSLO H2FLOW CIS JACKET

COLOURS: [71354] 369 EN 471-YELLOW/CHARCOAL
[71364] 999 BLACK/CHARCOAL

SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: Helly Tech® Performance
100% Polyester

Polartec® 200g fleece

Primaloft® insulation

HiVis printed reflectives

Helly Tech® Performance
waterproof, breathable and
guaranteed fabric

H2FLOW® technology
Warmer.Cooler. Lighter

Waterresistant YKK®
zippers



369

71348 BODEN DOWN PARKA

COLORS: 360 EN471 YELLOW

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL



360

STANDARDS:



FABRIC: Helly Tech® Protection
100% Polyester

Hi-vis certified down parka for extreme warmth and protection in the coldest conditions. Helly Tech® Performance waterproof, windproof and breathable fully taped construction. High quality Allied Down European goose down with +700 fill power for extreme warmth. Detachable fake fur on hood. Waist adjustment to accommodate varying body shapes. Side zippers for easy access to utility and tool pockets and also improve movement. Rib cuffs for warmth and comfort. By far our warmest 3/4 length parka for blistering conditions.

- EN 471 cl 3 HiVis
- EN 342 Cold norm protection
- EN 343 3,1 Waterproof/Breathable with zip-in jacket
- Air permeability class 3
- 100% Oxford Polyester - 165 g/m2
- Helly Tech® waterproof, windproof and breathable fabric
- Fully taped construction
- Lining: 100% Nylon
- Insulation: Allied down 85/15 European goose, Fillpower 700+
- YKK Vislon two-way center front zipper
- Col. 990 Black: Reflective bands at sleeves and shoulders
- Col. EN 471 Yellow: Reflective bands at sleeves, shoulders and waist
- Detachable fake fur on hood
- Hood with draw cord adjustment at front and web adjustment at back
- Brushed polyester inside collar
- Chin guard and back placket
- Storm flap
- Velcro closure
- Side zippers
- Two chest pockets with water repellent zippers
- Chest pockets with flap and velcro closure
- Draw cord adjustment at waist
- Sleeve pocket with YKK zipper at left sleeve



A hi-vis certified highly versatile jacket for whatever Mother Nature throws your way. The Helly Tech® Performance waterproof, windproof and breathable fully taped construction will keep you protected from wind, rain, snow and hail. The zip-in H2Flow® jacket inside will keep

you warmer, cooler in a lightweight construction - whatever the weather - whatever the season. Primaloft® synthetic strategically placed insulation for warmth and comfort. Use them together for maximum protection or separate to accommodate for different seasons.

- CSA Z96 Class 2 Level 2
- ANSI/ISEA 107(2010) 2:2 for XS and 3:2 for S and up for 369
- EN 343 3,1 Waterproof/Breathable with zip-in jacket
- EN 343 3,3 Waterproof/Breathable without zip-in jacket
- EN 342 0,349 m2 K/W Cold norm with zip-in jkt and Kiruna pant
- Main fabric cc 369: 100% Polyester - 169 g/m131
- Black fabric: 100% Nylon Oxford - 140 g/m131
- H2FLOW technology: Warmer. Cooler. Lighter
- Taped seams
- Insulator fabric: 100% Polyamid
- Insulator Lining: 100% Polyester
- Coat Lining: 100% Polyamid
- Insulation; Primaloft® Synergy 100g + Polartec® Fleece - 100% Polyester - 200 g/m131
- YKK Vislon center front zip, with zip-in opportunity
- 3M EN 471 HiVis approved printed reflectives on sleeves, shoulders and body
- Bigger gap between the reflective stripes on sleeve for better comfort
- Hood with draw cord adjustment at front and back
- Laminated hood brim
- Back placket with chin guard brushed tricot
- Storm flap with velcro closure
- Four hand pockets, two with with flap & velcro closing

STANDARDS:



999

71275 POTSDAM 3 IN 1 JACKET WITH 4" STRIPING

COLORS: 265 EN471 ORANGE/NAVY, 369 EN471 YELLOW/CHARCOAL

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL

FABRIC: 100% Polyester 200 g/m², Contrast color: 100% Nylon 160 g/m²
100% Nylon lining



- JACKET:**
- Colour codes 265 for Orange jacket
 - CSA Z96 Class 2 Level 2
 - ANSI/ISEA 107(2010) 3:2
 - Helly Tech® waterproof/breathable
 - Parka length jacket
 - Light fleece in collar and chin guard
 - Reflective tape CSA striping
 - Zipper under sleeve for ventilation
 - 2 chest pocket with zip closure
 - Mobile pocket with pen pocket on right chest
 - Click.on™ loops for additional accessories 79539
 - 2 hand pockets with zip closure
 - Map pocket under storm flap
 - Elastic cuffs with Velcro® adjustment
 - Storm flap with zip and Velcro® closure
 - Detachable hood with draw cord adjustment
 - Hood made for hard hat
 - Drawcord adjustment at waist and hem
 - Extended back
 - Zipper inside jacket for logo applications
 - Option for fleece/therm zip-in of style 73374 Potsdam Lining and 72065 Red Lake Zip-in Jacket

- LINING:**
- Colour code 269 for Orange lining
 - CSA Z96 Class 2 Level 2
 - Reflective tape
 - Light fleece in collar and chin guard
 - Stormflap with zip and Velcro® closure
 - Mobile pocket with Velcro® closure on right chest
 - 2 hand pockets with zip and snap closure
 - Click.on™ loops for additional accessories under flaps
 - Left inner pocket with Velcro® closure
 - Rib cuff
 - Drawcord adjustment at hem
 - Extended back
 - Quilted insulation in Vest body
 - Quilted insulation zip off sleeves with elastic cuff
 - Zip-in option with Helly Tech® style 71374 Potsdam Jacket

* Product does not appear as shown.



STANDARDS:



71274 POTSDAM 3 IN 1 JACKET

COLORS: 265 EN471 ORANGE/NAVY, 369 EN471 YELLOW/CHARCOAL

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL

FABRIC: 100% Polyester 200 g/m², Contrast color: 100% Nylon 160 g/m² 100% Nylon lining



- JACKET:**
- Colour codes 265 for Orange jacket
 - CSA Z96 Class 2 Level 2
 - ANSI/ISEA 107(2010) 3:2
 - Helly Tech® waterproof/breathable
 - Parka length jacket
 - Light fleece in collar and chin guard
 - Zipper under sleeve for ventilation
 - 2 chest pocket with zip closure
 - Mobile pocket with pen pocket on right chest
 - Click.on™ loops for additional accessories 79539
 - 2 hand pockets with zip closure
 - Map pocket under storm flap
 - Elastic cuffs with Velcro® adjustment
 - Storm flap with zip and Velcro® closure
 - Detachable hood with draw cord adjustment
 - Hood made for hard hat
 - Drawcord adjustment at waist and hem
 - Extended back
 - Zipper inside jacket for logo applications
 - Option for fleece/therm zip-in of style 73374 Potsdam Lining and 72065 Red Lake Zip-in Jacket

- LINING:**
- Colour code 269 for Orange lining
 - CSA Z96 Class 2 Level 2
 - ANSI/ISEA 107(2010) 2:2
 - Light fleece in collar and chin guard
 - Stormflap with zip and Velcro® closure
 - Mobile pocket with Velcro® closure on right chest
 - 2 hand pockets with zip and snap closure
 - Click.on™ loops for additional accessories under flaps 79539
 - Left inner pocket with Velcro® closure
 - Rib cuff
 - Drawcord adjustment at hem
 - Extended back
 - Quilted insulation in Vest body
 - Quilted insulation zip off sleeves with elastic cuff
 - Zip-in option with Helly Tech® style 71374 Potsdam Jacket

* Product does not appear as shown.



STANDARDS:



71276 POTSDAM SERVICE JACKET

COLORS: 369 FLUORESCENT YELLOW

SIZES:

FABRIC: 100% Polyester 200 g/m², Contrast colour: 100% Nylon 160 g/m² 100% Nylon lining



- JACKET:**
- Colour codes 265 for Orange jacket
 - CSA Z96 Class 2 Level 2
 - ANSI/ISEA 107(2010) 3:2
 - Helly Tech® waterproof/breathable
 - Parka length jacket
 - Light fleece in collar and chin guard
 - Zipper under sleeve for ventilation
 - 2 chest pocket with zip closure
 - Mobile pocket with pen pocket on right chest
 - Click.on™ loops for additional accessories 79539
 - 2 hand pockets with zip closure
 - Map pocket under storm flap
 - Elastic cuffs with Velcro® adjustment
 - Storm flap with zip and Velcro® closure
 - Detachable hood with draw cord adjustment
 - Hood made for hard hat
 - Drawcord adjustment at waist and hem
 - Extended back
 - Zipper inside jacket for logo applications
 - Option for fleece/therm zip-in of style 73374 Potsdam Lining and 72065 Red Lake Zip-in Jacket

- LINING:**
- Full Side Zips
 - Mic Tabs
 - ID Badge Velcro
 - Epaulets

* Product does not appear as shown.

STANDARDS:



71374 POTSDAM JACKET

COLORS: 265 EN471 ORANGE/NAVY, 369 EN471 YELLOW/CHARCOAL

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6XL

FABRIC: Helly Tech® Protection
100% Polyester



- CSA Z96 Class 2 Level 2
- ANSI/ISEA 107(2010) 3:2
- EN 343 cl 3 Waterproof/Breathable
- EN 342 Cold norm protection with pant
- 100% Oxford Polyester - 200 g/m²
- Contrast color 100% Oxford Nylon - 140 g/m²
- Helly Tech® waterproof, windproof and breathable fabric
- Fully taped construction
- Lining: 100% Nylon
- Reflective band at shoulders and sleeve end
- Detachable hood
- Hood designed to be used with a helmet
- Brushed polyester inside collar
- Storm flap
- Two-way zipper and velcro closure
- Two pockets at front with zippers and flaps
- Two chest pockets with zippers and flaps
- Inner chest pocket with zipper
- Mobile phone and pen pocket at right chest
- Zip ventilation under arms
- Draw cord adjustment at hem
- Draw cord adjustment at waist
- Elastic cuffs with velcro adjustment
- Zipper for entry inside garment for logo applications
- Click-on loops for accessories under pocket flaps

STANDARDS:



71465 POTSDAM PANT WITH STRIPING

COLORS: 265 EN471 ORANGE/NAVY,
369 EN471 YELLOW/CHARCOAL


SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6XL

FABRIC: Helly Tech® Protection
100% Polyester



- CSA Z96 Level 2
- ANSI/ISEA 107(2010) E:2
- EN 343 cl 3 Waterproof/Breathable
- 100% Oxford Polyester - 200 g/m2
- Helly Tech® waterproof, windproof and breathable fabric
- Fully taped construction
- Lining: 100% Nylon
- Reflective band at legs
- Fly with zip
- Two pockets at front with zippers and flaps
- Two thigh pockets with flaps
- Ruler pocket with button for attaching knives
- Back pocket with flap
- Broad belt tunnel at back for extra strength and stability
- Belt loops with Click-on function for additional accessories
- Elastic at waist
- Knee pad pockets inside
- Detachable back piece with elastic suspenders
- Velcro adjustment at hem
- Boot zippers with storm flap and velcro closure

STANDARDS:



79220 HIGH VIS VEST

COLORS: 260 FLUORESCENT ORANGE


SIZES: XS/S, M/L, XL/2XL, 3XL/4XL

FABRIC: Synthetic Woven
100% Polyester tricot knit



- CSA Z96 Class 2 Level 2
- Reflective striping
- Front Zip
- Hanger loop
- Edge binding for durability

STANDARDS:



73357 MOTALA HI VIS REVERSIBLE CSA JACKET

COLORS: 260 FLUORESCENT ORANGE, 360 FLUORESCENT YELLOW

SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: 100% Polyester on high visibility side 200 G/M²,
100% Nylon Oxford Shell on reverse 115 G/M²



- Light insulation 60g
- 2 front pockets with zip closure
- Storm flap with zip and Velcro® closure
- Chest Zip Pocket under storm flap
- Velcro® closure on sleeves
- Elastic adjustment at hem
- Wind and water resistant
- 3M® reflective tape

* Product does not appear as shown.

STANDARDS:



70261 NARVIK JACKET

COLORS: 260 FLUORESCENT ORANGE, 360 FLUORESCENT YELLOW

SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: PU Coated knitted Polyester 180 G/M²
light weight



- Waterproof
- PU Stretch fabric
- Reflective 3M® Scotchlite
- 2 hand pockets with flap
- Front zips with storm flap and Velcro® closures
- Concealed hood in collar
- Generous cut, raglan sleeves
- Draw cord adjustment on hood
- Snap adjustment at sleeves
- Draw cord adjustment on bottom hem
- Extended back
- MicroWeld™ seam construction

* Product does not appear as shown.

STANDARDS:



70570 NARVIK BIB

COLORS: 260 FLUORESCENT ORANGE, 360 FLUORESCENT YELLOW

SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: PU
100% Polyester



- CSA Z96 Level 2
- ANSI/ISEA 107(2010) E:2
- EN 343 cl 3,2 Waterproof
- 100% Polyester - 170 g/m2, PU coating
- Waterproof fabric and construction
- Double layer fabric of fabric at knees
- Reflective band
- Inner chest pocket with zipper
- Detachable and elastic suspenders
- Boot zippers with storm flap

STANDARDS:



70620 WAVERLY PACKABLE STORM SUIT

COLORS: 360 FLUORESCENT YELLOW
SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL

FABRIC: 300 denier polyester with pvc coating
 290 g/m²



COMMON FEATURES:

- Taped seams
- 3M™ Scotchlite™ Reflective Material
- Waterproof

JACKET FEATURES:

- Zipper front closing with external storm flap
- Stand-up corduroy lined collar
- Vented chest and back
- Two front patch pockets with snap closures
- Snap adjustment at sleeve hem
- Removable drawcord hood serves as a carrying case

BIB PANT FEATURES:

- Adjustable suspenders
- Velcro® closing fly
- Snap adjustment at waist and leg hem

STANDARDS:



70336 ALTA PADDED CSA JACKET

COLORS: 260 FLUORESCENT ORANGE, 360 FLUORESCENT YELLOW
SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: 100 % Polyester, PU coated, 150 G/M², Insulation: 100% polyester, 160 G/M² in body, 120 G/M² in sleeve, Lining: 100% Nylon



- Packable hood with drawcord at front, Velcro® at back
- Fleece inside collar
- Chin guard with fleece
- Storm flap with zip closure
- Inner chest pocket
- Zipper on inside lining to permit embroidery
- 2 hand pockets
- Loop inside at hem for ID card
- Drawcord adjustment at hem
- Velcro® adjustment on sleeves
- Extended back

STANDARDS:



70335 ALTA INSULATED JACKET

COLORS: 269 FLUORESCENT ORANGE, 360 FLUORESCENT YELLOW
SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: Synthetic Woven
 100% Polyester



- ANSI/ISEA 107:2010 2:2 for S-M, 3:2 for L and up
- EN 343 cl 3,1 Waterproof/ Breathable
- EN 342 0,332 cl 3 m2 K/W(B)(2.1 clo) Cold norm protection
- Air permeability class 3
- 100% Polyester - 200 g/m²
- Contrast color 100% Polyester - 140 g/m²
- Waterproof fabric and construction
- Taped seams
- Lining: 100% Nylon
- Insulation: 100% Polyester, 120 g/m² in body, 100 g/m² in sleeves
- Reflective band around body, sleeves and on shoulders
- Packable hood with draw cord adjustment at front
- Brushed polyester inside collar
- Chin guard
- Storm flap
- Zipper closure
- Two pockets at front with flaps
- Inner chest pocket with zipper
- Draw cord adjustment at hem
- Velcro adjustment at cuffs
- Contrast color
- Zipper for entry inside garment for logo applications
- Click-on loops inside hem for accessories
- Tail drop

STANDARDS:



70445 ALTA INSULATED PANT


COLORS: 260 FLUORESCENT ORANGE, 360 FLUORESCENT YELLOW
SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: 100 % Polyester, PU coated, 150 G/M², Insulation: 100% polyester, 80 g G/M², Lining: 100% Nylon



- Elastic waist w/draw cord & cord lock
- Inside kneepad pockets
- Boot zip and Velcro® adjustment at hem
- Loop inside waist for ID card

STANDARDS:



SIZE CHART

* Please note changes to the size charts below.

EN 340:2004 Protective clothing - General requirements

Helly Hansen protective clothing is designed and manufactured in such a way that it does not have any effect on the user's health or hygiene. The design guarantees a correct fit and protection for the body when used correctly.

The design and material offer function and comfort. The material offers good fade-resistance, stability, strength and durability, to ensure that the garments have a long life, even with heavy use and many washes.

Size grading is based on body measurements in centimeter, see the size guide. All garments are properly marked on garment labels and on external labels to indicate the information required for the standard.

Check your body measurements as instructed and compare with the data in the table.
Example: If your chest measures 44 inches you should wear size XL.

Chest: With arms relaxed at sides, measure around fullest part of chest.

Waist: Measure around natural waistline, smallest part of waist.

Hips: Standing with legs together, measure around fullest part of hips.

Inside leg: Measure inside length of your leg from crotch to bottom of ankle.

MEN'S

Garment size		XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
① Chest	Cm	88	91	95-99	84	84	84	84	84	84	84
	Inches	34.5	36	37.5-39	41-42.5	44-45.5	47-48.5	50-51.5	53-54.5	56-57.5	58-60
② Waist	Cm	76	79	84	84	84	84	84	84	84	84
	Inches	30	31	33-34	36-38	39-41	42-44	45-47	48-50	51-53	54-56
③ Hips	Cm	94	98	84	84	84	84	84	84	84	84
	Inches	37	38.5	40-41.5	43-45	46-48	49.5-51	52.5-54	55.5-57	58.5-60	61.5-63
④ Inside leg length	Cm	77	80	84	84	84	84	84	84	84	84
	Inches	30.5	31.5	32	33	34	35	35	35	35	35

WOMEN'S

Garment size		XS	S	M	L	XL	2XL	3XL
① Chest	Cm	84	88	92	100	108	116	124
	Inches	33	34.5	36	39.5	42.5	45.5	48.5
② Waist	Cm	68	72	76	84	92	100	108
	Inches	27	28.5	30	33	36	39	42.5
③ Hips	Cm	92	96	100	108	116	124	132
	Inches	36	38	39.5	42.5	45.5	48.5	52
④ Inside leg length	Cm	76	78	80	82	84	86	88
	Inches	30	30.5	31.5	32.5	33	34	34.5
⑤ Body height	Cm	160	164	168	172	176	180	184
	Inches	63	64.5	66	67.5	69.5	71	72.5

HATS

Size	S	M	L	XL	2XL
Europe	55-56	57-58	59-60	61-62	63-64
UK	6 3/4 - 6 7/8	7 - 7 1/8	7 1/4 - 7 3/8	7 1/2 - 7 5/8	7 3/4 - 7 7/8
US	7	7 1/8 - 7 1/4	7 3/8 - 7 1/2	7 5/8 - 7 3/4	7 7/8 - 8

* Please confirm sizing on individual product listings

POLICIES

HH GUARANTEE

Since we began making performance clothing in 1877 our products have been tested in the most extreme conditions on earth. We have been on both Poles, all oceans and the highest peaks in the world. Throughout, we've stood behind every product we've made. Today that tradition remains unbroken.

Helly Hansen offers a limited lifetime warranty against manufacture defects in materials and workmanship for the reasonable life expectancy of each garment. Should any key features or functions fail due to a manufacturing defect during this time, we will either repair or replace the garment at no additional charge.

Key features include: zippers, snaps, cords and seams.

WARRANTY RETURN POLICY

If you have questions or need to return defective product please contact the Customer Service Department at 1-866-435-5902 for a Return Authorization number. For more information on frequently asked questions regarding our warranty policy please visit our web site at www.hellyhansen.com.

Defective product should be shipped to our warehouse address:

Helly Hansen
4104 "C" Street NE, Suite 200
Auburn, WA 98002

All returned garments must be washed prior to their return or they cannot be inspected. Customers should enclose a note specifying the warranty problem and / or the location of the problem on the garment, as well as list specifics regarding style, color and size. The Return Authorization number should be written in large letters on the outside of the package.

The Helly Hansen Warranty Department will inspect the product at no charge to you. If the Warranty Department determines, in its sole discretion, that the product has a defect covered under this Warranty, we will repair or replace it within approximately four weeks. If the defective garment is not repairable and an identical product is not available, we will replace it with a garment of comparable style and color at our discretion.

NOTE


Return authorizations not received within 30 days of issuance will be void and cancelled. Products purchased as irregulars/discontinued will not be authorized for return.

ORDER DISCREPANCIES

Discovery of discrepancies on your order must be reported to Helly Hansen Customer Service within 30 days of invoice date. All requests must be accompanied by complete invoice numbers. A request received after 30 days will not be accepted.

DAMAGED SHIPMENTS

Inspect all shipments carefully. Verify the total number of cartons and check for exterior carton damage. All claims for lost or damaged shipments must be made directly to the delivery carrier. Helly Hansen is not responsible for damage during shipment.



1, 2, 3, 5 = Body measurement

4 = Garment measurement

WASHING INSTRUCTIONS

BODYWEAR:

Wash warm, no hotter than 104 degrees Fahrenheit, with a mild detergent. Hang dry. Best to wash your synthetic clothing together (polypro's and polyesters, nylons, etc.) so lint does not build up on it during washing. Do not tumble dry or dry clean. Do not iron. Polypropylene is heat sensitive. It will survive a tumble dry on low heat, but it's best to hang dry.

PILE/FLEECE:

Wash warm, no hotter than 104 degrees Fahrenheit, with mild detergent. Best to hang dry. Tumble drying puts unnecessary wear and tear on garment. Do not dry clean or iron. Best to wash your synthetic clothing together (polypro's and polyesters, nylons, etc.) so lint does not build up on it during washing.

HELLY TECH® & OTHER SHELLS:

Wash warm, no hotter than 104 degrees Fahrenheit, with mild detergent. Tumble dry on medium heat for 25-30 minutes. Do not dry clean or iron. Secure all velcro® adjustments, zip up all zippers including main zipper and adjust all draw cords to minimize ability to tangle around wash machine agitator. For best performance, keep your jacket clean and tumble dry to reactivate the DWR for improved water repellency.

PVC & PU COATED FABRICS:

Wash warm, no hotter than 104 degrees Fahrenheit, with mild detergent. Hang to dry.