



73363 OSLO H2 FLOW INSULATOR HOODIE

COLORS: 990 BLACK
SIZES: S, M, L, XL, 2XL, 3XL
FABRIC: Fleece
100% Polyester



- EN 14058 cl 1 Cold protection norm
- 100% Polyester - 52 g/m2
- H2FLOW technology
- Warmer. Cooler. Lighter
- Insulation; Primaloft® Synergy 100g and Polartec® Fleece - 100% Polyester - 200 g/m2
- Hidden zipper for hand pockets
- YKK Vislon center front zip, with zip-in opportunity
- Loop for ID card & other tools at inside bottom front
- Zip in compatible with 71363
- Hidden ventilation zippers at front
- Bottom hem elastic adjustment



73001 SUNNE INSULATOR

COLORS: 530 RACER BLUE, 990 BLACK
SIZES: S, M, L, XL, 2XL, 3XL
FABRIC: Thermo
100% Polyamide

Brushed Tricot in neck
for comfort

Highly compressible,
easy to pack

New great fit



Lightweight layering
jacket

Primaloft®Black
100g insulation

YKK® zippers

530

A lightweight synthetic insulator to use as a midlayer or standalone jacket during fall and winter. A perfect layering garment for all the shell jackets in the Helly Hansen Workwear range. Primaloft® insulation for maximum warmth to weight ratio. Brushed tricot in neck and hand pockets for added warmth and comfort. YKK® quality zippers for durability and ease of use.

- EN 14058 cl 3 Cold protection norm
- 100% Polyamide - 57 g/m2
- New fit
- Brushed Tricot in neck for comfort
- Highly compressible
- Insulation: Primaloft Black, 100 g/m2
- Center front YKK zipper
- Chin guard
- Two handpockets with YKK zippers
- Chest pocket with zipper
- Draw cord adjustment at hem
- Elastic cuffs

STANDARDS:



990

72111 HAY RIVER JACKET

COLORS: 530 RACER BLUE, 990 BLACK

SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: Fleece
100% Polyester

- Polartec®
- 100% Polyester - 314 g/m2
- Chin guard
- Two pockets at front with zippers
- Ruler pocket with an additional pocket for tools
- Draw cord adjustment at hem



75120 SEATTLE POWERSTRETCH FZ SHIRT

COLORS: 990 BLACK

SIZES: XS, S, M, L, XL, 2XL, 3XL

FABRIC: Fleece
88% Polyester, 12% Elastane

- Polartec®
- 88% Polyester, 12% Elastane - 230 g/m2
- Polartec® Powerstretch
- Reinforcement at front, shoulders, back and under arm
- Reinforcement; 100% polyamide 200 g/m2
- YKK center front zipper with back placket
- Two hand pockets with YKK zipper and flap
- Chest pocket with YKK zipper
- Thumb holes end sleeve



79820 SEATTLE POWERSTRETCH BEANIE

COLORS: 990 BLACK

SIZES: STD

FABRIC: Fleece
88% Polyester, 12% Elastane

- 88% Polyester, 12% Elastane
- Polartec® Powerstretch
- Double main fabric
- Embroidered Polartec® logo
- Loop with HH WW logo



72112 LANGLEY FLEECE

COLORS: 290 DARK ORANGE, 590 NAVY, 990 BLACK

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: Fleece
100% Polyester

- Polartec®
- 100% Polyester - 251 g/m2
- Chin guard
- Chest pocket with zipper
- Two pockets at front with zippers
- Tail drop



72046 MINTO FLEECE

COLORS: 990 BLACK

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: Fleece
100% Polyester

- Polartec®
- 100% Polyester - 150 g/m2
- Chin guard
- Chest pocket with zipper
- Tail drop
- Micro fleece perfect to be worn inside



79834 MINTO BEANIE

COLORS: 290 DARK ORANGE, 530 RACER BLUE, 990 BLACK

SIZES: STD

FABRIC: Fleece
100% Polyester

- 100% Polyester
- Polartec® Microfleece
- Full stretch
- Quick Dry
- Light weight
- Two side brushed
- Double layer fabric
- Delivered in package of 6 pieces




79876 MINTO NECK GAITER

COLORS: 990 BLACK

SIZES: STD

FABRIC: Fleece
100% Polyester



- 100% Polyester
 - Polartec® Microfleece
 - Full stretch
 - Quick Dry
 - Light weight
 - Two side brushed
 - Double layer fabric
 - Delivered in package of 6 pieces
- 

72065 RED LAKE ZIP IN JACKET

COLORS: 990 BLACK

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: Fleece
100% Polyester



- 100% Polyester - 320 g/m2
- Thigh pocket with flap & velcro closure. Space for additional accessories and tools
- Optional as zip-in jacket
- Front zipper
- Two pockets at front with zippers
- Elastic cuffs

72166 DURHAM FULL ZIP FLEECE

COLORS: 990 BLACK

SIZES: S, M, L, XL, 2XL, 3XL, 4XL

FABRIC: Fleece
100% Polyester



- 100% Polyester - 160 g/m2
 - Chin Guard
 - Two pockets at front
- 


72240 PILE JACKET

COLORS: 590 NAVY

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL

FABRIC: 100% Polyester single side Pile fabric
483 g/m²



- Front zipper closure
 - Nylon knit cuffs and waistband
 - Flatlock seams
- 


72241 PILE HOODED JACKET

COLORS: 590 NAVY

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL

FABRIC: 100% Polyester single side Pile fabric
483 g/m²



- Draw cord adjustable hood
 - Front zipper closure
 - Zippered chest pocket
 - Two hand-warming pockets
 - Elastic edgeband sleeve cuffs and waistband
- 


72440 PILE PANT

COLORS: 590 NAVY

SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL

FABRIC: 100% Polyester single side Pile fabric
483 g/m²



- Elastic waist
 - Nylon knit cuffs
 - Flatlock seams
- 

72640 PILE ONE PIECE SUIT

COLORS:590 NAVY

FABRIC:100% Polyester single side Pile fabric
483 g/m²

SIZES:XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL



590

- Two-way front zipper
- Rear zipper flap
- Nylon knit cuffs
- Flatlock seams



72940 PILE COWL

COLORS:590 NAVY

FABRIC:100% Polyester single side Pile fabric
483 g/m²

SIZES:STD



590

- Elastic waist
- Nylon knit cuffs
- Flatlock seams

74020 VIGO JACKET

COLORS:990 BLACK

FABRIC:Softshell
100% polyester

SIZES:XS, S, M, L, XL, 2XL, 3XL, 4XL



990

- 100% Polyester - 294 g/m2
- Softshell, fleece inside
- No shoulder seams
- Water repellent front zipper with inner placket
- Elastic edgeband at bottom hem/sleeves
- Chin guard
- Two front pockets with water repellent zippers
- Draw cord adjustment at hem with button-up option for safety
- Tail drop



74008 BARCELONA JACKET

COLORS:990 BLACK

FABRIC:80% Polyamide, 20% Spandex, Lycra® Softshell 330 g/m2

SIZES:S, M, L, XL, 2XL, 3XL, 4XL



990

- No shoulder seams
- Sleeves are articulated at the elbow for ease of use
- Extended cuff with Velcro® adjustment
- Right chest exterior pocket/waterproof zip and pull
- 2 hand pockets with water repellent zip closure
- Water repellent zip closure in front
- 2 deep inner pockets
- Drawcord adjustment at bottom hem
- Reflective piping at elbows and shoulder in front and back
- HH logo on back of collar



STANDARDS:
EN ISO
14058:2004

SIZE CHART

* Please note changes to the size charts below.

EN 340:2004 Protective clothing - General requirements

Helly Hansen protective clothing is designed and manufactured in such a way that it does not have any effect on the user's health or hygiene. The design guarantees a correct fit and protection for the body when used correctly.

The design and material offer function and comfort. The material offers good fade-resistance, stability, strength and durability, to ensure that the garments have a long life, even with heavy use and many washes.

Size grading is based on body measurements in centimeter, see the size guide. All garments are properly marked on garment labels and on external labels to indicate the information required for the standard.

Check your body measurements as instructed and compare with the data in the table.
Example: If your chest measures 44 inches you should wear size XL.

Chest: With arms relaxed at sides, measure around fullest part of chest.

Waist: Measure around natural waistline, smallest part of waist.

Hips: Standing with legs together, measure around fullest part of hips.

Inside leg: Measure inside length of your leg from crotch to bottom of ankle.

POLICIES

HH GUARANTEE

Since we began making performance clothing in 1877 our products have been tested in the most extreme conditions on earth. We have been on both Poles, all oceans and the highest peaks in the world. Throughout, we've stood behind every product we've made. Today that tradition remains unbroken.

Helly Hansen offers a limited lifetime warranty against manufacture defects in materials and workmanship for the reasonable life expectancy of each garment. Should any key features or functions fail due to a manufacturing defect during this time, we will either repair or replace the garment at no additional charge.

Key features include: zippers, snaps, cords and seams.

WARRANTY RETURN POLICY

If you have questions or need to return defective product please contact the Customer Service Department at 1-866-435-5902 for a Return Authorization number. For more information on frequently asked questions regarding our warranty policy please visit our web site at www.hellyhansen.com.

Defective product should be shipped to our warehouse address:

Helly Hansen

4104 "C" Street NE, Suite 200

Auburn, WA 98002

All returned garments must be washed prior to their return or they cannot be inspected.
Customers should enclose a note specifying the warranty problem and / or the location of the problem on the garment, as well as list specifics regarding style, color and size. The Return Authorization number should be written in large letters on the outside of the package.

The Helly Hansen Warranty Department will inspect the product at no charge to you. If the Warranty Department determines, in its sole discretion, that the product has a defect covered under this Warranty, we will repair or replace it within approximately four weeks. If the defective garment is not repairable and an identical product is not available, we will replace it with a garment of comparable style and color at our discretion.

NOTE

Return authorizations not received within 30 days of issuance will be void and cancelled. Products purchased as irregulars/discontinued will not be authorized for return.

ORDER DISCREPANCIES

Discovery of discrepancies on your order must be reported to Helly Hansen Customer Service within 30 days of invoice date. All requests must be accompanied by complete invoice numbers. A request received after 30 days will not be accepted.

DAMAGED SHIPMENTS

Inspect all shipments carefully. Verify the total number of cartons and check for exterior carton damage. All claims for lost or damaged shipments must be made directly to the delivery carrier. Helly Hansen is not responsible for damage during shipment.

MEN'S

Garment size		XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
① Chest	Cm	88	91	95-99	84	84	84	84	84	84	84
	Inches	34.5	36	37.5-39	41-42.5	44-45.5	47-48.5	50-51.5	53-54.5	56-57.5	58-60
② Waist	Cm	76	79	84	84	84	84	84	84	84	84
	Inches	30	31	33-34	36-38	39-41	42-44	45-47	48-50	51-53	54-56
③ Hips	Cm	94	98	84	84	84	84	84	84	84	84
	Inches	37	38.5	40-41.5	43-45	46-48	49.5-51	52.5-54	55.5-57	58.5-60	61.5-63
④ Inside leg length	Cm	77	80	84	84	84	84	84	84	84	84
	Inches	30.5	31.5	32	33	34	35	35	35	35	35


WOMEN'S

Garment size		XS	S	M	L	XL	2XL	3XL
① Chest	Cm	84	88	92	100	108	116	124
	Inches	33	34.5	36	39.5	42.5	45.5	48.5
② Waist	Cm	68	72	76	84	92	100	108
	Inches	27	28.5	30	33	36	39	42.5
③ Hips	Cm	92	96	100	108	116	124	132
	Inches	36	38	39.5	42.5	45.5	48.5	52
④ Inside leg length	Cm	76	78	80	82	84	86	88
	Inches	30	30.5	31.5	32.5	33	34	34.5
⑤ Body height	Cm	160	164	168	172	176	180	184
	Inches	63	64.5	66	67.5	69.5	71	72.5

HATS

Size	S	M	L	XL	2XL
Europe	55-56	57-58	59-60	61-62	63-64
UK	6 3/4 - 6 7/8	7 - 7 1/8	7 1/4 - 7 3/8	7 1/2 - 7 5/8	7 3/4 - 7 7/8
US	7	7 1/8 - 7 1/4	7 3/8 - 7 1/2	7 5/8 - 7 3/4	7 7/8 - 8

* Please confirm sizing on individual product listings



WASHING INSTRUCTIONS

BODYWEAR:

Wash warm, no hotter than 104 degrees Fahrenheit, with a mild detergent. Hang dry. Best to wash your synthetic clothing together (polypro's and polyesters, nylons, etc.) so lint does not build up on it during washing. Do not tumble dry or dry clean. Do not iron. Polypropylene is heat sensitive. It will survive a tumble dry on low heat, but it's best to hang dry.

PILE/FLEECE:

Wash warm, no hotter than 104 degrees Fahrenheit, with mild detergent. Best to hang dry. Tumble drying puts unnecessary wear and tear on garment. Do not dry clean or iron. Best to wash your synthetic clothing together (polypro's and polyesters, nylons, etc.) so lint does not build up on it during washing.

HELLY TECH® & OTHER SHELLS:

Wash warm, no hotter than 104 degrees Fahrenheit, with mild detergent. Tumble dry on medium heat for 25-30 minutes. Do not dry clean or iron. Secure all velcro® adjustments, zip up all zippers including main zipper and adjust all draw cords to minimize ability to tangle around wash machine agitator. For best performance, keep your jacket clean and tumble dry to reactivate the DWR for improved water repellency.

PVC & PU COATED FABRICS:

Wash warm, no hotter than 104 degrees Fahrenheit, with mild detergent. Hang to dry.