



FACILITY MAINTENANCE

Landscaping Shovels	2-6
Snow Shovels.....	6
Snow Brushes	6
Roof Rakes	6
Broadcast Spreaders	7
Hose Nozzles	8
Tarps	8-11
Wet/Dry Vacs	11-12
Paint Brushes.....	13-14
Masking Tape.....	14
Paint Cans	14
Teflon Sealing Tape	15
Sealing Spatulas	15
Hand Pads.....	15
Aluminum Foil Tape.....	16

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

LANDSCAPING SHOVELS

- Durable fibreglass handle with rubber grip
- Forward turned step for extra strength
- 14-gauge tempered steel blade

DRAIN SPADES

Model No.	Handle Type	Blade Size W" x H"	Overall Length"
NJ096	D-Grip	6 x 16	42-1/2

SQUARE POINT SHOVELS

Model No.	Handle Type	Blade Size W" x H"	Overall Length"
NJ094	D-Grip	8-1/2 x 11-1/2	42
NJ095	Straight	8-1/2 x 11-1/2	56

ROUND POINT SHOVELS


Model No.	Handle Type	Blade Size W" x H"	Overall Length"
NJ093	D-Grip	8-1/2 x 11	42
TLZ465	Straight	8-1/2 x 11	56



NJ096




NJ094



NJ095



NJ093



TLZ465

LANDSCAPING SHOVELS

- Durable hardwood handle
- Forward turned step for extra strength
- 14-gauge tempered steel blade

DRAIN SPADES

Model No.	Handle Type	Blade Size W" x H"	Overall Length"
NN247	D-Grip	6 x 14	44
NN248	Striaight	6 x 14	60

SQUARE POINT SHOVELS

Model No.	Handle Type	Blade Size W" x H"	Overall Length"
NN245	D-Grip	8-1/2 x 11	40
NN246	Straight	8-1/2 x 11	59

ROUND POINT SHOVELS

Model No.	Handle Type	Blade Size W" x H"	Overall Length"
NN243	D-Grip	8-1/2 x 11	40
NN244	Straight	8-1/2 x 11	59



HEAVY-DUTY SHOVELS

- Heavy-duty, 12-gauge tempered carbon steel blade
- Durable fibreglass handle
- Ergonomic grip

ROUND POINT SHOVELS

Model No.	Handle	Blade Size W" x H"	O.A. Length"
TLZ466	D-Grip	9 x 11	41
TLZ467	Straight	9 x 11	56-1/2

SQUARE SHOVELS

Model No.	Handle	Blade Size W" x H"	O.A. Length"
TLZ468	D-Grip	9 x 11	41
TLZ469	Straight	9 x 11	56-1/2

BOW RAKE

Model No.	Number of Tines	Handle	Blade Size W" x H"	O.A. Length"
TLZ471	15	Straight	15 x 6	64

GARDEN SPADE

Model No.	Handle	Blade Size W" x H"	O.A. Length"
NJ143	D-Grip	7-1/2 x 12	42

DRAIN SPADES

Model No.	Handle	Blade Size W" x H"	O.A. Length"
TLZ470	D-Grip	5-1/2 x 14	45
NN240	Straight	6 x 16	61



TLZ466



TLZ467



TLZ468



TLZ469



TLZ470



TLZ471



NJ143

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

HEAVY-DUTY SHOVELS

- Heavy-duty, 12-gauge tempered carbon steel blade
- Durbale, ergonomic hardwood handle
- Forward-turned step for extra strength
- Ergonomic grip

ROUND POINT SHOVELS

Model No.	Handle Type	Blade Size W" x H"	O.A. Length"
NN235	D-Grip	9 x 11	41
NN236	Straight	9 x 11	59

BOW RAKE

Model No.	Number of Tines	Handle	Blade Size W" x H"	O.A. Length"
NN242	15	Straight	15 x 6	64

SQUARE SHOVELS

Model No.	Handle Type	Blade Size W" x H"	O.A. Length"
NN237	D-Grip	9 x 11	41
NN238	Straight	9 x 11	59

DRAIN SPADES

Model No.	Handle Type	Blade Size W" x H"	O.A. Length"
NN239	D-Grip	6 x 16	45
NN240	Striaight	6 x 14	60



SHOVELS, BRUSHES & RAKES

POLY SNOW PUSHERS

- Powder-coated steel handle for added strength
- Ergonomic poly D-grip
- **NM812**: includes a steel wearstrip



Model No.	Blade Size"	Overall Length"
NM811	24-1/2 x 10-3/4	54-1/2
NM812	21-1/4 x 9-1/4	50-1/2

POLY SNOW SHOVELS

- Powder-coated steel handle for added strength
- Ergonomic poly D-grip handle
- **NM809** includes a steel wearstrip



Model No.	Blade Size"	Overall Length"
NM809	19-3/4 x 13-1/8	50-3/4
NM810	19-3/4 x 13	51-3/8

SCOOP SHOVEL

- Perfect for moving and scooping lightweight granulated materials
- Lightweight construction for comfort and productivity
- Hardwood handle with aluminum blade resistant to rust
- Handle Type: Straight
- Overall Length: 63-1/2"
- Weight: 4.16 lbs.
- Blade Size: 14" x 18"



Model No.	Rivets
TYX063	2

LONG REACH SNOW BRUSH

- Aluminum handle with comfortable EVA foam grip
- Overall Length: 34"
- Non Telescopic
- Colour: Blue
- Blade Type: Polypropylene
- Head Width: 8-3/4"
- Handle Material: Aluminum/Foam
- Scraper Width: 5"

Model No. NM979



TELESCOPIC SNOW BRUSH

- Aluminum handle with comfortable EVA foam grip
- Telescopic handle has extended length of 36" and collapsed length of 26"
- Colour: Blue
- Blade Type: Polypropylene
- Head Width: 9-3/4"
- Handle Material: Aluminum/Foam
- Scraper Width: 5"


Model No. NM980



SNOW ROOF RAKE

- Ideal for removing any kind of debris from roofs
- Prevents roof damage by removing ice dams & heavy snow
- Shipped knocked down
- Lightweight handle extends to 16'
- Blade Material: Polypropylene
- Blade Width: 24-3/4"
- Blade Height: 6"
- Handle Length: 61"
- Handle Material: Aluminum
- Handle Type: Straight
- Weight: 4 lbs.

Model No. NN009



SPREADERS

BROADCAST SPREADERS

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- Includes: Raincover, screen
- Pneumatic Tire Size: 12" x 4"



NJ142



NN137

Model No.	Load Capacity	Coverage
NN137	50 lbs.	15 000 sq. ft.
NJ142	100 lbs.	16 000 sq. ft.

BROADCAST SPREADERS WITH STAINLESS STEEL HARDWARE

- Metal gear inside of the gear box
- Stainless steel hardware in the hopper and pivot shaft
- Metal control handle
- Rate setting control on handle for precise adjustments
- Easy three-step assembly
- Includes: Raincover, screen
- Coverage: 15,000 sq. ft.
- Spread width: 10' - 12'



NN138



NN139

Model No.	Load Capacity	Pneumatic Tire Size
NN138	70 lbs.	10"
NN139	125 lbs.	14"

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

NOZZLES & INSULATED TARPS

COLD WATER PISTOL GRIP NOZZLE

- Vinyl molded comfort grip
- For use with water temperatures under 26°C (80°F)
- Continuous-spray stainless steel clip
- Threaded for attaching accessories
- Non-Insulated
- Max. Pressure: 100 psi
- Rear-Trigger
- Body material: Zinc & Vinyl
- Fitting material: POM (Black Colour) with Aluminum Center (Brass Colour)

Model No. NM814



COLD/WARM WATER PISTOL GRIP NOZZLE

- Heavy-duty construction and components
- For use with water temperatures up to 49°C (120°F)
- Continuous-spray stainless steel clip
- Threaded for attaching accessories
- Insulated
- Max. Pressure: 100 psi
- Rear-Trigger
- Body material: Zinc & TPR
- Fitting material: POM (Black Colour) with Aluminum Center (Brass Colour)

Model No. NM816



COLD/WARM WATER PISTOL GRIP NOZZLE

- Ergonomic grip for longer usage
- For use with water temperatures up to 49°C (120°F)
- Continuous-spray stainless steel clip
- Screen filter prevents clogs
- Insulated
- Max. Pressure: 100 psi
- Rear-Trigger
- Body material: Zinc & ABS
- Fitting material: POM (Black Colour) with Aluminum Center (Brass Colour)
- Adjustment pin material: Aluminum

Model No. NM815



HOT WATER PISTOL GRIP NOZZLE

- Heavy-duty construction and components
- Poly-clad metal body for use with hot and cold water
- For use with water temperatures up to 71°C (160°F)
- Continuous-spray stainless steel clip
- Threaded for attaching accessories
- Insulated
- Max. Pressure: 100 psi
- Rear-Trigger
- Body material: Zinc & TPR
- Fitting material: Aluminum (Brass Colour)
- Adjustment pin material: Aluminum & TPR

Model No. NM817



INSULATED TARPULINS

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- R value: 1.0
- Dimensions: 12' W x 20' L
- Thickness: 8 mils

Model No. JD420



STANDARD-DUTY BLUE

- Reinforced polypropylene rope sewn in welded hems
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- Heavy-duty rust-resistant grommets every 36"
- 8 x 8 weave density
- 100 micrometres (4-mil) thick



Model No.	Dimensions W' x L'
NI768	5 x 7
NI769	6 x 8
NI770	8 x 10
NI771	10 x 12
NI772	10 x 20
NI773	12 x 16
NI774	16 x 20

Model No.	Dimensions W' x L'
NI775	18 x 24
NI776	20 x 30
NI777	24 x 30
NI778	30 x 40
JC510	30 x 50
JC511	40 x 50
NI779	40 x 60

HEAVY-DUTY WHITE

- Reinforced polypropylene rope sewn in welded hems
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- Heavy-duty rust-resistant grommets every 36"
- 10 x 10 weave density
- 150 micrometres (6-mil) thick
- Four corner patches



Model No.	Dimensions W' x L'
NI780	6 x 8
NI781	8 x 10
NI782	10 x 12
NI783	16 x 12
NI784	16 x 20
JC512	18 x 24

Model No.	Dimensions W' x L'
JC513	20 x 30
NI785	24 x 30
JC514	30 x 40
JC515	30 x 50
JC625	40 x 50
JB508	40 x 60

INDUSTRIAL GREEN/SILVER

- Reinforced polypropylene rope sewn in welded hems
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- Heavy-duty rust-resistant grommets every 20"
- 14 x 14 high density weave
- 225 micrometres (9-mil) thick
- 9" x 9" triple-layered on four corners
- Silver side provides heat and UV light diversion



Model No.	Dimensions W' x L'
JB567	6 x 8
JB568	8 x 10
JB569	10 x 12
JB570	16 x 12
JB571	16 x 20

Model No.	Dimensions W' x L'
JB572	20 x 30
JC516	30 x 40
JC517	30 x 50
JC518	40 x 50
JB573	40 x 60

SUPER HEAVY-DUTY SILVER

- Reinforced polypropylene rope sewn in welded hems
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- Heavy-duty rust-resistant grommets every 30"
- 16 x 16 high density weave
- 300 micrometres (12-mil) thick
- 9" x 9" triple-layered on four corners



Model No.	Dimensions W' x L'
JC626	8 x 10
JC627	10 x 12
JC628	16 x 20
JC629	18 x 24
JC630	20 x 30

Model No.	Dimensions W' x L'
JC631	24 x 30
JC632	30 x 40
JC633	30 x 50
JC634	30 x 60
JC635	40 x 60

TARPS

HEAVY DUTY CAMOUFLAGE TARPAULINS

- 10 x 10 weave density
- Water-resistant coating
- Reinforced polypropylene rope sewn in welded hems
- 150 micrometers (6 mil) thick
- Increased UV-resistance for long life
- Finished sizes may vary due to hem allowance



Model No.	Dimensions W' x L'
J1319	6 x 8
J1320	8 x 10
J1321	10 x 20
J1322	12 x 16
J1323	16 x 20
J1324	18 x 24
J1325	20 x 30
J1326	30 x 40

INDUSTRIAL DUTY BLACK TARPAULINS

- 14 x 14 weave density
- Water-resistant coating
- Reinforced polypropylene rope sewn in welded hems
- 200 micrometers (8 mil) thick
- Increased UV-resistance for long life
- Finished sizes may vary due to hem allowance



Model No.	Dimensions W' x L'
J1327	6 x 8
J1328	8 x 10
J1329	10 x 20
J1330	12 x 16
J1331	16 x 20
J1332	18 x 24
J1333	20 x 30
J1334	24 x 30
J1335	30 x 40
J1336	30 x 50
J1337	40 x 50
J1338	40 x 60

CLEAR TARPAULINS

- Polyethylene tarpaulin with reinforced nylon gridding
- Water and mildew resistant coating
- Heavy-duty rust resistant grommets
- 3 x 3 weave density
- 200 micrometers (8-mil) thick
- Finished sizes may vary due to hem allowance



Model No.	Dimensions W' x L'
JD414	8 x 10
JD415	10 x 12
JD416	16 x 20
JD417	20 x 30
JD418	30 x 40
JD419	40 x 60

INDUSTRIAL WET/DRY VACUUMS

INDUSTRIAL WET/DRY STAINLESS STEEL VACS

- 8 US gallon (30.2 litres) stainless steel tank
- 5.5 peak HP motor
- 85 CFM air flow
- 72" Sealed pressure
- Swivel casters provide easy movement in any direction
- Positive lock on hose eliminates unexpected disconnections
- 18' power cord
- **1-1/4" accessories include:**
Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Model No. JC525



INDUSTRIAL WET/DRY STAINLESS STEEL VACS

- 16 US gallon (60.5 litres) stainless steel tank
- 6.5 peak HP motor
- 100 CFM air flow
- 80" Sealed pressure
- Heavy-duty rear wheels with swivel front casters provide easy movement
- Removable steel handle
- Positive lock on hose eliminates unexpected disconnections
- Large accessory storage box attached
- 20' Power cord
- **2-1/2" accessories include:**
Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Model No. JC528



ACCESSORIES & REPLACEMENT PARTS



Model No.	Description	Fits US Gallon Size
JC531	Cartridge Filter	8 - 16
JC689	HEPA Cartridge Filter	8 - 16
JC588	Dust Collector Bag 3/Pk	8 - 10
JC591	Dust Collector Bag 3/Pk	16
JC534	Extension Wands	8 - 10
JC535	Utility Brush	8 - 10
JC536	6' Flexible Hose	8 - 10
JC537	Floor Brush	8 - 10
JC538	Crevice Tool	8 - 10
JC539	Caster Dolly	8 - 10
JC540	Casters	8 - 10

Model No.	Description	Fits US Gallon Size
JC541	Extension Wands	16
JC542	Utility Brush	16
JC834	7' Flexible Hose for Ribbed Tank	16
JC544	Floor Brush	16
JC545	Crevice Tool	16
JC546	Casters	16
JC547	Rear Wheels	16
JD108	Caster Brackets for Ribbed Tank	16
JC675	Replacement Cartridge Filter Cover	8 - 12

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

INDUSTRIAL WET/DRY VACUUMS

INDUSTRIAL WET/DRY POLY VACUUM

- Tank Capacity: 8 US Gal. (30.2 Litres)
- Peak HP: 6
- Motor Stage: 1-Stage
- Air Flow: 95 CFM
- Swivel casters provide easy movement in any direction
- Positive lock on hose eliminates unexpected disconnects
- 16' power cord
- **1-7/8" accessories include:** Flexible hose, extension wands, utility nozzle, crevice nozzle, floor brush, cartridge filter and dust bag

Model No. SDN116



INDUSTRIAL WET/DRY POLY VACUUM

- Tank Capacity: 16 US Gal. (60.5 Litres)
- Peak HP: 6
- Motor Stage: 1-Stage
- Air Flow: 100 CFM
- Swivel casters provide easy movement in any direction
- Positive lock on hose eliminates unexpected disconnects
- 16' power cord
- **2-1/2" accessories include:** Flexible hose, extension wands, utility nozzle, crevice nozzle, floor brush, cartridge filter and dust bag

Model No. SDN119



ACCESSORIES & REPLACEMENT PARTS



Model No.	Description	Fits US Gallon Size
JC531	Cartridge Filter	8 - 16
JC689	Hepa Cartridge Filter	8 - 16
JG724	Dust Collector Bag 3/Pk	8 - 10
JC591	Dust Collector Bag 3/Pk	16
JC534	Extension Wand	8 - 10
JC541	Extension Wand	16
JC535	Utility Brush	8 - 10

Model No.	Description	Fits US Gallon Size
JC542	Utility Brush	16
JC536	6' Flexible Hose	8 - 10
JG731	6' Flexible Hose	16
JC537	Floor Brush	8 - 10
JC544	Floor Brush	16
JC538	Crevice Tool	8 - 10
JC545	Crevice Tool	16

PAINT BRUSHES

AP100 SERIES PAINT BRUSHES

- 100% black polyester bristles
- Solid plastic handle
- Tin-plated ferrule
- Well-suited for latex-based paints
- Brush thickness: 1/4"



Model No.	Width"
KP307	1
KP308	2
KP765	3
KP766	4

AP200 SERIES PAINT BRUSHES

- White China bristles
- Solid plain wood handle
- Tin-plated ferrule
- Well-suited for oil-based paints



Model No.	Width"	Thickness"
KP306	1/2	5/16
KP297	1	3/8
KP298	2	3/8
KP299	3	3/8

AP300 SERIES PAINT BRUSHES

- Natural bristles
- Solid plastic handle
- Tin-plated ferrule
- Well-suited for oil-based paints



Model No.	Width"	Thickness"
KP300	1	9/16
KP301	2	5/8
KP302	3	5/8
KP303	4	5/8

AP400 SERIES PAINT BRUSHES

- Disposable
- Well-suited for applying urethane or for touch-up jobs
- Brush width: 1"



Model No.	Description	Thickness"
KP335	Premium	1
KP304	Standard	7/16

MULTI-USE PAINT ROLLER SLEEVE

- Designed for smooth surfaces
- Length: 230 mm (9")
- Sleeve Material: Polyester Fibre
- Core Material: PP (Polypropylene)
- Core Diameter: 1-1/2"
- Application Type: Oil and Latex Paints

Model No.	NAP" (mm)	Surface
KP726	1/4 (6)	Smooth
KP727	3/8 (9.525)	Semi-Smooth



Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

SPATULAS & MASKING TAPE

PAINTER'S MASKING TAPE

- High quality painting tape adheres to multiple surfaces
- Reliable adhesion resists paint bleed-through
- Removes cleanly in one piece
- Length: 180' (55 m)
- Colour: Green



Model No.	Width
PF690	1" (25 mm)
PF691	2" (50 mm)

GENERAL PURPOSE MASKING TAPE

- Designed for all general purpose masking projects offering a good adhesion to a wide variety of surfaces
- Resists lifting or curling
- Removes easily and cleanly
- Length: 180' (55 m)
- Colour: Beige



Model No.	Width
PF886	3/4" (19 mm)
PF887	1" (25 mm)
PF888	2" (50 mm)

AP100 SERIES PAINT BRUSH SET

- Brush widths: 1", 2", 3" & 4"
- Tin-plated ferrule
- Well-suited for latex-based paints
- 100% black polyester bristles
- Plastic handle



Model No.
KP853

AP200 SERIES PAINT BRUSH SET

- Brush widths: 1/2", 1", 2", & 3"
- White China bristles
- Tin-plated ferrule
- Well-suited for oil-based paints
- Wood handle



Model No.
KP854

AP100 SERIES PAINT BRUSH SET

- Brush widths: 1", 2", 3" & 4"
- Tin-plated ferrule
- Well-suited for latex-based paints
- Natural bristles
- Plastic handle



Model No.
KP855

EMPTY PAINT CANS

- Material: Metal
- Can Design: Plain
- Ideal for storing paints, coatings, and stains
- Features cover and handle for easy pouring, transport, and storage
- Tight-seal lid

Model No.	Capacity
KP922	1 US Gal. (3.78L)
KP923	0.25 US Gal. (946 ml)
KP924	0.125 US Gal. (473 ml)

KP923



KP922



FACILITY MAINTENANCE

TEFLON SEALING TAPE


- Commonly used in plumbing for sealing pipe threads
- Ensures a tight seal: Works for both water and air
- Colour: White
- Tape Material: PTFE
- Thickness: 3 mils (0.0762mm)
- Density: 0.37 grams/cubic centimeter
- Working Temperatures Range:
-190°C to 260°C (-310°F to 500°F)

Model No.	Length"	Width"
PG148	520	1/2
PG149	520	3/4



SEALING SPATULAS

- Ideal for spreading or removing sealant and adhesives
- Manufactured with fibreglass reinforced plastic
- Exceptional durability
- Flexible tips




Model No.	Length"	Large Tip Width"	Small Tip Width"	Qty /Pkg
TLV164	7-1/2	1/4	1/8	5
TLV568	7-1/4	1/2	3/8	4

HAND PADS

- Non-woven, synthetic fibres, bonded together with specially formulated resins and impregnated throughout the web with mineral grain creating an open, three dimensional structure
- Designed for light-duty cleaning, polishing, scuffing, finishing and for heavy-duty paint, rust and corrosion removal
- Can be used for dry scuffing and finishing or may be used with water or chemical solvents
- Flexible and strong
- 6" x 9"

NU024




Model No.	Description	Finish	Case Qty
NU022	Tan Heavy-Duty	Coarse	10
NU023	Green Industrial	Scouring	20
NU024	Maroon General Purpose	Medium	20
NU025	Grey Ultra-Fine	Ultra-Fine	20
NU026	White Non-Abrasive	Non-Abrasive	20

ALUMINUM TAPE & WELD-ON HINGES

ALUMINUM FOIL TAPE

- For general purpose use (seaming, patching and sealing)
- Acrylic adhesive has excellent adhesion and permanently bonds to clean/dry surfaces
- Ideal for HVAC applications
- Temperature Resistance: -20 °C to 120 °C



Model No.	Width	Length	Thickness
PG176	1-7/8" (48 mm)	150' (45.7 m)	1.5 mils
PG177	3" (72 mm)	150' (45.7 m)	1.5 mils
PG178	1-7/8" (48 mm)	180' (55 m)	2 mils
PG179	3" (72 mm)	180' (55 m)	2 mils
PG180	1-7/8" (48 mm)	180' (55 m)	4.8 mils

WELD-ON STEEL HINGES

- Ideal for gates, machinery doors, BBQ pits, electrical boxes, trailers and more
- Can be painted to match the door and frame
- Hinges are specially buffed and are free of burrs allowing for improved paint adherence
- Comes standard with rounded ends and with/without grease fittings
- Installation: Ensure the hinge is welded along the full length of the weld tab
- Component replacement parts are available
- Built to print solutions are available upon request
- Frame Material: Mild Steel w/Fixed Steel Pin
- Bushing Material: Brass

Model No.	Grease Fitting	Length"	Diameter"	Pin Diameter"	Thickness"
TTV433	Not Included	1.575	0.315	0.197	0.374
TTV434	Not Included	1.969	0.315	0.197	0.394
TTV435	Not Included	2.756	0.453	0.236	0.512
TTV436	Not Included	3.150	0.512	0.315	0.610
TTV437	Included	3.150	0.512	0.315	0.610
TTV438	Included	3.937	0.630	0.394	0.768
TTV439	Not Included	3.397	0.630	0.394	0.768
TTV440	Not Included	4.724	0.630	0.433	0.787
TTV441	Included	5.906	0.787	0.512	0.984
TTV442	Not Included	5.906	0.787	0.512	0.984
TTV443	Included	7.874	0.906	0.630	1.122
TTV444	Not Included	7.874	0.906	0.630	1.122
TTV445	Not Included	10.236	1.102	0.748	1.457
TTV446	Included	10.236	1.102	0.748	1.457





ELECTRICAL

Extension Cords	18-20
Workshop power box	20
Surge Suppressors	21
Ground Connectors.....	21
Work Lights	22-25
Flashlights	23
Battery Tester.....	24
Booster Cables.....	24
Headlamps.....	24
Dock Lights	25
Electrical Tape.....	25

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

EXTENSION CORDS

OUTDOOR VINYL TRIPLE TAP EXTENSION CORDS

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture
- Vinyl jacket provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking

3-CONDUCTOR SJTW, 300 VOLTS GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC488	25	14/3	15	1875	Red
XC489	50	14/3	15	1875	Red
XC490	100	14/3	13	1625	Red
EXTRA HEAVY-DUTY					
XC491	25	12/3	15	1875	Red
XC492	50	12/3	15	1875	Red
XC493	100	12/3	15	1875	Red



OUTDOOR VINYL EXTENSION CORDS WITH LIGHT INDICATOR

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture
- Ultra flexible cord
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- Water resistant and flame retardant

3-CONDUCTOR SJTOW, 300 VOLTS GROUNDING, OIL RESISTANT

Model No.	Length'	AWG	Amps	Watts	Colour
EXTRA HEAVY-DUTY					
XC494	25	12/3	15	1875	Yellow
XC495	50	12/3	15	1875	Yellow
XC496	100	12/3	15	1875	Yellow



OUTDOOR TRIPLE TAP VINYL EXTENSION CORDS WITH LIGHT INDICATOR

- Same great features as outdoor single tap vinyl extension cords but with a lighted triple tap connector

3-CONDUCTOR SJTOW, 300 VOLTS GROUNDING, OIL RESISTANT

Model No.	Length'	AWG	Amps	Watts	Colour
EXTRA HEAVY-DUTY					
XC497	25	12/3	15	1875	Yellow
XC498	50	12/3	15	1875	Yellow
XC499	100	12/3	15	1875	Yellow



EXTENSION CORDS

INDOOR/OUTDOOR STANDARD-DUTY EXTENSION CORDS

- Designed for light industrial, contractor, and home use
- Durable SJTW jacket protects against ultraviolet rays, chemicals and moisture
- Extremely flexible jacket
- Molded-on and bonded plugs and connectors resist breaking

3-CONDUCTOR SJTW, 125 VOLTS GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
XC630	10	16/3	13	1625	Orange
XC631	15	16/3	13	1625	Orange
XC632	25	16/3	13	1625	Orange
XC633	50	16/3	13	1625	Orange



OUTDOOR VINYL EXTENSION CORDS

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking

3-CONDUCTOR SJTW, 300 VOLTS GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC482	25	14/3	15	1875	Orange
XC483	50	14/3	15	1875	Orange
XC484	100	14/3	13	1625	Orange
EXTRA HEAVY-DUTY					
XC485	25	12/3	15	1875	Yellow
XC486	50	12/3	15	1875	Yellow
XC487	100	12/3	15	1875	Yellow



ALL WEATHER TPE-RUBBER EXTENSION CORDS WITH LIGHT INDICATOR

- Designed for industrial and contractor use
- All weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking

3-CONDUCTOR SJEOW, 300 VOLTS GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC500	25	14/3	15	1875	Blue/Orange
XC501	50	14/3	15	1875	Blue/Orange
XC502	100	14/3	13	1625	Blue/Orange
EXTRA HEAVY-DUTY					
XC503	25	12/3	15	1875	Blue/Orange
XC504	50	12/3	15	1875	Blue/Orange
XC505	100	12/3	15	1875	Blue/Orange



ELECTRICAL ACCESSORIES

TRIPLE TAP ALL-WEATHER TPE-RUBBER EXTENSION CORDS WITH LIGHT INDICATOR

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking



3-CONDUCTOR SJEOW, 300 V GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XH235	25	14/3	15	1875	Blue/Orange
XH236	50	14/3	15	1875	Blue/Orange
XH237	100	14/3	13	1625	Blue/Orange
EXTRA HEAVY-DUTY					
XH238	25	12/3	15	1875	Blue/Orange
XH239	50	12/3	15	1875	Blue/Orange
XH240	100	12/3	15	1875	Blue/Orange



WIND-UP EXTENSION CORD

- 4 grounded outlets
- Built-in resettable circuit breaker
- Wind-up the cord by manually rotating the wheel
- Length: 25'
- Gauge (AWG): 16/3
- Amps: 10 A
- Wattage: 1250 W

Model No. XE671



WORKSHOP POWER BOX

- Rated Joules: 1350 J
- Outlets: Total of 8 - 5 standard, 3 wide space
- Housing Material: Metal
- Features cord wrap and surge protector to protect your devices from an overload
- Lighted on/off switch
- Keyhole slots on the back of the unit allow the model to be mounted under a desk, on walls or other locations
- Indoor use only
- Cord Length: 6'
- Amps: 15 A
- Wattage: 1875 W
- Voltage: 125 V

Model No. XH162



ELECTRICAL ACCESSORIES

► SURGE SUPPRESSOR

- Lighted on/off switch with built-in circuit breaker
- Protects against damage caused by power spikes
- Ideal for multiple electronic devices
- No. of Outlets: 6
- Cord Length: 3'
- Rated Joules: 200
- Amps: 15 A
- Wattage: 1875 W
- Voltage: 125 V

Model No. XE670



► USB CHARGING SURGE PROTECTOR

- USB Power Strip will protect devices from power surges and spikes
- Protected mode indicator light
- Lighted ON/OFF switch
- No. of Outlets: 6
- Cord Length: 6'
- Rated Joules: 1200 J
- Amps: 15 A
- Wattage: 1875 W
- Voltage: 125 V
- No. of USB Ports: 2
- USB Charging Ports: 2.1 Amp
- Housing Material: ABS Plastic
- Colour: White

Model No. XH064



► PVC GROUNDING CONNECTOR

- Amps: 15 A
- Volts: 125 V
- Cord diameter: 0.245" - 0.655"
- Wire gauge: 16/3 to 14/3 cords
- Colour: Yellow
- Moisture and chemical resistant plastic body
- Ideal for indoor and outdoor use
- Nema configuration: 5-15P/5-15R
- Body material: Plastic

Model No. XE673



► PVC GROUNDING PLUG

- Amps: 15 A
- Volts: 125 V
- Cord diameter: 0.245" - 0.655"
- Wire gauge: 16/3 to 14/3 cords
- Colour: Yellow
- Moisture and chemical resistant plastic body
- Ideal for indoor and outdoor use
- Nema configuration: 5-15P/5-15R
- Body material: Plastic

Model No. XE672



WORK LIGHTS

PORTABLE HALOGEN WORK LIGHTS

- 500-watt halogen work light
- Heat resistant tempered glass face
- Adjustable tilting head
- Colour: Black and yellow
- Halogen bulb included
- Certified for sale in Canada by an accredited certification body
- IP54 rating for weather and dust resistance

Model No. XC949

REPLACEMENT BULB

Model No. XC951



PORTABLE LED WORK LIGHTS

- Adjustable tilting head
- Lumens: 2500
- Wattage: 20
- Housing Material: Aluminum
- Certified for sale in Canada by an accredited certification body
- IP65 rating for weather and dust resistance

Model No. XG816



TWIN-HEAD HALOGEN WORK LIGHTS

- Twin 500-watt halogen lights
- Heat resistant tempered glass face
- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- Colour: Black and yellow
- Halogen bulbs included
- Certified for sale in Canada by an accredited certification body
- IP54 rating for weather and dust resistance

Model No. XC950

REPLACEMENT BULB

Model No. XC951



TWIN-HEAD LED WORK LIGHTS

- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- Fixtures can adjust 120°
- Certified for sale in Canada by an accredited certification body
- Housing Material: Aluminum
- LED bulbs included
- IP65 rating for weather and dust resistance
- Lumens: 4800
- Wattage: 40

Model No. XG817



FLASHLIGHTS

AFL100 LED FLASHLIGHT

- Super bright LED bulb
- Polypropylene body resists grease and chemicals
- Shatterproof lens
- Ribbed non-slip barrel
- High visibility yellow colour for easy visibility
- Batteries not included



Model No.	Description	Lumens
XC977	Flashlight, 2 AA-cells	28
XC978	Flashlight, 2 D-cells	35

AFL400 RECHARGEABLE LED SPOTLIGHT

- Single LED spotlight has an extremely bright beam featuring long distance visibility
- Spotlight features an additional side-light that can be used as a free-standing lantern
- Certified for sale in Canada by an accredited certification body
- Spotlight is ideal for various applications, such as household work, facility maintenance, general labor and recreational activities
- Side-light Lumens: 180
- Lumens (High): 516
- Run Time Hrs. (High): 6
- Material: Plastic
- Beam Distance (High): 500 m
- Batteries Included

Model No. XH109



AFL300 LED FLASHLIGHT

- Material: Aluminum
- Colour: Black
- High strength aluminum casing
- Shatterproof lens
- Batteries included
- **XE889**: 3 lighting settings: Low 9 LED, Medium 24 LED and High 45 LED

Model No.	Lumens	Run Time Hrs	Batteries Required	Beam Distance	Bulb
XE888	0-98	2-3	3 AAA	35 m	28 LED
XE889	31-157	2-3	4 AAA	45 m	45 LED



XE888



XE889

AFL200 MINI LED FLASHLIGHT

- Includes wrist strap and three AAA alkaline batteries
- Nine ultra bright LED lights
- 25 lumens
- High-strength aluminum casing
- On/Off switch
- Lightweight design
- Rugged impact resistant housing

Model No. XD079



CREE® LED PENLIGHT

- Penlight is extremely durable while lightweight to alleviate wrist fatigue
- Aluminum body is corrosion and rust-resistant
- Attaches securely to pockets, belts and briefcases with convenient clip
- Penlight is ideal for various applications such as household work, automobile maintenance and recreational activities
- Lumens: 80
- Run Time Hrs. (High): 4
- Beam Distance (High): 50 m
- Batteries included: 2 x AAA

Model No. XH073



LIGHTS & BOOSTER CABLES

ANALOG BATTERY TESTER

- Compatible with the majority of standard household batteries
- Analog scale displays the capacity of the battery instantly (Replace, Low, Good)
- No batteries required to operate
- Moveable arm can fit multiple battery sizes
- Compact size and easy to use
- Battery Type(s): AAA, AA, C, D, 9V

Model No. XF613



BOOSTER CABLES

- Clamp design fits on both top-post and side-post batteries
- Surge suppressor on 2, 4, and 6 gauge cables protect a vehicles computer system from power surges during boosting
- Cable remains flexible in temperatures as low as -40°C
- Tangle-free

Model No.	Wire Gauge	Amps	Length'
XE494	8	150	10
XE495	6	400	16
XE496	4	400	20
XE497	2	400	20



INDUSTRIAL WORK LIGHT

- Light Capacity (watts): 75
- Cord Length: 25'
- Rugged impact resistant housing
- On/Off switch handle
- Certified for sale in Canada by an accredited certification body
- Lightweight design
- Grounded cord
- Includes: Hanging hook and electric outlet

Model No. XC660



LED HEADLAMP

- 7 ultra bright LED lights
- 3 brightness levels: 7 LEDs, 3 LEDs, 1 LED
- Water resistant
- Lightweight design
- Tilting head and adjustable head strap
- Batteries Required: 3 AAA

Model No. XC658



CREE® LED HEADLAMP

- Lamp Type: Cree® LED
- Lumens: 30-120
- Run Time Hrs.: 6-20
- Material: Aluminum and Plastic
- Beam Distance: 120 m
- Batteries (Not Included): 3 AAA
- 3 Settings: High, Low and Strobe
- Head angle is adjustable
- Adjustable in/out zoom
- Water resistant

Model No. XE887



WORK LIGHTING

LED STRING WORK LIGHTS

- Each panel light outputs up to 1000 lumens
- LED bulbs built-in, no replacement bulbs required
- The integrated LED lights are designed to last for 30 000 hours
- Low power consumption allows 12 additional sets to be linked together
- Ideal for construction sites, indoor & outdoor use
- Comes with optional carabiners
- Cord Length: 50'
- Housing Material: Plastic
- Wire Gauge: 16/2
- Number of Lights: 5
- Light Temperature: 5000K
- Environmental Rating: IP55
- Wattage Per Panel: 10W
- Lumens Per Panel: 1000
- Distance Between Panels: 8-5/6'

Model No. XI021



DOCK LIGHT

- Built-in on-off switch
- Durable stainless steel cage for better protection of the light
- Bracket mounted for easy installation
- Arm sections are adjustable in all directions
- Features an adjustable screw to help direct the light where you need it
- Ideal for use in shipping/receiving docks, work lighting, spot lighting, and other similar applications
- Extended Arm Length: 40"
- Lamp Type: LED
- Wattage: 50W
- Head Type: Metal
- Lumens: 5500

Model No. XI316



ELECTRICAL TAPE

- Width: 3/4" (19 mm)
- Length: 60' (18 m)
- Material: Vinyl Plastic
- Thickness: 7 mils
- Electrical tape for splicing and insulating wires
- For use between -7°C and 80°C
- CSA approved

Model No.	Colour
XE890	Black
XH383	Red
XH384	Green
XH385	Blue
XH386	White
XH387	Yellow





AIR TOOLS

Orbital Sanders	27
Air Screwdrivers.....	27, 32
Flux Chippers.....	27
Needle Scalers.....	27
Impact Wrenches.....	28-29
Ratchet Wrenches.....	29
Angle Grinders.....	30
Die Grinders	30
Cut-Off Tools	31
Reversible Drills.....	31
Utility Hammers	32
Belt Sanders.....	33
Vertical Sanders.....	33
Filter Regulator Lubricators	34-35
Air Blow Guns	36-37
Air Hose Reels	38
Air Hoses.....	38
Coupler Kits	38

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

SANDERS, SCREWDRIVERS & CHIPPERS

DUAL-ACTION ORBIT SANDERS

- Dual-action, compact and lightweight design
- Lever throttle offers one-hand control
- Low vibration for swirl-free finishes
- Non-vacuum model
- Free speed: 10 000 RPM
- Average Air Consumption: 9 CFM
- Hose air inlet: 1/4" - 18 NPT
- Units come with a stick-on pad
- Hose size: 3/8" (9.5 mm)
- Horse power: 0.35 HP
- Vibration less than 0.80 m/s²
- Sound pressure Level: 78 (dBA)



SANDER

Model No.	Dia."	Overall Length"	Weight lbs.
TLZ142	5	6-1/2	1.8
TLZ143	6	7	1.9

SANDER PADS

Model No.	Description
TLZ472	Stick-on Pad For TLZ142
TLZ473	Hook-up Pad For TLZ142
TLZ474	Stick-on Pad For TLZ143
TLZ475	Hook-up Pad For TLZ143

1/4" AIR SCREWDRIVER

- Durable steel body
- Forward-reverse switch
- Low noise, low vibrations
- Overall length: 7-1/2"
- Weight: 2.4 lbs.
- Horse power: 0.5 HP



Model No.	Free Speed RPM	Torque Range ft.-lbs.	Average Consumption CFM	Air Inlet	Hose Size	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
TLV495	1800	45-115	6	1/4" - 18 NPT	3/8" (9.5 mm)	0.7	82

AIR FLUX CHIPPER

- Lightweight and compact design permits increased operator efficiency
- Paddle style trigger offers better speed control and precision
- Low noise, low vibration
- Durability and longer life
- Comes with 35 mm flat chisel
- Overall length: 10-1/4"
- Weight: 4.1 lbs.

AVAILABLE ACCESSORIES:

20 mm flat chisel - **Model No. TLZ134**

35 mm flat chisel - **Model No. TLZ135**

Moil point - **Model No. TLZ136**



AIR NEEDLE SCALER

- Lightweight compact design permits increased operator efficiency
- Paddle style trigger offers better speed control and precision
- Low noise, low vibration
- Durability and longer life
- Comes with 19 needles
- Overall length: 16"
- Weight: 6.1 lbs.

REPLACEMENT NEEDLES:

7" Long, 19/pack - **Model No. TLZ132**



Model No.	Description	Stroke	Blows per min. BPM	Average Consumption CFM	Air Inlet	Hose Dia.	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
TLZ133	Air Flux Chipper	1-1/2" (38 mm)	4400	9	1/4" - 18 NPT	3/8" (9.5 mm)	10.2	92
TLZ131	Air Needle Scaler	1-1/2" (38 mm)	4000	9	1/4" - 18 NPT	3/8" (9.5 mm)	10.2	104.3

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

IMPACT WRENCHES

3/4" HEAVY-DUTY AIR IMPACT WRENCH

Model No. THZ672

- Twin hammer impact mechanism
- Three-step forward/reverse regulator allows the operator to adjust the power to the job
- Rear exhaust directs air away from work piece and operator
- Ergonomically designed to reduce operator fatigue
- Special heat-treatment of major parts and anvil for long life
- Soft rubber grip handle reduces fatigue
- Weight: 11 lbs.



THZ672

1/2" HEAVY-DUTY AIR IMPACT WRENCH

Model No. THZ673

- Pin-clutch hammer mechanism
- Built-in regulator to prevent over-torquing
- Low noise, low vibration
- Forward-reverse switch, and high-low speed regulator
- Durability and longer life
- Weight: 5 lbs.



THZ673

Model No.	Square Drive	Bolt Capacity	Free Speed RPM	Torque Range ft.-lbs.	Average Air Consumption CFM	Air Inlet	Hose Dia.	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
THZ672	3/4" (19 mm)	1" (25.4 mm)	4600	565-1100	9	1/4" - 18 NPT	3/8" (9.5 mm)	6.1	90
THZ673	1/2" (12.7 mm)	5/8" (15.9 mm)	7000	25-320	12	1/4" - 18 NPT	3/8" (9.5 mm)	3.1	94

HEAVY-DUTY AIR IMPACT WRENCHES

- Ergonomic composite handle helps reduce operator fatigue and insulate vibration
- Exhaust air outlet directs air away from operator
- Forward-reverse switch, and high-low speed regulator
- Low noise, low vibration
- Air Inlet: 1/4" - 18 NPT
- Free Speed RPM: 10,000



TLZ137

Model No.	Square Drive	Bolt Capacity	Overall Length"	Torque Range ft.-lbs.	Average Air Consumption CFM	Weight	Hose Dia.	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
TLZ137	3/8" (9.53 mm)	1/2" (13 mm)	7"	90-280	10.6	2.8 lbs.	3/8" (9.5 mm)	3.7	91.5
TLZ138	1/2" (12.7 mm)	5/8" (16 mm)	7-3/4"	400-1000	13.7	4.6 lbs.	3/8" (9.5 mm)	6.0	94

IMPACT & RATCHET WRENCHES

3/4" HEAVY-DUTY AIR IMPACT WRENCH

- Ergonomic composite handle and body helps reduce operator fatigue and insulate vibration
- Exhaust air outlet directs air away from operator
- Forward-reverse switch, and high-low speed regulator
- Overall length: 8"
- Weight: 5 lbs.



Model No.	Square Drive	Bolt Capacity	Free Speed RPM	Torque Range ft.-lbs.	Average Air Consumption CFM	Air Inlet	Hose Dia.	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
TLZ139	3/4" (19 mm)	1" (26 mm)	9000	450-1000	13.7	1/4" - 18 NPT	3/8" (9.5 mm)	9.2	95.9

1/4" STUBBY TYPE AIR RATCHET WRENCH

- Variable speed, reversible
- Paddle style trigger provides better speed control
- Powerful tool in a compact design
- Composite grip helps reduce operator fatigue and insulate vibration
- Overall length: 7-1/4"
- Weight: 1.4 lbs.



Model No.	Square Drive	Free Speed RPM	Torque Range ft.-lbs.	Average Air Consumption CFM	Air Inlet	Hose Dia.	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
TLZ140	1/4" (6.35 mm)	230	5-30	3	1/4" - 18 NPT	5/16" (8 mm)	4.4	87

HEAVY-DUTY AIR RATCHET WRENCHES

- Variable speed, reversible
- Paddle style trigger provides better speed control
- Composite handle helps insulate vibration
- Ideal for automotive and industrial fastener removal and installation work



THZ671



THZ680

Model No.	Square Drive Size	Free Speed RPM	Torque Range ft.-lbs.	Average Air Consumption CFM	Air Inlet	Hose Dia.	Horse Power HP	Vibration Less Than m/s ²	Sound Pressure Level (dBA)
THZ671	3/8" (9.5 mm)	175	5-75	3	1/4" - 18 NPT	3/8" (9.5 mm)	0.45	1.0	78
THZ680	1/2" (12.7 mm)	175	5-75	3	1/4" - 18 NPT	3/8" (9.5 mm)	0.45	1.0	83

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

GRINDERS

5" PNEUMATIC ANGLE GRINDER

- 5/8"-11 UNC spindle
- Powerful twin-chamber motor delivers much higher torque
- Ergonomic grip handle reduces operator fatigue
- Textured non-slip composite grip handle helps reduce vibration
- Side handle and wrenches included
- Weight: 3.1 lbs.



Model No.	Grinding Wheel	Spindle Thread	Free Speed RPM	Average Air Consumption CFM	Air Inlet	Hose Size	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
THZ674	5" (127 mm)	5/8" (15.9 mm)	10 000	5	1/4" - 18 NPT	3/8" (9.5 mm)	3.1	83

1/4" PNEUMATIC MINI DIE GRINDER

- Ergonomic composite grip handle helps reduce operator fatigue and vibration
- Power/speed regulator allows for easy RPM adjustment
- Twin-bearing design for smooth operation
- Wrenches included
- Weight: 0.9 lbs.



Model No.	Collet Size	Free Speed RPM	Average Air Consumption CFM	Air Inlet	Hose Size	Horsepower HP	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
THZ678	1/4" (6.4 mm)	25 000	3	1/4" - 18 NPT	3/8" (9.5 mm)	0.35	0.1	83

1/4" PNEUMATIC ANGLE DIE GRINDER

- Ergonomic composite grip handle helps reduce operator fatigue and vibration
- Power/speed regulator allows for easy RPM adjustment
- Twin-bearing design for smooth operation
- Wrenches included
- Weight: 1.7 lbs.



Model No.	Collet Size	Free Speed RPM	Average Air Consumption CFM	Air Inlet	Hose Size	Horsepower HP	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
THZ679	1/4" (6.4 mm)	18 000	3	1/4" - 18 NPT	3/8" (9.5 mm)	0.45	0.1	80

CUT-OFF TOOLS & DRILLS

3" AIR CUT-OFF TOOL

- Ergonomic composite grip handle helps reduce operator fatigue and insulate vibration
- Power/speed regulator allows for easy RPM adjustment
- Twin-bearing design for smooth operation and cut off
- Wrench and Hex Key included to lock/unlock the disc
- Weight: 1.8 lbs.



Model No.	Cutting Wheel	Free Speed RPM	Average Air Consumption CFM	Air Inlet	Hose Size	Horsepower HP	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
THZ677	3" (76.2 mm)	21000	3	1/4" - 18 NPT	3/8" (9.5 mm)	0.45	0.2	81

3/8" AIR REVERSIBLE DRILL

Model No. THZ675

- Lightweight composite design minimizes operator fatigue
- Ergonomic grip reduces vibration
- Two-gear structure runs smoothly
- Weight: 2 lbs.



1/2" AIR REVERSIBLE DRILL

Model No. THZ676

- Lightweight composite design minimizes operator fatigue
- Ergonomic grip reduces vibration
- Two-gear structure runs smoothly
- Side handle included
- Weight: 3 lbs.



Model No.	Chuck Size	Spindle Thread	Free Speed RPM	Average Air Consumption CFM	Air Inlet	Hose Size	Vibrations Less Than m/s ²	Sound Pressure Level (dBA)
THZ675	3/8" (9.5 mm)	3/8" - 24 Threads	1800	4	1/4" - 18 NPT	3/8" (9.5 mm)	0.10	88
THZ676	1/2" (12.7 mm)	3/8" - 24 Threads	450	4	1/4" - 18 NPT	3/8" (9.5 mm)	0.15	88

UTILITY HAMMERS AND SCREWDRIVERS

1/4" UTILITY HAMMER

- Ideal for structural maintenance and repair
- Head Material: Steel



Model No.	Air Consumption	Air Inlet	Sound Level (dBA)	BPM	Bore & Stroke	Cold Rivet Capacity	Overall Length	Chisel Shank	Bore Diameter
UAG272	25 CFM	1/4" NPTF	100	3000	3/4" x 2-5/8" (19.0mm x 66.0mm)	1/4" (6.4 mm)	7-1/2" (190 mm)	0.401" (Round)	3/4" ID (19.05 mm)

5/16" UTILITY HAMMER

- Ideal for structural maintenance and repair
- Head Material: Steel



Model No.	Air Consumption	Air Inlet	Sound Level (dBA)	BPM	Bore & Stroke	Cold Rivet Capacity	Overall Length	Chisel Shank	Bore Diameter
UAG273	25 CFM	1/4" NPTF	100	2200	3/4" x 3-5/8" (19.0mm x 92.0mm)	5/16" (7.9 mm)	9-13/16" (250 mm)	0.401" (Round)	3/4" ID (19.05 mm)

DIRECT DRIVE REVERSIBLE SCREWDRIVER

- Chuck Type: Keyless
- Clutch Type: Direct Drive Reversible
- Handle Style: Pistol grip
- Operation: Trigger start



Model No.	Air Consumption	Air Inlet	No Load RPM	Chuck Size	Sound Level (dBA)	Torque Range in-lbs.	Length	Weight	Air Hose Bore	Vibration Level
UAG274	28 CFM	1/4" NPTF	13 000	1/4"	88	216-312	5.6" (142 mm)	1.98 lbs (0.9 kg)	3/8"	<2.5 m/s ²

PNEUMATIC SANDERS

BELT SANDER

- Ideal for detail work (shaping and finishing)
- Low maintenance motor
- Easy belt changes



Model No.	Air Consumption	Air Inlet	Sound Level (dBA)	Belt Size	No Load RPM	Power	Wattage	Weight	Air Consumption At Free Speed	Hose I.D.
UAG275	16 CFM	1/4" NPTF	85	13" - 3/8"	16500	0.5 HP	373	1.94 lbs. (0.88 kg)	L/s: 6.8	3/8"

BELT SANDER

- Ideal for sanding, blending and smoothing operations in various industries
- Low maintenance motor
- Easy belt changes
- Right hand usage only



Model No.	Air Consumption	Air Inlet	Sound Level (dBA)	Belt Size	No Load RPM	Power	Wattage	Weight	Air Consumption At Free Speed	Hose I.D.
UAG276	16 CFM	1/4" NPTF	85	13" - 3/8"	16500	0.5 HP	373	1.94 lbs. (0.88 kg)	L/s: 6.8	3/8"

VERTICAL SANDER

- Ideal for sanding, blending and smoothing operations in various industries




Model No.	Air Consumption	Air Inlet	Sound Level (dBA)	No Load RPM	Disk Diameter	Paper Size	Spindle Thread	Vibration m/s ²	Net Weight
UAG277	24 CFM	1/4" NPTF	89	4500	7"	180 mm	5/8" x 11 UNC	<2.5	5.25 lbs (2.38 kg)

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

FILTERS, REGULATORS & LUBRICATORS

SUGGESTIONS FOR INSTALLING FRL & DRAINS

The filter, regulator, and lubricator should be installed in the order shown in the illustration. Individual take-off lines to the FRL unit and air tool(s) should be from the top of the compressed air line. To trap and expel water, sludge, and other contaminants which may collect on the bottom of the air line, a mechanical drain should be used. Mechanical drains should be installed at low points in the piping system and at the far end of the distribution system.



MODULAR FILTER, REGULATOR & LUBRICATOR (GAUGE INCLUDED)

- Components are attached in series using spacers and piping adapters, which make the individual components easily removable and mountable without disturbing the pipe line
- Comes complete with wall mounting bracket
- Air filter, regulator and lubricator come with NPT threads and gauge
- Operating Pressure: 7-145 PSI

Model No.	Connection Size	Max. Air Flow	Bowl Capacity fl. oz.	Filter Bowl Capacity oz.
POLYCARBONATE BOWL WITH STEEL BOWL GUARD				
TTY181	1/4" NPT	18 SCFM @ 105 PSI	0.68	0.30
TTY182	3/8" NPT	71 SCFM @ 105 PSI	1.92	1.08
TTY183	1/2" NPT	123 SCFM @ 105 PSI	5.17	1.50
METAL BOWL				
TTY184	3/4" NPT	123 SCFM @ 105 PSI	6.8	5.60
TTY185	1" NPT	175 SCFM @ 105 PSI	6.8	5.60



MODULAR FILTER/REGULATOR & LUBRICATOR (GAUGE INCLUDED)

- Space-saving, two-piece combination is a popular air preparation unit
- Attached in series using spacers and piping adapters, which make the two components easily removable and mountable without disturbing the pipe line
- Come complete with a wall mounting bracket
- Operating Pressure: 7-145 PSI
- Bowl Material: Polycarbonate bowl with steel bowl guard

Model No.	Connection Size	Max. Air Flow	Bowl Capacity fl. oz.	Filter Bowl Capacity oz.
TTY178	1/4" NPT	18 SCFM @ 105 PSI	0.68	0.30
TTY179	3/8" NPT	44 SCFM @ 105 PSI	1.93	1.08
TTY180	1/2" NPT	99 SCFM @ 105 PSI	5.17	1.50



MODULAR AIR LUBRICATOR

- Used to feed lubricants to pneumatic equipment and maintain a constant oil-to-air density over a wide range of flow
- Fog/Micro Mist type, up to 50' pipe runs
- The head is fitted with oil drop indicator, oil drop controller and oil filling plug
- Designed for best performance with 32-grade oil
- Comes with NPT threads

Model No.	Connection Size	Max. Air Flow	Bowl Capacity fl. oz.	Max. PSI
MODULAR - POLYCARBONATE BOWL W/STEEL BOWL GUARD				
TTY170	1/4" NPT	48 SCFM @ 90 PSI	0.68	145
TTY171	3/8" NPT	106 SCFM @ 90 PSI	1.98	145
TTY172	1/2" NPT	200 SCFM @ 90 PSI	5.13	145
VERTICAL - METAL BOWL				
TTY173	3/4" NPT	255 SCFM @ 90 PSI	6.8	290
TTY174	1" NPT	318 SCFM @ 90 PSI	6.8	290



FILTERS, REGULATORS & LUBRICATORS

MODULAR AIR FILTER/REGULATOR (GAUGE INCLUDED)

- Filter-Regulator combination is the most popular air preparation units, assembled together to form a single unit
- Regulators are used to maintain a steady outlet pressure, unaffected by variations or fluctuations in the inlet pressure
- Filter used to separate dust, dirt, moisture and other contaminants from compressed air
- Press-type manual drain with nighttime drain feature, which automatically drains off the bowl once the compressed air supply to the filter is switched off
- Filter has sintered bronze, 40-micron filtering element
- Comes with NPT threads and gauge
- Max. PSI: 145 PSI
- Bowl Material: Polycarbonate bowl with steel bowl guard

Model No.	Connection Size	Max. Air Flow	Bowl Capacity fl. oz.
TTY175	1/4" NPT	20 SCFM @ 105 PSI	0.3
TTY176	3/8" NPT	64 SCFM @ 105 PSI	1.08
TTY177	1/2" NPT	106 SCFM @ 105 PSI	1.5



MODULAR AIR FILTER

- Used to separate dust, dirt, moisture and other contaminants from compressed air
- Sintered bronze, 40-micron filtering element
- Designed with a separator and shield for efficient moisture separation
- Press-type manual drain with nighttime drain feature, which automatically drains off the bowl once the compressed air supply to the filter is switched off
- Comes with NPT threads
- Drain Type: Semi-Automatic
- Material Filtered: Combination
- Filtration Size (Microns): 40 Microns

Model No.	Connection Size	Max. PSI	Bowl Material
MODULAR			
TTY165	1/4" NPT	145	Polycarbonate
TTY166	3/8" NPT	145	Polycarbonate
TTY167	1/2" NPT	145	Polycarbonate
VERTICAL			
TTY168	3/4" NPT	290	Metal
TTY169	1" NPT	290	Metal



MODULAR AIR REGULATOR (GAUGE INCLUDED)

- Regulators are used to maintain a steady outlet pressure, unaffected by variations or fluctuations in the inlet pressure
- Regulators step down the air line pressure and can be set at any desired pressure below the inlet air pressure
- Designed with a non-raising "Press to Lock" adjustment knob for locking at any set pressure
- These can be installed in any position and need not be vertically mounted
- Comes with NPT threads and gauge
- Max. PSI: 220 PSI

Model No.	Connection Size	Max. Air Flow
TTY160	1/4" NPT	21 SCFM @ 105 PSI
TTY161	3/8" NPT	88 SCFM @ 105 PSI
TTY162	1/2" NPT	140 SCFM @ 105 PSI
TTY163	3/4" NPT	175 SCFM @ 105 PSI
TTY164	1" NPT	210 SCFM @ 105 PSI



AIR BLOW GUNS

AIR BLOW GUN WITH BRASS SAFETY NOZZLE

- Contoured design fits comfortably in the operator's hand
- Brass tip increases air flow
- Cushioned thumb lever
- Hook design allows for easy and convenient storage
- 1/4" (F) - 18 NPT Air inlet

Model No. TLV118



AIR BLOW GUN

- Contoured body fits comfortably in the operator's hand
- The body is made to protect the palm of the hand against the connection fittings
- Curved tip 5" long
- 1/4" (F) - 18 NPT Air inlet

Model No. TLZ146



BLOW GUN KIT - 5 PCS

- Contoured design fits comfortably in the operator's hand
- Chrome plated finish
- Large hanging hook
- 1/4" (F) - 18 NPT Air inlet
- Comes with four tips: safety tip, rubber tip, needle tip, and long needle tip

Model No. TLZ147



HEAVY-DUTY AIR BLOW GUN KIT - 7 PCS

- Impact and weather resistant nylon body
- Ergonomic soft rubber grip
- Variable speed trigger controls the amount of air dispensed
- Brass threaded air inlet ensures that threads do not shear
- Silent operation with noise level under 80 dB
- 1/4" (F) - 18 NPT air inlet
- Maximum working pressure: 235 PSI
- Operating temperature: -10° C to 70° C

KIT INCLUDES:

- Heavy-duty safety blow gun w/ 4-1/2" long S.S. nozzle
- 4" protective shield provides safety from projectiles
- Soft rubber star tip nozzle for use on delicate materials
- Venturi nozzle for turbo charging output
- 1/2" rubber tip for blowing out lines and cavities
- 1" rubber tip for blowing out lines and cavities
- 1-3/8" rubber tip for blowing out lines and cavities

Model No. TYB523



AIR BLOW GUNS

- Impact and weather resistant nylon body
- Ergonomic soft rubber grip
- Variable speed trigger controls the amount of air dispensed
- Brass threaded air inlet ensures that threads do not shear

► HEAVY-DUTY BLOW GUN

- Noise level at 100 PSI: 77 dB
- Standard tip

Model No. TYB519



- Silent operation with noise level under 80 dB
- 1/4" (F) – 18 NPT air inlet
- Maximum working pressure: 50-235 PSI
- Operating temperature: -10° C to 70° C

► HEAVY-DUTY SAFETY BLOW GUN

- Comes with snub nose rubber tip
- Noise level at 100 PSI: 77 dB
- Standard(s) Met: OSHA STD 1-13.1

Model No. TYB520



► HEAVY-DUTY SAFETY BLOW GUN W/STAINLESS STEEL NOZZLE

- Comes with 4-1/2" long stainless steel nozzle
- Noise level at 100 PSI: 80 dB
- Standard(s) Met: OSHA STD 1-13.1

Model No. TYB521



► HEAVY-DUTY SAFETY BLOW GUN W/STAINLESS STEEL NOZZLE & SILENCER

- Comes with 5-1/2" long stainless steel nozzle and a silencer
- Noise level at 100 PSI: 75 dB
- Standard(s) Met: OSHA STD 1-13.1

Model No. TYB522



HOSE REELS & ACCESSORIES

HOSE REELS


- Heavy-duty, reinforced steel stampings for increased strength
- Compact design allows reels to fit in tight locations
- Multi-position guide arm for multiple mounting options
- Kinkless, oil resistant high quality hose
- Spring rewind features long life spring with declutching arbour
- Durable, corrosion-resistant powder coat paint
- Good for air and water
- Hose Material: EPDM Rubber



Model No.	Drive Type	Hose I.D."	Hose Length'	Max PSI	Hose Outlet" NPTM	Reel Inlet" NPT	Dimensions D" x W" x H"	Wt. lbs.
TLZ482	Spring	1/4	35	300	1/4	3/8	15-1/2 x 6 x 14	26.6
TLZ483	Spring	3/8	25	300	1/4	3/8	15-1/8 x 6 x 13-7/8	26.2
TLZ484	Spring	3/8	35	300	1/4	3/8	17-1/2 x 6-5/8 x 16-1/2	34.7
TLZ485	Spring	3/8	50	300	1/4	3/8	20 x 6-1/2 x 18-3/8	40.3
TLZ486	Spring	1/2	50	300	1/2	1/2	20-1/4 x 6-5/8 x 17-7/8	44.3

WELDING HOSE REELS

- Heavy-duty, reinforced steel stampings for increased strength
- Compact design allows reels to fit in tight locations
- 1/4" oxygen and acetylene twin hose
- Leak proof double O-ring seals
- Multi-position guide arms for multiple mounting options
- Kinkless, oil resistant high quality hoses
- Spring rewind features long life spring with declutching arbor
- Durable, corrosion-resistant powder coat paint
- Grade R hose



Model No.	Drive Type	Hose I.D."	Hose Length'	Max PSI	Oxygen Inlet and Outlet	Acetylene Inlet and Outlet	Dimensions D" x W" x H"	Wt. lbs.
TLZ487	Spring	1/4	25	300	9/16" x 18 UNF (Female)	9/16" x 18 UNF (Female)	14-3/4 x 8 x 13-5/8	25.9
TLZ488	Spring	1/4	50	300	9/16" x 18 UNF (Female)	9/16" x 18 UNF (Female)	20-1/2 x 8-5/8 x 20-1/2	42.2

AIR HOSE NYLON COILS WITH FITTINGS

- Light and easy to handle
- High impact and abrasion resistance
- Excellent elastic memory, can be stretched repeatedly yet return to original shape for convenient storage
- Temperature range: -5°C to 70°C
- Colour: High visibility yellow



Model No.	Hose I.D."	NPT"	Length'	Max. Working Pressure PSI
TLZ150	1/4	1/4	25	200
TLZ151	1/4	1/4	50	200
TLZ152	3/8	3/8	25	300
TLZ153	3/8	3/8	50	300

5-PIECE 1/4" PLUG QUICK COUPLER KIT

SET INCLUDES:

- 1x 1/4" Quick coupler
- 1x 1/4" Female plug
- 3x 1/4" Male plugs

Model No. TLZ148



3/8" AIR HOSE REPAIR KIT

SET INCLUDES:

- 1x Hose Splicer
- 1x Hose End Fitting
- 3x Hose Clamps

Model No. TLZ149





TOOL STORAGE

Tool Carts	40-42
Tool Chests	40-43
Mechanics Creeper	42
Utility Carts	42
Tool Pouches	43
Tool Bags	43
Tool Boxes	43-44
Compratment Cases	44
Tool Kits	45-51

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

STEEL TOOL BOXES

INDUSTRIAL TOOL CARTS/CHESTS

- Double wall steel construction for added strength
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Non-slip drawer liners
- Powder coat scratch resistant black paint
- Tool Cars Feature 2 fixed HD casters & 2 swivel HD casters with toe locks



Model No.	Number of Drawers	Overall Depth"	Overall Width"	Overall Height"	Drawer Capacity	Unit Capacity	Caster Dimensions
TOOL CARTS							
TER064	5	18-3/4"	27"	31-1/2"	100 lbs.	1400 lbs.	5" x 2" (127 mm x 51 mm)
TER065	7	18-3/4"	27"	39"	100 lbs.	1400 lbs.	5" x 2" (127 mm x 51 mm)
TER067	11	18-3/4"	41"	39-1/3"	100 lbs.	1400 lbs.	5" x 2" (127 mm x 51 mm)
TOOL CHESTS							
TER066	4	12"	26"	14-1/2"	100 lbs.	1000 lbs.	-
TER068	10	17-3/4"	41"	19"	100 lbs.	1000 lbs.	-

STEEL TOOL BOXES

HEAVY-DUTY TOOL CART

- Heavy-duty double wall steel construction for added strength
- Quadra level ball bearing slides on all drawers
- Drawers feature soft close technology
- Heavy-duty reinforced bottom support rails for heavier loads
- Full extension slides for easy reach inside
- Integrated latch security drawer system prevents drawers from accidentally opening
- Powder coat scratch resistant black paint
- Non-slip drawer liners and a thick rubber top mat that provides an excellent working surface
- Power and USB outlets on the side of the cabinet makes it quick and easy to charge your power tools and mobile devices
- Heavy-duty casters with double layer ball bearings



Model No.	Number of Drawers	Overall Depth"	Overall Width"	Overall Height"	Drawer Capacity	Unit Capacity	Caster Dimensions
TER069	7	22"	28"	42-3/8"	120 lbs.	1400 lbs.	5" x 2" (127 mm x 51 mm)

ATB300 TOOL CART

- Double-walled steel construction for added strength
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Keyed locking system for added security
- Round side chromed handle
- Non-slip drawer liners
- Tick top mat provides an excellent work surface
- High-gloss powder coat scratch-resistant paint
- Includes: 2 fixed HD casters & 4 swivel HD casters with toe locks - 5" (127mm) x 2" (51mm)



Model No.	Number of Drawers	Overall Depth"	Overall Width"	Overall Height"	Drawer Capacity	Unit Capacity	Caster Dimensions
TEQ765	12	24-1/2"	56"	38-1/8"	100 lbs.	1200 lbs.	5" (127mm) x 2" (51mm)

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

UTILITY CARTS & MECHANICS CREEPER

MECHANIC CREEPER

- Built-in, padded, adjustable headrest
- 360° swivel casters
- Built-in handle makes it easy to adjust the headrest to alleviate neck pain
- Headrest: Adjustable
- Weight Capacity: 265 lbs.
- Overall Length: 16-3/4"
- Overall Width: 40-1/4"
- Overall Height: 4-3/4"
- Material: Vinyl
- Colour: Black
- No. of Casters: 6
- Caster Material: Steel

Model No. FLT527



UTILITY CARTS

- Heavy-duty steel construction
- Full extension ball bearing slides on all drawers
- High quality 4" swivel casters
- Drawer capacity: 100 lbs.
- Unit capacity: 550 lbs.
- High gloss powder coat scratch resistant black paint
- Assembly required



TEP483



Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.
TEP483	4	37 x 18-3/8 x 40-1/2	95

TOOL BOXES, BAGS & HOLDERS

► TOOL POUCHES



TER024



TER026



TER023



TER025



TER027

Model No.	Number of Pockets	Overall Dimensions W" x D" x H"
TER023	8	24" L x 12" W x 12" H
TER024	5	3-1/2" L x 1-1/2" W x 8-3/4" H
TER025	3	6" L x 3-1/2" W x 9-3/4" H
TER026	4	6-1/4" L x 2" W x 9-1/2" H
TER027	4	5-1/4" L x 2" W x 7-1/2" H

► 16" PORTABLE TOOL BOX

Model No. TEP516



► 21" PORTABLE TOOL BOX

Model No. TEP336



Model No.	Description	Overall Dimensions W" x D" x H"	Wt. lbs.
TEP516	16" Portable Tool Box With Metal Tool Tray	16 x 6 x 6-1/2	10
TEP336	21" Portable Tool Box With Metal Tool Tray	21 x 8-3/4 x 9	20

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

PLASTIC TOOL BOXES

HEAVY-DUTY TOOL BOXES

- ABS plastic latches are virtually indestructible
- Heavy-duty polypropylene construction
- Removable inner trays
- Deep storage compartments
- Padlock eye for safe storage

Model No.	Dimensions W" x D" x H"	Features
TLV082	15 x 7 x 5-1/2	1 Removable Inner Tray
TLV083	17-1/2 x 9-1/2 x 8	1 Removable Inner Tray
TLV084	17-1/2 x 9-1/2 x 8	1 Removable Inner Tray, 2 Parts Boxes, 1 Organizer
TLV085	22 x 11 x 10-1/2	1 Removable Inner Tray, 3 Organizers
TLV086	22 x 11 x 14-1/2	1 Removable Inner Tray, 3 Organizers, 2 Drawers



TLV082

TLZ117
Parts Box



TLV083



TLV084



TLV085



TLV086

COMPARTMENT CASE

- High strength, high quality polypropylene case
- Translucent lid allows for quick view of contents
- Snap latch ensures a secure closure
- Removable dividers allow for different configurations

Model No.	Dimensions W" x D" x H"	No. of Compartments
CF333	10-3/4 x 5-3/8 x 1-1/2	Variable up to 17
TLZ117	5-1/2 x 5-1/2 x 1-1/2	Variable up to 9



CF333

17-PIECE BASIC TOOL SET

SET INCLUDES:

TLV083	Tool Box
TJZ062	1/4" Slot Screwdriver, 5" Shank
TJZ068	#2 Phillips Screwdriver, 4" Shank
TJZ073	#2 Square Tip Screwdriver, 6" Shank
TJZ033	Hammer, 16-oz. Claw
TJZ079	Groove Joint Pliers, 8" L
TJZ083	Diagonal Cutting Pliers, 5" L
TJZ086	Long Nose Pliers, 6" L
TJZ092	Locking Pliers, 7" L
TJZ095	Long Nose Locking Pliers, 6" L
TJZ117	Measuring Tape, 16' L
PE549	Utility Knife
TJZ102	Adjustable Combo Wrench, 10" L
TJZ060	1/4" Stubby Slot Screwdriver, 1-1/2" Shank
TJZ069	#2 Stubby Phillips Screwdriver, 1-1/2" Shank
TJZ076	#2 Stubby Square Tip Screwdriver, 1-1/2" Shank
TJZ075	#1 Stubby Square Tip Screwdriver, 1-1/2" Shank

Model No. TLV075



28-PIECE ESSENTIAL TOOL SET

SET INCLUDES:

TLV084	Tool Box
TJZ072	#1 Square Screwdriver, 4" Shank
TJZ073	#2 Square Screwdriver, 6" Shank
TJZ067	#1 Phillips Screwdriver, 5-1/4" Shank
TJZ068	#2 Phillips Screwdriver, 4" Shank
TJZ062	1/4" Slot Screwdriver, 5" Shank
TJZ064	5/16" Slot Screwdriver, 6" Shank
TNB733	Hex Key Set, S.A.E.
TJZ801	Measuring Tape, 1" W x 25' L, in/ft
TJZ078	Slip Joint Pliers, 6" L
TJZ083	Diagonal Cutting Pliers, 5" L
TJZ086	Long Nose Pliers, 6" L
TJZ091	Locking Pliers, 5" L
TJZ095	Long Nose Locking Pliers, 6" L
TJZ101	Adjustable Wrench, 8" L
PE549	Utility Knife
TJZ033	Hammer, 16 oz.
TJZ036	Dead Blow Hammer, 16 oz.
TJZ040	Ball Pein Hammer, 16 oz.
TJZ043	Rubber Mallet, 16 oz.

Model No. TYP013



TOOL KITS

40-PIECE MAINTENANCE TOOL SET

SET INCLUDES:

TLV083	Tool Box
PE549	Utility Knife
TYW991	Hacksaw
TJZ033	Hammer, 16 oz.
TJZ043	Rubber Mallet, 16 oz.
TNB733	Hex Key Set
TJZ080	Groove Joint Pliers, 10" L
TJZ083	Diagonal Cutting Pliers, 5" L
TJZ086	Long Nose Cutting Pliers, 6" L
TJZ092	Curved Jaw Locking Pliers, 7" L
TJZ095	Long Nose Locking Pliers, 6" L
TJZ102	Adjustable Wrench, 10" L
TJZ117	Measuring Tape, 16' L
TJZ057	1/8" Slot Screwdriver, 3" Shank
TJZ061	1/4" Slot Screwdriver, 3" Shank
TJZ064	5/16" Slot Screwdriver, 3" Shank
TJZ067	#1 Phillips Screwdriver, 3-1/4" Shank
TJZ068	#2 Phillips Screwdriver, 4" Shank
TJZ072	#1 Square Tip Screwdriver, 4" Shank
TJZ073	#2 Square Tip Screwdriver, 6" Shank
TLV053	S.A.E. Combo Wrench Set
SAN638	Work Gloves

Model No. TLZ459



56-PIECE DELUXE TOOL SET

SET INCLUDES:

TLV085	Tool Box
PE549	Utility Knife
TYW991	Hacksaw
TNB733	Hex Key Set, S.A.E.
TJZ079	Groove joint pliers, 8" L
TJZ078	Slip Joint Pliers, 6" L
TJZ083	Diagonal Cutting Pliers, 5" L
TJZ086	Long Nose Pliers, 6" L
TJZ088	Linesman Pliers, 7" L
TJZ092	Locking Pliers, 7" L
TJZ095	Long Nose Locking Pliers, 6" L
TJZ102	Adjustable Wrench, 10" L
TJZ801	Measuring Tape, 1" W x 25' L, in/ft
TJZ058	3/16" Slot Screwdriver, 4" Shank
TJZ060	1/4" Stubby Slot Screwdriver, 1-1/2" Shank
TJZ063	1/4" Slot Screwdriver, 6" Shank
TJZ067	#1 Phillips Screwdriver, 3-1/4" Shank
TJZ070	#3 Phillips Screwdriver, 6" Shank
TJZ072	#1 Square Screwdriver, 4" Shank
TJZ074	#3 Square Screwdriver, 6" Shank
TLV055	S.A.E. Combo Wrench Set
TJZ033	Hammer, 16 oz.
TJZ043	Rubber Mallet, 16 oz.
TJZ036	Dead Blow Hammer, 16 oz.
TJZ040	Ball Pein Hammer, 16 oz.
PF205	Replacement Blades

Model No. TYP012



118-PIECE PROFESSIONAL TOOL SET

SET INCLUDES:

TLV086 Tool Box
PE812 Utility Knife
TYW991 Hacksaw
TJZ033 Hammer, 16 oz.
TJZ041 Ball Pein Hammer, 24 oz.
TJZ047 Action Bar, 13-1/2" L
TJZ078 Split Joint Pliers, 6-1/2" L
TJZ080 Groove Joint Pliers, 10" L
TJZ084 Diagonal Cutting Pliers, 7" L
TJZ087 Long Nose Pliers, 8" L
TJZ089 Linesman Pliers, 8" L
TJZ093 Locking Pliers, 10" L
TJZ095 Long Nose Locking Pliers, 6" L
TJZ102 Adjustable Wrench, 10" L
TJZ801 Measuring Tape, 25' L
TLV053 S.A.E. Combo Wrench Set
TLV054 Metric Wrench Set
TLV357 24-pc. S.A.E. Socket Set
TLV358 24-pc. Metric Socket Set
TJZ861 Caliper
TNB731 S.A.E. Hex Key Set

TNB732 Metric Hex Key Set
TJZ057 1/8" Slot Screwdriver, 3" Shank
TJZ058 3/16" Slot Screwdriver, 3" Shank
TJZ060 1/4" Stubby Slot Screwdriver 1-1/2" Shank
TJZ061 1/4" Slot Screwdriver, 4" Shank
TJZ064 5/16" Slot Screwdriver, 6" Shank
TJZ065 3/8" Slot Screwdriver, 8" Shank
TJZ066 #0 Phillips Screwdriver, 2-1/2" Shank
TJZ067 #1 Phillips Screwdriver, 3-1/4" Shank
TJZ068 #2 Phillips Screwdriver, 4" Shank
TJZ069 #2 Stubby Phillips Screwdriver, 1-1/2" Shank
TJZ070 #3 Phillips Screwdriver, 6" Shank
TJZ071 #0 Square Tip Screwdriver, 4" Shank
TJZ072 #1 Square Tip Screwdriver, 4" Shank
TJZ073 #2 Square Tip Screwdriver, 6" Shank
TJZ074 #3 Square Tip Screwdriver, 6" Shank
TJZ076 #2 Stubby Square Tip Screwdriver, 1-1/2" Shank
SAJ023 Work Gloves
SAP877 Glasses

Model No. TLZ460



TOOL KITS

112-PIECE INTERMEDIATE TOOL SET WITH CART

SET INCLUDES:

TER065 ATB300 Tool Cart, 7 Drawer, 27" x 18" x 35-1/2"
TJZ057 Screwdriver, Slot Cabinet, 1/8" Tip, 3" Shank
TJZ058 Screwdriver, Slot Cabinet, 3/16" Tip, 4" Shank
TJZ060 Screwdriver, Slot Mechanics, 1/4" Tip, 1-1/2" Stubby Shank
TJZ061 Screwdriver, Slot Mechanics, 1/4" Tip, 4" Shank
TJZ064 Screwdriver, Slot Mechanics, 5/16" Tip, 6" Shank
TJZ065 Screwdriver, Slot Mechanics, 3/8" Tip, 8" Shank
TJZ066 Screwdriver, Phillips, #0 Tip, 2-1/2" Shank
TJZ067 Screwdriver, Phillips, #1 Tip, 3-1/4" Shank
TJZ068 Screwdriver, Phillips, #2 Tip, 4" Shank
TJZ069 Screwdriver, Phillips, #2 Tip, 1-1/2" Stubby Shank
TJZ070 Screwdriver, Phillips, #3 Tip, 6" Shank
TJZ071 Screwdriver, Square, #0 Tip, 4" Shank
TJZ072 Screwdriver, Square, #1 Tip, 4" Shank
TJZ073 Screwdriver, Square, #2 Tip, 6" Shank
TJZ074 Screwdriver, Square, #3 Tip, 6" Shank
TJZ076 Screwdriver, Square, #2 Tip, 1-1/2" Stubby Shank
TJZ078 Pliers, Slip Joint, 6" L
TJZ079 Pliers, Groove Joint, 8" L
TJZ082 Pliers, Diagonal Cutting, 5" L
TJZ084 Pliers, Diagonal Cutting, 7" L
TJZ085 Pliers, Long Nose Cutting, 5" L
TJZ087 Pliers, Long Nose Cutting, 8" L
TJZ089 Pliers, Linesman Cutting, 8" L
TJZ091 Locking Pliers, Curved Jaw w/ Wire Cutter, 5" L
TJZ093 Locking Pliers, Curved Jaw w/ Wire Cutter, 10" L
TJZ095 Locking Pliers, Long Nose w/ Wire Cutter, 6" L
TJZ097 Locking Pliers, C-Clamps w/ Swivel Pads, 11" L

TJZ100 Wrench, Adjustable, 6", w/ Composite Grip
TJZ103 Wrench, Adjustable, 12", w/ Composite Grip
TLV053 Wrench Set With Pouch, 11-pc. S.A.E.
TLV054 Wrench Set With Pouch, 11-pc. Metric
TNB731 Hex keys, S.A.E. Short Arm, 13 Keys, 0.05" - 3/8"
TLV360 Socket Set, 41-pc., 1/4" & 3/8" Drive S.A.E./Metric
TLZ396 Cold Chisel, 5/16" x 5" L
TLZ398 Cold Chisel, 1/2" x 6" L
TLZ400 Cold Chisel, 3/4" x 7" L
TLZ417 Centre Punch, 5/32" x 5" L
TLZ415 Centre Punch, 5/64" x 3-1/2" L
TLZ419 Centre Punch, 3/8" x 6-1/4" L
TLZ402 Pin Punch 3/32" x 4-1/2" L
TLZ405 Pin Punch 3/16" x 5-1/4" L
TLZ403 Pin Punch 1/8" x 4-3/4" L
TYW991 Hacksaw Frame, Standard, Adjustable 10" - 12"
TJZ047 Action Bar, 1-3/8" x 1/4" x 13-1/2"
PE812 Utility Knife, H-D, w/ Auto Reload, Snap-off Blades
TJZ033 Hammer, Claw, Hickory Handle, 16-oz.
TJZ036 Hammer, Dead Blow, 16-oz.
TJZ038 Hammer, Dead Blow, 32-oz.
TJZ040 Hammer, Ball Pein, 16-oz.
TJZ042 Hammer, Ball Pein, 32-oz.
TJZ801 Measuring Tape, HD, 1" W x 25' L, in/ft, Composite Grip

Model No. TLV422



86-PIECE TRADESMAN TOOL SET

SET INCLUDES:

TLV086	Tool Box	TJZ076	#2 Stubby Square Tip Screwdriver, 1-1/2" Shank
PE812	Utility Knife	TLV053	11-pc. S.A.E. Wrench Set
TYW991	Hacksaw	TLV357	20-pc. 3/8" S.A.E. Socket Set
TJZ033	Claw Hammer, 16 oz.	SAJ023	Gloves
TJZ036	Dead Blow Hammer, 16 oz.	SAP877	Glasses
TNB731	Hex Keys, S.A.E., 0.05" - 3/8"	TJZ047	Action Bar, 13-1/2" L
TNB732	Hex Keys, Metric, 1.5 mm - 10 mm		
TJZ078	Split Joint Pliers, 6" L		
TJZ080	Groove Joint Pliers, 10" L		
TJZ084	Diagonal Cutting Pliers, 7" L		
TJZ087	Long Nose Pliers, 8" L		
TJZ089	Linesman Pliers, 8" L		
TJZ093	Locking Pliers, 10" L		
TJZ095	Long Nose Locking Pliers, 6" L		
TJZ102	Adjustable Combo Wrench, 10" L		
TJZ801	Measuring Tape, 25' L		
TJZ057	1/8" Slot Screwdriver, 3" Shank		
TJZ058	3/16" Slot Screwdriver, 4" Shank		
TJZ060	1/4" Stubby Slot Screwdriver, 1-1/2" Shank		
TJZ061	1/4" Slot Screwdriver, 4" Shank		
TJZ064	5/16" Slot Screwdriver, 6" Shank		
TJZ065	3/8" Slot Screwdriver, 8" Shank		
TJZ066	#0 Phillips Screwdriver, 2-1/2" Shank		
TJZ067	#1 Phillips Screwdriver, 3-1/4" Shank		
TJZ068	#2 Phillips Screwdriver, 4" Shank		
TJZ069	#2 Stubby Phillips Screwdriver, 1-1/2" Shank		
TJZ070	#3 Phillips Screwdriver, 6" Shank		
TJZ071	#0 Square Tip Screwdriver, 4" Shank		
TJZ072	#1 Square Tip Screwdriver, 4" Shank		
TJZ073	#2 Square Tip Screwdriver, 6" Shank		
TJZ074	#3 Square Tip Screwdriver, 6" Shank		

Model No. TLV076



70-PIECE STARTER TOOL SET WITH STEEL CHEST

SET INCLUDES:

TER66	ATB300 Tool Chest, 4 Drawer, 26" x 12" x 14-1/2"
TJZ040	Hammer, Ball Pein, 16-oz.
TJZ036	Hammer, Dead Blow, 16-oz.
TJZ033	Hammer, Hickory Handle, Claw, 16-oz.
TJZ078	Pliers, Slip Joint, Black Nickel Finish, 6" L
TJZ079	Pliers, Groove Joint, 8" L
TJZ084	Pliers, Diagonal Cutting, 7" L
TJZ086	Pliers, Long Nose, Cutting, 6" L
TJZ088	Pliers, Linesman Cutting, 7" L
TJZ092	Locking Pliers, Curved Jaw w/ Wire Cutter, 7" L
TLZ417	Centre Punch, 5/32" x 5" L
TLZ418	Centre Punch, 1/4" x 6" L
TLZ403	Pin Punch 1/8" x 4-3/4" L
TLZ405	Pin Punch 3/16" x 5-1/4" L
TLZ397	Cold Chisel, 3/8" x 5-1/2" L
TLZ398	Cold Chisel, 1/2" x 6" L
TLZ400	Cold Chisel, 3/4" x 7" L
TLZ412	Drift Punch 1/4" x 12" L
TJZ072	Screwdriver, Square, #1 Tip, 4" Shank
TJZ073	Screwdriver, Square, #2 Tip, 6" Shank
TJZ067	Screwdriver, Phillips, #1 Tip, 3-1/4" Shank
TJZ068	Screwdriver, Phillips, #2 Tip, 4" Shank
TJZ057	Screwdriver, Slot Cabinet, 1/8" Tip, 3" Shank
TJZ061	Screwdriver, Slot Mechanics, 1/4" Tip, 4" Shank
TJZ064	Screwdriver, Slot Mechanics, 5/16" Tip, 6" Shank
TJZ101	Wrench, Adjustable, 8", Composite Grip
TJZ103	Wrench, Adjustable, 12", Composite Grip
TNB733	Hex Keys, S.A.E., Composite Grip Fold-up, 9 Keys
TLV055	Wrench Set With Pouch, 14-pc. S.A.E.
TLV357	Socket Set, 20-pc., 3/8" Drive S.A.E.

Model No. TLV421



TOOL KITS



238-PIECE MASTER TOOL SET WITH STEEL CHEST & CART

SET INCLUDES:

- TER066 ATB300 Tool Chest, 6 Drawer, 26" x 18" x 19"
- TER065 ATB300 Tool Cart, 7 Drawer, 27" x 18" x 35-1/2"
- TJZ057 Screwdriver, Slot Cabinet, 1/8" Tip, 3" Shank
- TJZ058 Screwdriver, Slot Cabinet, 3/16" Tip, 4" Shank
- TJZ059 Screwdriver, Slot Cabinet, 3/16" Tip, 6" Shank
- TJZ060 Screwdriver, Slot Mechanics, 1/4" Tip, 1-1/2" Stubby shank
- TJZ061 Screwdriver, Slot Mechanics, 1/4" Tip, 4" Shank
- TJZ062 Screwdriver, Slot Mechanics, 1/4" Tip, 5" Shank
- TJZ063 Screwdriver, Slot Mechanics, 1/4" Tip, 6" Shank
- TJZ064 Screwdriver, Slot Mechanics, 5/16" Tip, 6" Shank
- TJZ065 Screwdriver, Slot Mechanics, 3/8" Tip, 8" Shank
- TJZ066 Screwdriver, Phillips, #0 Tip, 2-1/2" Shank
- TJZ067 Screwdriver, Phillips, #1 Tip, 3-1/4" Shank
- TJZ068 Screwdriver, Phillips, #2 Tip, 4" Shank
- TJZ069 Screwdriver, Phillips, #2 Tip, 1-1/2" Stubby Shank
- TJZ070 Screwdriver, Phillips, #3 Tip, 6" Shank
- TJZ071 Screwdriver, Square, #0 Tip, 4" Shank
- TJZ072 Screwdriver, Square, #1 Tip, 4" Shank
- TJZ073 Screwdriver, Square, #2 Tip, 6" Shank
- TJZ074 Screwdriver, Square, #3 Tip, 6" Shank
- TJZ075 Screwdriver, Square, #1 Tip, 1-1/2" Stubby Shank
- TJZ076 Screwdriver, Square, #2 Tip, 1-1/2" Stubby Shank
- TJZ077 Screwdriver, Square, #3 Tip, 1-1/2" Stubby Shank
- TJZ078 Pliers, Slip Joint, 6" L
- TJZ079 Pliers, Groove Joint, 8" L
- TJZ080 Pliers, Groove Joint, 10" L
- TJZ082 Pliers, Diagonal Cutting, 5" L
- TJZ083 Pliers, Diagonal Cutting, 6" L
- TJZ084 Pliers, Diagonal Cutting, 7" L
- TJZ085 Pliers, Long Nose Cutting, 5" L
- TJZ086 Pliers, Long Nose Cutting, 6" L
- TJZ087 Pliers, Long Nose Cutting, 8" L
- TJZ088 Pliers, Linesman Cutting, 7" L
- TJZ089 Pliers, Linesman Cutting, 8" L
- TJZ090 Locking Pliers, Curved Jaw w/ Wire Cutter, 4" L
- TJZ091 Locking Pliers, Curved Jaw w/ Wire Cutter, 5" L
- TJZ092 Locking Pliers, Curved Jaw w/ Wire Cutter, 7" L
- TJZ093 Locking Pliers, Curved Jaw w/ Wire Cutter, 10" L
- TJZ094 Locking Pliers, Long Nose w/ Wire Cutter, 4" L
- TJZ095 Locking Pliers, Long Nose w/ Wire Cutter, 6" L
- TJZ096 Locking Pliers, C-Clamps w/ Swivel Pads, 6" L
- TJZ097 Locking Pliers, C-Clamps w/ Swivel Pads, 11" L
- TJZ100 Wrench, Adjustable, 6" L, w/ Composite Grip
- TJZ101 Wrench, Adjustable, 8" L, w/ Composite Grip
- TJZ102 Wrench, Adjustable, 10" L, w/ Composite Grip
- TJZ103 Wrench, Adjustable, 12" L, w/ Composite Grip
- TJZ104 Wrench, Adjustable, 15" L
- TJZ105 Wrench, Adjustable, 18" L
- TJZ108 Wrench, Straight Pipe, 12" L, 2" Pipe Capacity
- TLV055 Wrench Set With Pouch, 14-pc. S.A.E.
- TLV056 Wrench Set With Pouch, 14-pc. Metric
- TLV356 Socket Set, 22-pc., 1/4" Drive S.A.E.
- TLV357 Socket Set, 20-pc., 3/8" Drive S.A.E.
- TLV358 Socket Set, 24-pc., 3/8" Drive Metric
- TLV359 Socket Set, 29-pc., 1/2" Drive S.A.E./Metric
- TLZ420 Cold Chisel Set, 6-pc.
- TLZ421 Pin Punch Set, 7-pc.
- TLZ422 Draft Punch Set, 7-pc.
- TLZ423 Centre punch Set, 5-pc.
- TYW991 Hacksaw Frame, Standard, Adjustable 10" - 12"
- TJZ047 Action Bar, 13-1/2" L
- PE812 Utility Knife, H-D, w/ Auto Reload, Snap-off Blades
- TJZ033 Hammer, Hickory Handle, Claw, 16-oz.
- TJZ034 Hammer, Hickory Handle, Framing, 22-oz.
- TJZ035 Hammer, Dead Blow, 8-oz.
- TJZ036 Hammer, Dead Blow, 16-oz.
- TJZ037 Hammer, Dead Blow, 24-oz.
- TJZ038 Hammer, Dead Blow, 32-oz.
- TJZ039 Hammer, Ball Pein, 8-oz.
- TJZ040 Hammer, Ball Pein, 16-oz.
- TJZ041 Hammer, Ball Pein, 24-oz.
- TJZ042 Hammer, Ball Pein, 32-oz.
- TJZ043 Mallet, Black, 16-oz.
- TJZ044 Mallet, Black, 32-oz.
- TNB731 Hex Keys, S.A.E. Short Arm, 13 Keys, 0.050" - 3/8"
- TNB732 Hex keys, Metric Short Arm, 9 Keys, 1.5 mm - 10 mm
- TJZ801 Measuring Tape, HD, 1" W x 25' L, in/ft, Composite Grip
- TJZ802 Measuring Tape, HD, 1" W x 25' L, in/cm, Composite Grip
- TJZ861 Digital Caliper, Stainless Steel, 8" L
- AD084 Mini Grease Gun, Push Type, 80 CC

Model No. TLV423

360 PIECE ULTIMATE TOOL SET

Looking for a tool... Look no further.
This ultimate set includes most of the items you will find in this catalogue.



Model No. TY0941

SET INCLUDES:

TER068	ATB400 Tool Chest, 6 Drawers	TJZ062	1/4" Slot Screwdriver, 5" Shank	TJZ094	Long Nose Pliers, 4" L
TER067	ATB400 Tool Cart, 14 Drawers	TJZ063	1/4" Slot Screwdriver, 6" Shank	TJZ095	Long Nose Pliers, 6" L
AC509	Grease Fitting Set	TJZ064	5/16" Slot Screwdriver, 6" Shank	TJZ096	Locking Pliers, C-clamp, 6" L
AD084	Grease Gun	TJZ065	3/8" Slot Screwdriver, 8" Shank	TJZ097	Locking Pliers, C-clamp, 11" L
PE406	Replacement Blades	TJZ066	#0 Phillips Screwdriver, 2-1/2" Shank	TJZ099	Locking Pliers, Sheet Metal, 8" L
PE812	Utility Knife	TJZ067	#1 Phillips Screwdriver, 3-1/4" Shank	TJZ100	Adjustable Wrench, 6" L
TH2769	Caliper	TJZ068	#2 Phillips Screwdriver, 4" Shank	TJZ101	Adjustable Wrench, 8" L
IA388	Micrometer	TJZ069	#2 Phillips Stubby Screwdriver, 1-1/2" Shank	TJZ102	Adjustable Wrench, 10" L
TJZ801	Measuring Tape, 1" W x 25' L in/ft	TJZ070	#3 Phillips Screwdriver, 6" Shank	TJZ103	Adjustable Wrench, 12" L
TJZ802	Measuring Tape, 1" W x 25' L in/cm	TJZ071	#0 Square Screwdriver, 4" Shank	TJZ104	Adjustable Wrench, 15" L
TYW991	Hacksaw	TJZ072	#1 Square Screwdriver, 4" Shank	TJZ105	Adjustable Wrench, 18" L
TJZ033	Claw Hammer, 16 oz.	TJZ073	#2 Square Screwdriver, 6" Shank	TJZ108	Pipe Wrench, 12" L
TJZ034	Claw Hammer, 22 oz.	TJZ074	#3 Square Screwdriver, 6" Shank	TJZ110	Pipe Wrench, 18" L
TJZ035	Dead Blow Hammer, 8 oz.	TJZ075	#1 Square Stubby Screwdriver, 1-1/2" Shank	TLV055	Combination Wrench Set, S.A.E.
TJZ036	Dead Blow Hammer, 16 oz.	TJZ076	#2 Square Stubby Screwdriver, 1-1/2" Shank	TLV056	Combination Wrench Set, Metric
TJZ037	Dead Blow Hammer, 24 oz.	TJZ077	#3 Square Stubby Screwdriver, 1-1/2" Shank	TJZ112	Bolt Cutters
TJZ038	Dead Blow Hammer, 32 oz.	TJZ078	Slip Joint Pliers, 6" L	TLV361	Socket Set, S.A.E./Metric
TJZ039	Ball Pein Hammer, 8 oz.	TJZ079	Groove Joint Pliers, 8" L	TLZ420	Chisel Set
TJZ040	Ball Pein Hammer, 16 oz.	TJZ080	Groove Joint Pliers, 10" L	TLZ421	Pin Punch Set
TJZ041	Ball Pein Hammer, 24 oz.	TJZ082	Diagonal Cutting Pliers, 5" L	TLZ422	Drift Punch Set
TJZ042	Ball Pein Hammer, 32 oz.	TJZ083	Diagonal Cutting Pliers, 6" L	TLZ423	Centre Punch Set
TJZ043	Rubber Mallet, Black, 16 oz.	TJZ084	Diagonal Cutting Pliers, 7" L	TNB733	Hex Key Set, S.A.E.
TJZ044	Rubber Mallet, Black, 32 oz.	TJZ085	Long Nose Cutting Pliers, 5" L	TNB734	Hex Key Set, Metric
TJZ047	Action Bar 13-1/2" L	TJZ086	Long Nose Cutting Pliers, 6" L	TYB504	C-clamp, 4" Jaw Width
TJZ048	Wrecking Bar, 18" L	TJZ087	Long Nose Cutting Pliers, 8" L	TYB506	C-clamp, 8" Jaw Width
TJZ049	wrecking Bar, 24" L	TJZ088	Linesman Pliers, 7" L	TYB508	C-clamp, 12" Jaw Width
TJZ057	1/8" Slot Screwdriver, 3" Shank	TJZ089	Linesman Pliers, 8" L	XC488	Extension Cord 25' L
TJZ058	3/16" Slot Screwdriver, 4" Shank	TJZ090	Locking Pliers, 4" L	XE887	LED Headlamp
TJZ059	3/16" Slot Screwdriver, 6" Shank	TJZ091	Locking Pliers, 5" L	XE889	LED Flashlight
TJZ060	1/4" Slot Stubby Screwdriver, 1-1/2" Shank	TJZ092	Locking Pliers, 7" L		
TJZ061	1/4" Slot Screwdriver, 4" Shank	TJZ093	Locking Pliers, 10" L		



HAND TOOLS

Insulated Tool Sets	53	Micrometers	69
Electrical Tape	53	Measuring Wheels	69
Screwdrivers	54-55	Hacksaws	70
Pliers	56-60	Wrecking Bars	70
Combination Wrenches	61-62	Bolt Cutters	70
Adjustable Wrenches	63	Compound Snips	71
Sledge Hammers	64	Caulking Guns	71
Hammers	64-67	Drill Bits	71
Stamp Sets	67	Levels	71
Hex Key Sets	68	Chisels	72-74
Measuring Tapes	68	Punches	72-74
Calipers	69		

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

INSULATED TOOL SET

INSULATED TOOL SET

- Meets the VDE insulated quality standard
- Leather carry case conveniently stores and protects tools
- Voltage Rating: 1000 V
- No. of Pieces: 10

SET INCLUDES:

VDE Slotted Screwdriver, 7/32" x 5" L
VDE Slotted Screwdriver, 5/32" x 4" L
VDE Slotted Screwdriver, 3/32" x 3" L
VDE Phillips® Screwdriver, #1 x 3-1/8" L
VDE Phillips® Screwdriver, #2 x 4" L
VDE Pozidriv® Screwdriver, #1 x 3-1/8" L
VDE Pozidriv® Screwdriver, #2 x 4" L
VDE Lineman Pliers, 6" L
VDE Long Nose Pliers, 6" L
VDE Side Cutting Pliers, 6" L

Model No. TYP305



ELECTRICAL TAPE

- Width: 3/4" (19 mm)
- Length: 60' (18 m)
- Material: Vinyl Plastic
- Thickness: 7 mils
- Electrical tape for splicing and insulating wires
- For use between -7°C and 80°C
- CSA approved

Model No.	Colour
XE890	Black
XH383	Red
XH384	Green
XH385	Blue
XH386	White
XH387	Yellow



SCREWDRIVERS



Screwdriver type indication
on the base of the grip




- Industrial quality and strength
- Chrome vanadium steel blade
- Treated blade tip for a lifetime of performance
- Extra large ergonomic handle for maximum torque and comfort
- Colour-coded handle for square tip type
- Meets ANSI standards



Slot Electrician



Slot Mechanics



Phillips Tip



Square Tip

Model No.	Tip Width"	Shank Length"
— SLOT ELECTRICIANS		
TJZ057	1/8	3
TJZ058	3/16	4
TJZ059	3/16	6
— SLOT MECHANICS		
TJZ060	1/4	1-1/2 Stubby
TJZ061	1/4	4
TJZ062	1/4	5
TJZ063	1/4	6
TJZ064	5/16	6
TJZ065	3/8	8
✦ PHILLIPS TIP		
TJZ066	#0	2-1/2
TJZ067	#1	3-1/4
TJZ068	#2	4
TJZ070	#3	6
TJZ069	#2	1-1/2 Stubby
◻ SQUARE TIP		
TJZ071	#0	4
TJZ072	#1	4
TJZ073	#2	6
TJZ074	#3	6
TJZ075	#1	1-1/2 Stubby
TJZ076	#2	1-1/2 Stubby
TJZ077	#3	1-1/2 Stubby



SCREWDRIVER SETS

- Industrial quality and strength
- Treated blade tip for a lifetime of performance
- Meets ANSI standards



Model No.	Description	Contents
TJZ826	3-Piece Set	Square Tip: #1, #2, #3
TJZ827	7-Piece Set	Square Tip: #1, #2 Phillips: #1, #2 Flat: 1/8", 1/4", 5/16"
TJZ828	16-Piece Set	Square Tip: #0, #1, #2, #3, #2 Stubby Phillips: #0, #1, #2, #3, #2 Stubby Flat: 1/8", 3/16", 1/4", 5/16", 3/8", 1/4" Stubby

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

PLIERS

SLIP JOINT PLIERS

- Sure gripping precision milled jaws
- Light and rugged drop-forged alloy steel
- Flush pivot design for use in tight spaces
- Meets ANSI standards

Model No.	Length"
TJZ078	6



GROOVE JOINT PLIERS

- Sure gripping precision milled jaws
- Grooves undercut and milled to prevent slipping when tightening
- Light and rugged drop-forged alloy steel
- Flush pivot design for use in tight spaces
- Meets ANSI standards

Model No.	Length"
TJZ079	8
TJZ080	10



DIAGONAL CUTTING PLIERS

- Precision tested jaws provide uniform cut
- Slim profile reaches into cramped quarters
- Black nickel finish resists rust
- Induction heat-treated cutting edge
- Smooth non-sticking lever mechanism
- Meets ANSI standards

Model No.	Length"
TJZ082	5
TJZ083	6
TJZ084	7



LONG NOSE CUTTING PLIERS

- Strong sure gripping jaws manipulate wire and other awkward objects
- Slim tapered head extends reach and maintains visibility in small areas
- Black nickel finish resists rust
- Meets ANSI standards

Model No.	Length"
TJZ085	5
TJZ086	6
TJZ087	8



LINESMAN CUTTING PLIERS

- Precision milled jaw grip and hold wire without slipping
- Black nickel finish resists rust
- Meets ANSI standards

Model No.	Length"
TJZ088	7
TJZ089	8



INDUSTRIAL MULTI-TOOL

- Stainless steel components
- Anodized aluminum body with ABS inlays provides premium comfort
- Heavy-duty nylon pouch
- Self locking components for safe use
- Gun metal finish
- Overall length: 6.25"
- Closed length: 4"
- Weight: 9.3 oz.

INCLUDES: Flat-nose pliers, wire cutter, fine edge knife, Phillips screwdriver, bottle opener, small and medium flat screwdriver, metal/wood file, double tooth saw, serrated knife, can opener

Model No. TLZ463



3-PIECE BASIC PLIER SET

- Precision milled jaws
- Black nickel finish resists rust
- Meets ANSI standards

SET INCLUDES:

- TJZ078** Slip Joint, 6" L
TJZ083 Diagonal Cutting, 6" L
TJZ086 Long Nose Cutting, 6" L

Model No. TLZ795




3-PIECE LONG NOSE CUTTING PLIER SET

- Strong sure gripping jaws manipulate wire and other awkward objects
- Slim tapered head extends reach and maintains visibility in small areas
- Black nickel finish resists rust
- Meets ANSI standards

SET INCLUDES:

- TJZ085** Long Nose Cutting, 5" L
TJZ086 Long Nose Cutting, 6" L
TJZ087 Long Nose Cutting, 8" L

Model No. TLZ790



3-PIECE DIAGONAL CUTTING PLIER SET

- Precision tested jaws provide uniform cut
- Slim profile reaches into cramped quarters
- Black nickel finish resists rust
- Induction heat-treated cutting edge
- Smooth non-sticking lever mechanism
- Meets ANSI standards

SET INCLUDES:

- TJZ082** Diagonal Cutting, 5" L
TJZ083 Diagonal Cutting, 6" L
TJZ084 Diagonal Cutting, 7" L

Model No. TLZ789



11-PIECE ALL-PURPOSE PLIER SET

- Precision milled jaws wire without slipping
- Black nickel finish resists rust
- Meets ANSI standards

SET INCLUDES:

- TJZ078** Slip Joint, 6" L
TJZ079 Groove Joint, 8" L
TJZ080 Groove Joint, 10" L
TJZ082 Diagonal Cutting, 5" L
TJZ083 Diagonal Cutting, 6" L
TJZ084 Diagonal Cutting, 7" L
TJZ085 Long Nose Cutting, 5" L
TJZ086 Long Nose Cutting, 6" L
TJZ087 Long Nose Cutting, 8" L
TJZ088 Linesman Cutting, 7" L
TJZ089 Linesman Cutting, 8" L

Model No. TLZ793



LOCKING PLIERS

CURVED JAW PLIERS WITH WIRE CUTTING

Model No.	Grip	Length"
TJZ090	Steel	4
TJZ091	Composite	5
TJZ092	Composite	7
TJZ093	Composite	10



- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Meets ANSI standards



LONG NOSE PLIERS WITH WIRE CUTTING

Model No.	Grip	Length"
TJZ094	Steel	4
TJZ095	Composite	6



C-CLAMP PLIERS WITH SWIVEL PADS

Model No.	Grip	Length"
TJZ096	Steel	6
TJZ097	Steel	11



LOCKING WELDING CLAMP PLIERS

Model No.	Grip	Length"
TJZ098	Steel	9



LOCKING SHEET METAL TOOL PLIERS

Model No.	Grip	Length"
TJZ099	Steel	8



LOCKING PLIER SETS

4-PIECE CURVED JAW LOCKING PLIERS W/WIRE CUTTER SET

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Meets ANSI standards

SET INCLUDES:

- TJZ090** Curved Jaw w/ Wire Cutter, 4" L
TJZ091 Curved Jaw w/ Wire Cutter, 5" L
TJZ092 Curved Jaw w/ Wire Cutter, 7" L
TJZ093 Curved Jaw w/ Wire Cutter, 10" L

Model No. TLZ791



8-PIECE LOCKING PLIER SET

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Meets ANSI standards

SET INCLUDES:

- TJZ090** Curved Jaw w/ Wire Cutter, 4" L
TJZ091 Curved Jaw w/ Wire Cutter, 5" L
TJZ092 Curved Jaw w/ Wire Cutter, 7" L
TJZ093 Curved Jaw w/ Wire Cutter, 10" L
TJZ094 Long Nose w/ Wire Cutter, 4" L
TJZ095 Long Nose w/ Wire Cutter, 6" L
TJZ096 C-clamps w/ Swivel Pads, 6" L
TJZ097 C-clamps w/ Swivel Pads, 11" L

Model No. TLZ792



4-PIECE WELDING CLAMP SET

SET INCLUDES:

- TJZ096** C-Clamp with Swivel Pad, 6"
TJZ997 C-Clamp with Swivel Pad, 11"
TJZ998 Locking Welding Clamp, 9"
TJZ099 Locking Sheet Metal Tool, 8"

Model No. TLV133



Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

PLIER SETS

19-PIECE ALL PURPOSE PLIER SET

PLIERS:

- Precision milled jaws
- Black nickel finish resists rust
- Meets ANSI standards

LOCKING PLIERS:

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Meets ANSI standards

SET INCLUDES:

PLIERS, BLACK NICKEL FINISH:

- TJZ078 Slip Joint, 6" L
- TJZ079 Groove Joint, 8" L
- TJZ080 Groove Joint, 10" L
- TJZ082 Diagonal Cutting, 5" L
- TJZ083 Diagonal Cutting, 6" L
- TJZ084 Diagonal Cutting, 7" L
- TJZ085 Long Nose Cutting, 5" L
- TJZ086 Long Nose Cutting, 6" L
- TJZ087 Long Nose Cutting, 8" L

LOCKING PLIERS:

- TJZ088 Linesman Cutting, 7" L
- TJZ089 Linesman Cutting, 8" L
- TJZ090 Curved Jaw w/ Wire Cutter, 4" L
- TJZ091 Curved Jaw w/ Wire Cutter, 5" L
- TJZ092 Curved Jaw w/ Wire Cutter, 7" L
- TJZ093 Curved Jaw w/ Wire Cutter, 10" L
- TJZ094 Long Nose w/ Wire Cutter, 4" L
- TJZ095 Long Nose w/ Wire Cutter, 6" L
- TJZ096 C-clamps w/ Swivel Pads, 6" L
- TJZ097 C-clamps w/ Swivel Pads, 11" L

Model No. TLZ794



COMBINATION WRENCHES

COMBINATION WRENCHES

- Chrome vanadium steel for strength and durability
- Heat treated for consistent hardness
- Precision broached jaws for sure gripping
- 12-point box end for snug fit
- Thin walled construction for access in cramped quarters
- Meets ANSI standards



Model No.	Size"	Length"
S.A.E.		
TYK599	1/4	3-7/8
TYK600	5/16	4-3/4
TYK601	11/32	5-1/8
TYK602	3/8	6
TYK603	7/16	6
TYK604	1/2	6-3/4
TYK605	9/16	7-1/8
TYK606	5/8	8
TYK607	11/16	8-11/16
TYK608	3/4	9
TYK609	13/16	9-5/8
TYK610	7/8	10-1/4
TYK611	15/16	10-1/2
TYK612	1	11-5/8
TYK613	1 1/16	13-3/8
TYK614	1 1/8	15
TYK615	1 1/4	17-1/8

Model No.	Size mm	Length mm
METRIC		
TYK616	6	100
TYK617	7	110
TYK618	8	131
TYK619	9	130
TYK620	10	151
TYK621	11	150
TYK622	12	161
TYK623	13	171
TYK624	14	181
TYK625	15	191
TYK626	16	195
TYK627	17	211
TYK628	18	215
TYK629	19	231
TYK630	20	235
TYK631	21	245
TYK632	22	250
TYK633	23	265
TYK634	24	292
TYK635	25	285
TYK636	26	295
TYK637	27	340
TYK638	28	355
TYK639	29	380
TYK640	30	395
TYK641	32	373

COMBINATION WRENCH SETS



Model No.	Description
TLV053	11 S.A.E. Combination Wrenches: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
TLV054	11 Metric Combination Wrenches: 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm
TLV055	14 S.A.E. Combination Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
TLV056	14 Metric Combination Wrenches: 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 22 mm, 24 mm, 27 mm, 30 mm, 32 mm

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

RATCHET WRENCHES

RATCHETING COMBINATION WRENCHES

- Chrome vanadium steel for strength and durability
- Ratcheting head allows for faster removal and installation of fasteners
- 72-tooth ratchet gear
- 12-point box end for snug fit
- Needs as little as 5 Degrees to move a fastener
- Meets ANSI standards



Model No.	Size"	Length"
S.A.E.		
UAD652	1/4	5-1/4
UAD653	5/16	5-1/4
UAD654	3/8	6-1/4
UAD655	7/16	6-1/2
UAD656	1/2	7
UAD657	9/16	7-7/16
UAD658	5/8	8-1/16
UAD659	11/16	8-13/16
UAD660	3/4	9-11/16
UAD661	13/16	11
UAD662	7/8	11
UAD663	15/16	12-3/16
UAD664	1"	12-3/16

Model No.	Size mm	Length mm
METRIC		
UAD635	6	134
UAD665	7	134
UAD636	9	158.5
UAD637	10	158.5
UAD638	11	164.6
UAD639	12	167.7
UAD640	13	177.4
UAD641	14	189.5
UAD642	15	198
UAD643	16	205.4
UAD644	17	224
UAD645	18	235.4
UAD646	19	246.4

RATCHETING WRENCH SETS



Model No.	Description
TEQ832	8 S.A.E. Combination Wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
TEQ833	13 S.A.E. Combination Wrenches: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
TEQ834	8 Metric Combination Wrenches: 8 mm, 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 18 mm
TEQ835	13 Metric Combination Wrenches: 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm

WRENCHES

ADJUSTABLE WRENCHES

- Superior grade chrome vanadium steel
- Precision machined jaws
- Slim profile head slips into cramped quarters
- Tight tolerances ensure close fitting, wobble-free action
- Smooth, non-sticking mechanism
- Black nickel finish resists rust
- Meets ANSI standards



Model No.	Length"	Description
TJZ100	6	Standard Jaw, Composite Body
TJZ102	10	Reversible Jaw, Composite Body
TJZ103	12	Reversible Jaw, Composite Body
TJZ104	15	Standard Jaw, Steel Body
TJZ105	18	Standard Jaw, Steel Body

6-PIECE ADJUSTABLE WRENCH SET

SET INCLUDES: TJZ100, TJZ101, TJZ102, TJZ103, TJZ104, TJZ105

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

Model No. TLZ796



PIPE WRENCHES

- Drop-forged alloy steel jaw
- Durable ductile steel body provides the ultimate in performance
- Precision milled sure gripping teeth
- Spring action ensures sure grip and quick release

Model No.	Length"	Pipe Capacity"
TJZ106	8	1
TJZ107	10	1-1/2
TJZ108	12	2
TJZ109	14	2
TJZ110	18	2-1/2



TJZ106

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

INDESTRUCTIBLE HANDLE HAMMERS

INDESTRUCTIBLE HANDLE HAMMERS

- Indestructible handle is made with spring steel bars, encased in rubber, running through the handle
- Spring steel bars are locked into the hammer head with steel locking plates, ensuring it never dislodges
- Ergonomic rubber grip handle absorbs impact and vibration reducing user fatigue
- Will not break, bend, or split even after repeated overstrikes
- Head is induction case hardened 52-56 HRC
- Meets ANSI BS 876 standard for material hardness and performance



Model No.	Head Weight lbs.	No. of Spring Steel Bars	Handle Length"
SLEDGE HAMMERS			
TYB494	6	6	24
TYB495	8	6	24
TYB496	8	6	30
TYB497	10	6	30
TYB498	12	6	30
TYB499	14	6	30
CLUB HAMMERS			
TYB492	4	4	12
TYB493	4	4	16



Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

HAMMERS & MALLET

TUBULAR HANDLE HAMMER

- 1.4 mm hardened tubular steel shaft
- Fully polished heat-treated face with octagonal neck
- Shock-absorbing cushion grip handle
- Steel overstrike ring
- Meets ANSI standards

Model No.	Type	Head Weight oz.
TJZ032	Claw	16



HICKORY HANDLE HAMMERS

- Large natural colour, American hickory handle
- Extra tough, heat-treated fully polished head
- Extra large striking face
- Natural shock absorbing qualities of natural wood
- Meets ANSI standards

Model No.	Type	Head Weight oz.
TJZ033	Claw	16
TJZ034	Framing	22



DEAD BLOW HAMMERS

- 1-piece urethane construction
- Completely enclosed steel shank
- Shot-filled head
- High visibility orange colour

Model No.	Head Weight oz.
TJZ035	8
TJZ036	16
TJZ037	24
TJZ038	32



BALL PEIN HAMMERS

- Kiln-dried hickory handle
- High quality construction
- Natural shock-absorbing qualities of natural wood
- Meets ANSI standards

Model No.	Head Weight oz.
TJZ039	8
TJZ040	16
TJZ041	24
TJZ042	32



RUBBER MALLET

- Hardwood handle
- Non-marking white rubber head (TJZ045 and TJZ046)

Model No.	Head Weight oz.	Colour
TJZ043	16	Black
TJZ044	32	Black
TJZ045	16	White
TJZ046	32	White



HAMMER SETS

2-PIECE HICKORY HANDLE HAMMER SET

- Large natural colour, American hickory handle
- Extra tough, heat-treated fully polished head
- Extra large striking face
- Natural shock absorbing qualities of natural wood
- Meets ANSI standards

SET INCLUDES

TJZ033 Hickory Handle, Claw Hammer, 16 oz.

TJZ034 Hickory Handle, Claw Hammer, 22 oz.

Model No. TLV114



4-PIECE DEAD BLOW HAMMER SET

- One piece urethane construction
- Completely enclosed steel shank
- Shot-filled head
- High visibility orange colour

SET INCLUDES:

TJZ035 Dead Blow Hammer, 8 oz.

TJZ036 Dead Blow Hammer, 16 oz.

TJZ037 Dead Blow Hammer, 24 oz.

TJZ038 Dead Blow Hammer, 32 oz.

Model No. TLV113



4-PIECE BALL PEIN HAMMER SET

- Kiln-dried hickory handle
- High quality construction
- Natural shock-absorbing qualities of natural wood
- Meets ANSI standards

SET INCLUDES:

TJZ039 Ball Pein Hammer 8 oz.

TJZ040 Ball Pein Hammer, 16 oz.

TJZ041 Ball Pein Hammer, 24 oz.

TJZ042 Ball Pein Hammer, 32 oz.

Model No. TLV112



4-PIECE RUBBER MALLET SET

- Hardwood handle
- Non-marking white rubber head (**TJZ045** and **TJZ046**)

SET INCLUDES:

TJZ043 Mallet, Black, 16 oz.

TJZ044 Mallet, Black, 32 oz.

TJZ045 Mallet, White, 16 oz.

TJZ046 Mallet, White, 32 oz.

Model No. TLV115



HAMMER SETS & STAMP SETS

8-PIECE UNIVERSAL HAMMER SET

- The most popular striking tools for a wide variety of applications

SET INCLUDES:

TJZ032	Claw Hammer, Tubular Handle, 16 oz.
TJZ034	Framing Hammer, Hickory Handle, 22 oz.
TJZ036	Dead Blow Hammer, 16 oz.
TJZ038	Dead Blow Hammer, 32 oz.
TJZ040	Ball Pein Hammer, 16 oz.
TJZ042	Ball Pein Hammer, 32 oz.
TJZ044	Mallet, Black, 32 oz.
TJZ045	Mallet, White, 16 oz.

Model No. TLV116



15-PIECE ULTIMATE HAMMER SET

- The most comprehensive hammer set on the market
- Includes a hammer for virtually every application

SET INCLUDES:

TJZ032	Claw Hammer, Tubular Handle, 16 oz.
TJZ033	Claw Hammer, Hickory Handle, 16 oz.
TJZ034	Framing Hammer, Hickory Handle, 22 oz.
TJZ035	Dead Blow Hammer, 8 oz.
TJZ036	Dead Blow Hammer, 16 oz.
TJZ037	Dead Blow Hammer, 24 oz.
TJZ038	Dead Blow Hammer, 32 oz.
TJZ039	Ball Pein Hammer, 8 oz.
TJZ040	Ball Pein Hammer, 16 oz.
TJZ041	Ball Pein Hammer, 24 oz.
TJZ042	Ball Pein Hammer, 32 oz.
TJZ043	Mallet, Black, 16 oz.
TJZ044	Mallet, Black, 32 oz.
TJZ045	Mallet, White, 16 oz.
TJZ046	Mallet, White, 32 oz.

Model No. TLV117



STAMP SETS

- For hand held, hammer struck applications
- Manufactured from high quality steel
- Induction hardened for added durability and extended life
- Beveled striking edge prevents breakage and accidents during use
- Stamping end is hardened at 58-62 HRC and the striking end is hardened to 38-43 HRC to prevent splintering
- Letter sets contain 27 pieces, "A" through "Z" and "&"- (ampersand)
- Number sets contain 9 pieces, "0" through "9", numbers "6" and "9" are interchangeable

Model No.	Character Size"	Type
TLZ389	1/8	Number
TLZ392	1/8	Letter
TLZ390	3/16	Number
TLZ393	3/16	Letter
TLZ391	1/4	Number
TLZ394	1/4	Letter



Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

HEX KEY SETS & MEASURING TAPES

HEX KEY POUCH SETS

- Chrome vanadium steel for strength and durability
- Tips are chamfered for ease of entry and proper fit

Model No.	No. of Keys	Key Sizes
S.A.E. - SHORT ARM		
TNB731	13	1/20", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
METRIC - SHORT ARM		
TNB732	9	1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm



TNB731



TNB732

FOLDING HEX KEY SETS

- Chrome vanadium steel for strength and durability
- Tips are chamfered for ease of entry and proper fit
- Set folds securely into convenient storage compartment

Model No.	No. of Keys	Key Sizes
S.A.E. FOLD UP		
TNB733	9	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
METRIC FOLD UP		
TNB734	8	1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm
S.A.E. - BALL END FOLD UP		
TNB735	9	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"



TNB733



TNB734



TNB735

MEASURING TAPES

- Heavy-duty tape line
- Sure locking break
- Easy-to-read blade
- Two rivets holding the tip for extra security
- Composite covering for extra comfort


Model No.	Blade Width"	Length'	Graduation
TJZ115	5/8	12	in/ft
TJZ116	5/8	12	in/cm
TJZ117	3/4	16	in/ft
TJZ118	3/4	16	in/cm
TJZ801	1	25	in/ft
TJZ802	1	25	in/cm
TJZ803	1	30	in/ft
TJZ804	1-1/4	25	in/ft



MEASURING INSTRUMENTS

ELECTRONIC DIGITAL CALIPERS

- Large LCD display provides easy-to-read numbers
- Hardened stainless steel body
- Precision adjustments for accurate measurements
- Lock screw to hold slide in position
- Inch/millimeter conversion
- Zero at any position
- Linear accuracy: $\pm 0.001"$ (0.03 mm)
- Deluxe storage case with foam insert
- ON/OFF button



Model No.	Length"	Description	Measurement Range	Jaw Depth Outside - Inside	Batteries
TLV181	6	Stainless Steel Body, Plastic Head	0 - 6" (0-152 mm)	1-9/16" - 13/16" (40-21 mm)	Two 3.0 V, type CR3032
TGZ370	6	Stainless Steel Body, Zinc Alloy Head	0 - 6" (0-152 mm)	1-9/16" - 13/16" (40-21 mm)	Two 1.5 V
TJZ861	8	Stainless Steel Body, Zinc Alloy Head	0 - 8" (0-200 mm)	1-13/16" - 1" (46-26 mm)	Two 1.5 V
THZ769	12	Stainless Steel Body, Zinc Alloy Head	0 - 12" (0-300 mm)	2-3/8" - 1" (60-26 mm)	Two 1.5 V

ELECTRONIC DIGITAL MICROMETER

- Large LCD display provides easy-to-read numbers
- Carbide tipped measurement surfaces
- Resolution to 5 decimal places
- Linear accuracy: $\pm 0.0001"$ (0.03 mm)
- Inch/millimeter conversion
- Thimble ratchet
- Zero at any position
- Lock screw to hold mechanism in position
- Automatic OFF button
- Includes: Calibration wrench, two 1.5 V batteries, type LR44, wooden storage case with foam insert



Model No.	Measurement Range	Resolution
IA388	0-1" (0-25 mm)	0.00005" (0.001 mm)

MEASURING WHEEL

- Resolution: 0.1 m
- Power: 3V (2x LR3 Batteries)
- Suitable Temperature: -10°C to +45°C
- Lightweight and easy to use, designed for professional and personal usage
- Large wheel model ensures accuracy and is ideal for uneven terrain
- Suitable for outdoor and indoor distance measuring applications
- Pistol grip handle for ergonomic comfort
- Backlight for low light conditions
- Metric and imperial measurement with 5 memory storage entries
- Accuracy of $\pm 0.5\%$
- Telescopic handle
- Push button reset
- Adds forward, subtracts in reverse
- Equipped with a sturdy flip-down kickstand and carrying bag for easy storage and portability
- Measuring Range: 99999.9 m
- Graduations: Feet/Metres
- Wheel Diameter: 12.5" (31.8 cm)

Model No. TYY302



BARs, HACKSAW & BOLT CUTTERS

HACKSAW

- Heavy 16-gauge round steel tubing
- Comfort and guarded grip handle
- Blade Length: 12"
- Depth of Bow: 4"
- Tensile Strength: 8000 PSI

Model No. TYW991



ACTION BAR

- High quality heat-treated carbon steel
- Edges are specially bevelled for pulling, lifting and scraping
- Baked paint finish
- 13-1/2" L x 1-3/8" W
- Colour: Black

Model No. TJZ047



WRECKING BAR

- High quality steel
- Width: 7/8"
- Overall Length: 14"
- Colour: Black

Model No. TYL028



BOLT CUTTERS

- Chrome molybdenum steel jaws
- Centre cutting blades
- Adjusting screws allow for easy and perfect alignment of jaws
- Strong tubular handle with slip-proof rubber grips

Model No.	Length"	Max. Jaw Opening"
TJZ111	14	1/4
TJZ112	18	5/16
TJZ113	24	3/8
TJZ114	36	9/16



GOOSENECK WRECKING BARS

- High quality steel
- Hexagon shank
- Bevelled edges for pulling and lifting

Model No.	Diameter"	Length"	Weight lbs.
TJZ048	5/8	18	2
TJZ049	3/4	24	3.5
TJZ050	3/4	30	4.4
TJZ051	3/4	36	5



MAINTENANCE TOOLS

COMPOUND SNIPS

- Designed for all-purpose cutting applications, for home or professional jobsite
- Cuts straight, left or right in light stock
- Latch secures blades for storage
- Rubberized hand grip for quality comfort
- Cutting Capacity: 18-Gauge Steel
- Overall Length: 10-1/4"



Model No.	Colour	Cut Length"	Cutting Direction
UAE006	Red	1-3/8	Left Cut
UAE007	Green	1-1/8	Right Cut
UAE008	Yellow	1-1/2	Straight Cut

CAULKING GUNS

- Compact size to fit in a tool box
- Comfortable operation
- Smooth application



Model No.	Description	Cartridge Capacity
TTY156	Standard	300 ml
UAE002	Ratchet Style	300 ml

JOBBER LENGTH DRILL BIT SET

- Industrial duty 29 piece drill bit set
- For use on steels, cast iron and most non-ferrous metals
- Round shank
- Two tone black oxide finish provides ideal chip flow and resistance to abraision
- Steel case included

Model No. TCT047



PUNCHES & CHISELS

COLD CHISELS

- Individually forged from high quality alloy steel
- Manufactured to the highest safety standards
- Precisely ground cutting edge is induction hardened to 52-58 HRC
- Striking head is hardened to 42 HRC to prevent splintering during use



Model No.	Cut Width"	Stock Size"	Overall Length"
TLZ395	1/4	1/4	5
TLZ396	5/16	1/4	5
TLZ397	3/8	5/16	5-1/2
TLZ398	1/2	7/16	6
TLZ399	5/8	1/2	6-1/2
TLZ400	3/4	5/8	7
TLZ556	7/8	3/4	7-1/2

Cold Chisels

6-PC. COLD CHISEL SETS

Model No. TLZ420

SET INCLUDES SIZES:

1/4", 5/16", 3/8", 1/2", 5/8", & 3/4"



PIN PUNCHES

- Ideal for driving out and removing already loosened pins and keys after initial movement by a starting punch
- Manufactured from high quality carbon steel
- Single piece construction with hexagonal shank increases durability
- Accurately hardened for increased service life



Model No.	Point Diameter"	Stock Size"	Overall Length"
TLZ401	1/16	1/4	4
TLZ402	3/32	5/16	4-1/2
TLZ403	1/8	5/16	4-3/4
TLZ404	5/32	5/16	5
TLZ405	3/16	5/16	5-1/4
TLZ555	7/32	3/8	5-1/2
TLZ406	1/4	3/8	5-3/4
TLZ407	5/16	7/16	6

Pin Punches

7-PC. PIN PUNCH SETS

Model No. TLZ421

SET INCLUDES SIZES:

1/16", 3/32", 1/8", 5/32", 3/16", 7/32", & 1/4"



PUNCHES & CHISELS

DRIFT PUNCHES

- Ideal for lining up holes in two or more pieces of metal and for drawing pins through various assemblies
- Manufactured from high quality carbon steel
- Single piece construction with hexagonal shank increases durability
- Accurately hardened for increased service life



Model No.	Point Diameter"	Stock Size"	Overall Length"
TLZ408	1/8	5/16	8
TLZ409	5/32	3/8	9
TLZ410	3/16	1/2	10
TLZ411	7/32	1/2	10
TLZ412	1/4	5/8	12
TLZ413	5/16	3/4	12
TLZ414	3/8	3/4	15



7-PC. DRIFT PUNCH SETS

Model No. TLZ422

SET INCLUDES SIZES:

1/8", 5/32", 3/16", 7/32", 1/4", 5/16", & 3/8"



Drift
Punches

CENTER PUNCH

- Single piece construction with hexagonal shank increases durability
- Manufactured from high quality carbon steel
- Accurately hardened for increased service life
- Beveled striking end to prevent breakage
- Working tips centered and ground to 90° for increased marking efficiency



Model No.	Point Diameter"	Stock Size"	Overall Length"
TLZ415	5/64	1/4	3-1/2
TLZ416	1/8	5/16	4-1/4
TLZ417	5/32	3/8	5
TLZ418	1/4	1/2	6
TLZ419	3/8	5/8	6-1/4




5-PC. CENTER PUNCH SETS

Model No. TLZ423

SET INCLUDES SIZES:

5/64", 1/8", 5/32", 1/4", & 3/8"



Center
Punches

PUNCHES & CHISELS

COLD CHISELS WITH GRIP GUARD

- Individually forged from high quality alloy steel
- Manufactured to the highest safety standards
- Precisely ground cutting edge is induction hardened to 52-58 HRC
- Striking head is hardened to 42 HRC to prevent splintering during use



Cold Chisels
With Grip Guard

Model No.	Cut Width"	Stock Size"	Overall Length"
TYB509	3/4	5/8	10
TYB510	3/4	5/8	12
TYB511	1	7/8	10
TYB512	1	7/8	12

PUNCH & CHISEL SETS

- Punch and chisel sets are an excellent way to keep your tools organized
- These sets are packed in heavy-duty vinyl rolls for easy access, organization and storage.



8-PC. PUNCH AND CHISEL SET:

Model No. TLZ433

SET INCLUDES:

Model No.	Style	Size"
TLZ398	Cold Chisel	1/2
TLZ399	Cold Chisel	5/8
TLZ400	Cold Chisel	3/4
TLZ417	Center Punch	5/32
TLZ403	Pin Punch	1/8
TLZ405	Pin Punch	3/16
TLZ406	Pin Punch	1/4
TLZ410	Drift Punch	3/16

14-PC. PUNCH AND CHISEL SET:

Model No. TLZ434

SET INCLUDES:

Model No.	Style	Size"
TLZ397	Cold Chisel	3/8
TLZ398	Cold Chisel	1/2
TLZ399	Cold Chisel	5/8
TLZ400	Cold Chisel	3/4
TLZ556	Cold Chisel	7/8
TLZ416	Center Punch	1/8
TLZ417	Center Punch	5/32
TLZ418	Center Punch	1/4
TLZ401	Pin Punch	1/16
TLZ403	Pin Punch	1/8
TLZ405	Pin Punch	3/16
TLZ408	Drift Punch	1/8
TLZ409	Drift Punch	5/32
TLZ413	Drift Punch	5/16



SOCKETS

Sockets Sets.....	76-79
Ratchets	80, 82, 84
Individual Sockets.....	81, 83, 85
Extensions	80, 82, 84
Drive Adaptors.....	80, 82, 84
Speed Handles	84
Spark Plug Sockets.....	84

SOCKET SETS

▶ 210-PIECE 1/4", 3/8" & 1/2" DRIVE S.A.E./METRIC SOCKET & WRENCH SET

- Chrome vanadium steel for extra strength and durability
- Ratchet with contoured handle for comfort and added torque
- Chrome-plated sockets to resist rust
- 6-point sockets for a snug fit
- Laser-marked socket size on each socket for easy identification
- Meets ANSI standards

SET INCLUDES:

24 Standard Sockets (1/4"):

5/32", 3/16", 7/32", 1/4", 9/32", 5/16",
11/32", 3/8", 7/16", 1/2", 9/16"

4, 4.5, 5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13, 14 mm

25 Standard Sockets (3/8"):

1/4", 9/32", 5/16", 11/32", 3/8",
7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

27 Standard Sockets (1/2"):

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 1"

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

15 Saeep Sockets (1/4"):

1/4", 5/16", 3/8", 7/16", 1/2", 9/16"

6, 7, 8, 9, 10, 11, 12, 13, 14 mm

20 Saeep Sockets (3/8"):

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

21 Deep Sockets (1/2"):

5/16", 3/8", 7/16", 1/2", 5/8", 9/16", 11/16", 3/4", 13/16", 7/8"

10, 11, 12, 13, 14, 16, 17, 19, 20, 21, 22 mm

30 Shank Bits (1/4"):

Phillips: #0, #1, #2, #3

Slotted 3, 4, 5, 6, 7, 8 mm

Pozidriv: #0, #1, #2, #3

Hex: 2, 3, 4, 5, 6, 8 mm

Torx: T8, T10, T15, T20, T25, T27, T30

Square: 1, 2, 3

12 Shank Bits (8 mm):

Phillips: #3, #4

Pozidriv: #3, #4

Hex: 8, 10, 12, 14 mm

Torx: T40, T45, T50, T55

36 Accessories:

Quick Release Ratchet 1/4", 3/8", 1/2"

Spark Plug Socket 1/2" Drive: 16, 21 mm

Universal Joint 1/4", 3/8", 1/2"

Extension 1/4" Drive: 2" & 4"

Extensions 3/8" Drive: 3" & 6"

Extensions 1/2" Drive: 5" & 10"

Plastic Handle Driver 1/4" Drive

Sliding T-bar: 1/4" & 3/8"

3-way Adapter (3/8" F x 1/2" M)

Bit Adapter 1/4" Drive

Bit Adapter 1/2" Drive

Combination Wrench:

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

8, 10, 11, 13, 14, 16, 18, 19 mm

Model No. TLV362



SOCKET SETS

▶ 120-PIECE 1/4", 3/8" & 1/2" DRIVE S.A.E./METRIC SOCKET SET

- Chrome vanadium steel for extra strength and durability
- Ratchet with contoured handle for comfort and added torque
- Chrome-plated sockets to resist rust
- 6-point sockets for a snug fit
- Laser-marked socket size on each socket for easy identification
- Meets ANSI standards



SET INCLUDES:

20 Standard Sockets (1/4"):

5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm

18 Standard Sockets (3/8"):

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

13 Standard Sockets (1/2"):

13/16", 7/8", 15/16", 1", 1-1/16", 1-1/4"
20, 21, 22, 24, 27, 30, 32 mm

4 Deep Sockets (1/4"):

8, 9, 10, 11 mm

4 Deep Sockets (3/8"):

13, 14, 15, 17 mm

8 Torx Sockets (3/8"):

E8, E10, E11, E12, E14, E16, E18, E20

4 Impact Sockets (1/2"):

17, 19, 21, 24 mm

7 Torx Bits (1/4"):

T10, T15, T20, T25, T27, T30, T40

17 Bit Sockets (3/8"):

Torx: T20, T30 T40, T45, T50, T55, T60

Hex: 3, 4, 5, 6 mm

Phillips: #1, #2

Slotted: 5.5, 6.5 mm

Pozidriv: #1, #2

23 Accessories:

Quick Release Ratchet: 1/4", 3/8", & 1/2"

Spark Plug Socket 3/8" Drive: 16, 21 mm

Universal Joint: 1/4", 3/8" & 1/2"

Extension 1/4" Drive: 2"

Extension 3/8" Drive: 3" & 6"

Extension 1/2" Drive: 5" & 10"

Plastic Handle Driver 1/4" Drive

Bit Adapter 1/4" Drive

Combination Wrench: 8, 9, 10, 11, 12, 13, 14, 17, 18, 19 mm

Model No. TLV361



▶ 41-PIECE 1/4" & 3/8" DRIVE S.A.E./METRIC SOCKET SET

- Chrome vanadium steel for extra strength and durability
- Ratchet with contoured handle for comfort and added torque
- Chrome-plated sockets to resist rust
- 6-point sockets for a snug fit
- Laser-marked socket size on each socket for easy identification
- Meets ANSI standards

SET INCLUDES:

19 Standard Sockets (1/4"):

3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm

16 Standard Sockets (3/8"):

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
10, 11, 12, 13, 14, 15, 17, 19 mm

6 Accessories:

Quick Release Ratchet 3/8" Drive

3" - 3/8" Drive Extension

6" - 3/8" Drive Extension

Universal Joint 3/8" Drive

3/8" Drive Adapter (3/8" F x 1/4" M)

Plastic Handle Driver 1/4"

Model No. TLV360



Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

SOCKETS SETS

29-PIECE 1/2" DRIVE S.A.E./METRIC SOCKET SET

- Chrome vanadium steel for extra strength and durability
- Ratchets feature a quick-release button for easy changing of attachments
- Ratchet with contoured handle for comfort and added torque
- Chrome-plated sockets to resist rust
- 6-points sockets for snug fit
- Laser-marked socket size on each socket for easy identification
- Meets ANSI standards

SET INCLUDES:

24 Standard Sockets:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm

5 Accessories:

Quick Release Ratchet

Extensions: 5" & 10"

Universal Joint

3/8" Drive Adapter (3/8" F x 1/2" M)

Model No. TLV359



24-PIECE 3/8" DRIVE METRIC SOCKET SET

- Chrome vanadium steel for extra strength and durability
- Ratchets feature a quick-release button for easy changing of attachments
- Ratchet with contoured handle for comfort and added torque
- Chrome-plated sockets to resist rust
- 6-points sockets for snug fit
- Laser-marked socket size on each socket for easy identification
- Meets ANSI standards

SET INCLUDES:

13 Standard Sockets:

7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

8 Deep Sockets:

10, 11, 12, 13, 14, 15, 17, 19 mm

3 Accessories:

Spark Plug Socket 16 mm

Ratchet

3" Extension

Model No. TLV358



SOCKET SETS

22-PIECE 1/4" DRIVE S.A.E. SOCKET SET

- Chrome vanadium steel for extra strength and durability
- Ratchets feature a quick-release button for easy changing of attachments
- Ratchet with contoured handle for comfort and added torque
- Chrome-plated sockets to resist rust
- 6-points sockets for snug fit
- Laser-marked socket size on each socket for easy identification
- Meets ANSI standards

SET INCLUDES:

9 Standard Sockets:

3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

7 Deep Sockets:

1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

6 Accessories:

- 1 Quick-release Ratchet 1/4" Drive
- 1 Plastic Handle Driver 1/4" Drive
- 1 Drive Palm Ratchet
- 1 Universal Joint
- 2 Extensions: 2" & 6"

Model No. TLV356



20-PIECE 3/8" DRIVE S.A.E. SOCKET SET

- Chrome vanadium steel for extra strength and durability
- Ratchets feature a quick-release button for easy changing of attachments
- Ratchet with contoured handle for comfort and added torque
- Chrome-plated sockets to resist rust
- 6-points sockets for snug fit
- Laser-marked socket size on each socket for easy identification
- Meets ANSI standards

SET INCLUDES:

9 Standard Sockets:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

8 Deep Sockets:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

3 Accessories:

- Quick Release Ratchet
- 2 Extensions: 2" & 3"

Model No. TLV357



1/4" DRIVE SOCKET ACCESSORIES

► RATCHETS:

1/4" DRIVE, 5-1/2" L

Model No. TYL032



1/4" DRIVE QUICK-RELEASE, 5-3/4" L

Model No. TLV363



1/4" DRIVE QUICK-RELEASE
WITH RUBBER GRIP, 6" L

Model No. TLV380



► DRIVE HINGE HANDLE

1/4" DRIVE, 5-3/4" L

Model No. TYL033



► PLASTIC HANDLE DRIVER

1/4" DRIVE, 6" L

Model No. TLV445



► EXTENSIONS

1/4" DRIVE, 2" L

Model No. TYK843



1/4" DRIVE, 4" L

Model No. TLV446



1/4" DRIVE, 6" L

Model No. TYL034



► DRIVE ADAPTOR

1/4" DRIVE, 3/8" M

Model No. TYL035



► UNIVERSAL JOINT

1/4" DRIVE, 1-1/2" L

Model No. TY0577




1/4" DRIVE SOCKETS

1/4" DRIVE S.A.E STANDARD LENGTH SOCKETS 6-POINT



Model No.	Hex Size"	Length"
TYK732	5/32	1
TYK733	3/16	1
TYK734	7/32	1
TYK735	1/4	1
TYK736	9/32	1
TYK737	5/16	1
TYK738	11/32	1
TYK739	3/8	1
TYK740	7/16	1
TYK741	1/2	1
TYK742	9/16	1

1/4" DRIVE S.A.E DEEP LENGTH SOCKETS 6-POINT



Model No.	Hex Size"	Length"
TYK791	5/32	2
TYK792	3/16	2
TYK793	7/32	2
TLV496	1/4	2
TYK794	9/32	2
TYK795	5/16	2
TYK796	11/32	2
TYK797	3/8	2
TYK798	7/16	2
TYK799	1/2	2
TYK800	9/16	2

1/4" DRIVE METRIC STANDARD LENGTH SOCKETS 6-POINT



Model No.	Hex Size mm	Length mm
TYK743	4	25
TYK744	4.5	25
TYK745	5	25
TYK746	5.5	25
TYK747	6	25
TYK748	7	25
TYK591	8	25
TYK750	9	25
TYK592	10	25
TYK752	11	25
TYK753	12	25
TYK754	13	25
TYK755	14	25

1/4" DRIVE METRIC DEEP LENGTH SOCKETS 6-POINT



Model No.	Hex Size mm	Length mm
TYK801	4	50
TYK802	4.5	50
TYK803	5	50
TYK804	5.5	50
TYK805	6	50
TLV497	7	50
TLV553	8	50
TYK806	9	50
TLV498	10	50
TYK807	11	50
TYK808	12	50
TYK809	13	50
TYK810	14	50

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

3/8" DRIVE SOCKET ACCESSORIES

▶ RATCHETS

3/8" DRIVE, 7-7/8" L

Model No. TNB484



3/8" DRIVE QUICK-RELEASE, 8" L

Model No. TLV364



▶ 3/8" DRIVE QUICK-RELEASE WITH RUBBER GRIP, 8" L

Model No. TLV381



▶ HINGE HANDLES

3/8" DRIVE, 9-1/2" L

Model No. TYL037

3/8" DRIVE, 8-1/2" L

Model No. TYL038



▶ EXTENSIONS

3/8" DRIVE, 3" L

Model No. TLV365

3/8" DRIVE, 8" L

Model No. TJZ226



3/8" DRIVE, 6" L

Model No. TLV366

3/8" DRIVE, 12" L

Model No. TYL040



▶ ADAPTORS

3/8" DRIVE, 1/4" M

Model No. TYL041

3/8" DRIVE, 1/2" M

Model No. TYK847



▶ SPARK PLUG SOCKETS

3/8" DRIVE, 5/8"

Model No. TYL042

3/8" DRIVE, 13/16"

Model No. TYL043



▶ UNIVERSAL JOINT

3/8" DRIVE, 2-1/4" L

Model No. TYK844




3/8" DRIVE SOCKETS

3/8" DRIVE S.A.E STANDARD LENGTH SOCKETS 6-POINT



Model No.	Hex Size"	Length"
TLV367	1/4	1-1/8
TLV368	5/16	1-1/8
TYK756	3/8	1-1/8
TLV488	7/16	1-1/8
TMB048	1/2	1-1/8
TLV369	9/16	1-1/8
TYK757	5/8	1-1/8
TLV473	11/16	1-1/8
TLV474	3/4	1-1/8
TMB044	13/16	1-1/8
TMB045	7/8	1-1/8

3/8" DRIVE S.A.E DEEP LENGTH SOCKETS 6-POINT




Model No.	Hex Size"	Length"
TYL048	1/4	2-1/2
TYK811	5/16	2-1/2
TYK812	3/8	2-1/2
TLV370	7/16	2-1/2
TLV371	1/2	2-1/2
TLV372	9/16	2-1/2
TMB047	5/8	2-1/2
TLV475	11/16	2-1/2
TLV373	3/4	2-1/2
TLV374	13/16	2-1/2
TLV476	7/8	2-1/2

3/8" DRIVE METRIC STANDARD LENGTH SOCKETS 6-POINT



Model No.	Hex Size mm	Length mm
TYK758	6	28
TYK759	7	28
TYK760	8	28
TYK761	9	28
TMB046	10	28
TYK762	11	28
TMB049	12	28
TMB052	13	28
TYK763	14	28
TYK764	15	28
TYK765	16	28
TYK766	17	28
TYK767	18	30
TMB054	19	30
TYL044	20	30
TYL045	21	30
TYL046	22	30
UAD527	23	30

3/8" DRIVE METRIC DEEP LENGTH SOCKETS 6-POINT



Model No.	Hex Size mm	Length mm
TYL050	6	63
TYK593	7	63
TYK813	8	63
TYK814	9	63
TYK815	10	63
TYK816	11	63
TMB053	12	63
TYK817	13	63
TYK818	14	63
TYK819	15	63
TYK820	16	63
TYK821	17	63
TYK822	18	63
TYK823	19	63
TYL052	20	63
TYL053	21	63
TYL054	22	63
TYL055	23	63

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

1/2" DRIVE SOCKET ACCESSORIES

► RATCHETS

1/2" DRIVE, 10" L

Model No. TLV375



1/2" DRIVE QUICK-RELEASE, 10" L

Model No. TLV376



1/2" DRIVE QUICK-RELEASE
WITH RUBBER GRIP, 10" L

Model No. TLV382



► HINGE HANDLE

1/2" DRIVE, 14-1/4" L

Model No. TTB977



► EXTENSIONS

1/2" DRIVE, 3" L

Model No. TYL058



1/2" DRIVE, 5" L

Model No. TLV377

1/2" DRIVE, 10" L

Model No. TYK848



► ADAPTORS

1/2" DRIVE, 3/8" M

Model No. TYL056

1/2" DRIVE, 3/4" M

Model No. TYL057



► UNIVERSAL JOINT

1/2" DRIVE, 3" L

Model No. TLV378



► SPARK PLUG SOCKETS

1/2" DRIVE, 5/8"

Model No. TYK845

1/2" DRIVE, 13/16"

Model No. TYK846



► SPEED HANDLE

1/2" DRIVE

Model No. TNB489



1/2" DRIVE SOCKETS

1/2" DRIVE S.A.E STANDARD LENGTH SOCKETS 6-POINT



Model No.	Hex Size"	Length"
TYK768	3/8	1-1/2
TYK769	7/16	1-1/2
TTB978	1/2	1-1/2
TMB050	9/16	1-1/2
TYK771	5/8	1-1/2
TYJ946	11/16	1-1/2
TMB051	3/4	1-1/2
TYK648	13/16	1-1/2
TNB728	7/8	1-1/2
TYL059	15/16	1-9/16
TYK775	1	1-11/16
TYL060	1-1/16	1-13/16
TYL061	1-1/8	1-13/16
TYL062	1-3/16	1-13/16
TYL063	1-1/4	1-13/16

1/2" DRIVE S.A.E DEEP LENGTH SOCKETS 6-POINT



Model No.	Hex Size"	Length"
TYK824	7/16	3-1/16
TYK825	1/2	3-1/16
TYK826	9/16	3-1/16
TYK827	5/8	3-1/16
TYK828	11/16	3-1/16
TYK829	3/4	3-1/16
TYK830	13/16	3-1/16
TYK831	7/8	3-1/16
TLV379	15/16	3-1/16
TYL067	1	3-1/16
TYL068	1-1/16	3-1/16
TYK649	1-1/8	3-1/16
TYL069	1-1/4	3-1/16

1/2" DRIVE METRIC STANDARD LENGTH SOCKETS 6-POINT




Model No.	Hex Size mm	Length mm
TYK776	10	38
TYK777	11	38
TYK778	12	38
TYK779	13	38
TYK780	14	38
TYK781	15	38
TYK782	16	38
TYK783	17	38
TYK784	18	38
TYK785	19	38
TYK786	20	38
TYK787	21	38
TYK788	22	38
TYK789	23	40
TYK790	24	40
TYL064	27	44
TYL065	30	44
TYL066	32	44

1/2" DRIVE METRIC DEEP LENGTH SOCKETS 6-POINT



Model No.	Hex Size mm	Length mm
TYK832	10	77
TYK833	11	77
TYK834	12	77
TYK835	13	77
TYK836	14	77
TYL070	15	77
TYK837	16	77
TYK838	17	77
TYL071	18	77
TYK839	19	77
TYK840	20	77
TYK841	21	77
TYK842	22	77
TYL072	23	77
TYL073	24	77
TYL074	27	77
TYL075	30	77
TYL076	32	77



CLAMPS & VISES

Parallel Jaw Clamps	87
C-Clamps	87
Hold Down Clamps.....	88
Vises	89-90

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

CLAMPS & CAULKING GUNS

PARALLEL JAW CLAMPS

- Aluminum die-cast handles have a quick adjustment mechanism for easy sizing
- Serrations in the steel rails engage with a hardened steel insert in the jaw to eliminate slipping
- Clamp jaws are encased in non-marring, glue resistant polypropylene casing
- Clamps up to 2.5 KN of pressure
- Throat depth: 3-1/3"
- Throat width: 1-1/2"
- Clamping Force: 562 lbs

Model No.	Clamping Capacity"
TYB500	24
TYB501	40



C-CLAMPS

- Manufactured from SG iron with over 60000 PSI of tensile strength
- Swiveling pad adapts to the correct angle to apply even pressure on the work piece
- Textured powder coat finish on frame and black oxide finish on spindle increases corrosion resistance


Model No.	Clamping Capacity"	Throat Depth"	Clamping Force (lbs)
TYB502	2	1-5/8	800
TYB503	3	1-11/16	1000
TYB504	4	2-11/32	1200
TYB505	6	3	1400
TYB506	8	3-1/8	1700
TYB507	10	3-1/2	2200
TYB508	12	4	2500



CLAMPS

VERTICAL HOLD DOWN CLAMPS

- Includes bonded neoprene-tipped spindle and flanged washers
- Open arm provides adjustable spindle location
- Commonly used clamps in manufacturing
- Perfect for holding work pieces in place
- Durable steel construction




TLV626



Model No.	Clamping Force lbs.	A"	Dimensions B"	C"	D"	L"	Base x W"	Wt. lbs.
TLV625	200	4	2-1/2	1	1	1	x 1-3/4	0.34
TLV626	375	6	4-5/8	2-3/4	1-1/4	1-13/16	x 1-7/16	0.65
TLV627	600	8-1/8	4-13/16	3	1-3/4	1-7/8	x 2-1/2	1.25

HORIZONTAL HOLD DOWN CLAMPS

- Includes bonded neoprene-tipped spindle and flanged washers
- Low height design is ideal when space is a concern
- Open arm provides adjustable spindle location
- Commonly used clamps in manufacturing
- Perfect for holding work pieces in place
- Durable steel construction





TLV628

Model No.	Clamping Force lbs.	A"	Dimensions B"	C"	D"	L"	Base x W"	Wt. lbs.
TLV628	200	1-1/16	5-5/8	2-1/4	1	1-7/16	x 1-7/16	0.28
TLV629	500	1-13/16	6-3/4	2-11/16	15/16	1-3/8	x 1-1/2	0.52

LATCH CLAMPS

- Commonly used to hold molds, dies, and jigs together
- Includes latch plate
- Commonly used clamps in manufacturing
- Perfect for holding work pieces in place
- Durable steel construction




TLV630

Model No.	Clamping Force lbs.	Dimensions A"	B"	L"	Base x W"	Wt. lbs.
TLV630	360	1-1/4	4	1-1/16	x 1	0.16
TLV631	700	1-5/8	6-7/8	1-1/2	x 1-11/16	0.55

STRAIGHT LINE CLAMPS

- Commonly used in assembly operations or with welding jigs
- Commonly used clamps in manufacturing
- Perfect for holding work pieces in place
- Durable steel construction



TLV632




TLV633

Model No.	Clamping Force lbs.	Dimensions A"	B"	C"	L"	Base x W"	Wt. lbs.
TLV632	600	3-1/8	5-1/4	1-1/2	1-7/8	x 1-1/4	0.80
TLV633	300	4-5/16	4-1/2	-	-	-	0.42

HEAVY-DUTY BENCH VISES W/FIXED BASE

- 80 000 PSI industrial grade ductile iron
- Built in pipe jaws hold round objects
- Hardened anvil striking surface used for forming & shaping
- Safety locking plate in base prevents the vise from slippage




TYL093

Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Mount Type
TYL093	4	4-1/2	2-7/10	Fixed
TYL094	5	5-1/2	3-3/10	Fixed
TYL095	6	6-1/2	3-1/2	Fixed
TYL096	8	8-1/2	4	Fixed

HEAVY-DUTY BENCH VISES W/SWIVEL BASE

- 80 000 PSI industrial grade ductile iron
- Built in pipe jaws hold round objects
- Hardened anvil striking surface used for forming & shaping
- Safety locking plate in base prevents the vise from slippage



TYL098


Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Mount Type
TYL098	4	4-1/2	2-1/2	Swivel
TYL099	5	5-1/2	3	Swivel
TYL100	6	6-1/2	3-2/5	Swivel
TYL101	8	8-3/10	3-4/5	Swivel

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

VICES

MULTI-PURPOSE BENCH VISE


- Heavy duty casting for demanding applications
- Rotating head for gripping at any angle
- Permanent pipe jaws hold round objects
- Hardened anvil striking surface used for forming & shaping
- Safety locking plate in base prevents the vise from slippage



Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Mount Type
TYL102	5	5-1/2	3-1/10	Swivel

OFF-SET BENCH VISE


- Heavy duty industrial grade vise
- V notched hardened jaws for vertical gripping
- Ideal for tall work pieces
- Hardened anvil striking surface used for forming & shaping
- Safety locking plate in base prevents the vise from slippage




Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Mount Type
TYL103	6	6-1/2	4	Fixed

UTILITY WORKSHOP VISE

- 80 000 PSI industrial grade ductile iron
- Built in pipe jaws hold round objects
- Hardened anvil striking surface used for forming & shaping
- Safety locking plate in base prevents the vise from slippage



Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Mount Type
TYL097	6	6-1/2	3-2/5	Swivel



LUBRICATION TOOLS

Grease Guns.....	92-93
Suction Guns.....	93
Grease Filler Pumps.....	94
Bucket Greasers.....	94
Grease Control Valves.....	94
Oil Cans.....	95
Liquid Measures.....	95
Funnels.....	95
Couplers.....	96
Grease Hoses.....	96
Bearing Packers.....	97
Grease Gun Holders.....	97
Grease Injector Needles.....	97
Ezee-Lube Kits.....	97
Easy-Out Tools.....	97
Swivel Grease Fittings.....	98
Grease Fittings.....	98

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

GREASE GUNS

STANDARD-DUTY LEVER GREASE GUN

- Designed for use in general lubrication and daily maintenance work
- Capacity: 14 oz. (400 g) grease cartridge or suction fill
- Comes with 6" steel extension and 4-jaw coupler with ball check
- Develops 6000 PSI

Model No. AC472



HEAVY-DUTY LEVER GREASE GUN

- Designed for punishing day-in and day-out heavy industrial applications
- Capacity: 14 oz. (400 g) grease cartridge, filler pump or suction fill
- Built-in variable stroke feature for greasing fittings with limited access
- Die cast grease gun head fitted with bulk loader and air bleeder
- Extra heavy-duty zinc plated lever handle with ergonomic rubber grip
- Comes with 6" steel extension and 4-jaw coupler with ball check
- Develops 10 000 PSI

Model No. AC473



HEAVY-DUTY PISTOL GREASE GUNS

- Designed for use in general confined spaces or where access to grease nipples is restricted
- Capacity: 14 oz. (400 g) grease cartridge or suction fill
- Heavy-duty die cast grease gun head
- Develops 5000 PSI
- **AC475** comes with 5" steel extension and 4-jaw coupler with ball check
- **AC476** comes with 18" flexible hose and 4-jaw coupler with ball check

Model No. AC475

Model No. AC476




GREASE GUNS

▶ DELUXE MINI PISTOL GREASE GUN

- Die cast grease gun head with dual discharge ports for use with steel extension as well as a flex hose
- Single-hand operated pistol grip
- Develops 3500 PSI
- Capacity: 3 oz. grease cartridge or bulk fill
- Textured zinc plated finish for non-slip grip
- Comes with 4" steel extension and professional 4-jaw coupler with ball check

Model No. AC477



▶ AIR-OPERATED GREASE GUN

- Ideal for use in factory maintenance
- Single shot of grease discharge with every press of the trigger
- Air operating range: 40 - 120 PSI
- Comes with 6" steel extension and professional 4-jaw coupler with ball check
- Cartridge Capacity: 414 ml
- Max. PSI 4800 PSI

Model No. AC478



▶ SUCTION GUN

- A rugged transfer gun designed for use with gear oils to get them both into and out of gear boxes, transfer cases and differentials
- Comes with 12" flexible vinyl hose
- Capacity: 16 oz.

Model No. AC494



▶ MINI GREASE GUN

- Designed for use in general confined spaces, or where access to grease nipples is restricted
- Single-hand-operated push type grip
- Develops 1400 psi
- Capacity: 3 oz. (85 g)

Model No. AD084



GREASE PUMPS

GREASE FILLER PUMP

- An ideal grease filling solution to easily load bulk or combination grease guns from bulk grease pails
- No mess or waste
- Full economy in buying bulk grease
- Fits gallon size: 5 gallons
- Rubber lining follower plate for use with most bucket types

Model No. AD383



BUCKET GREASER

- High-volume, high-pressure grease pump
- Uses low cost bulk grease
- Delivers 3 g/stroke or 1 oz. in less than 10 strokes at pressures up to 2000 PSI
- Comes with 22-lb. built-in steel grease bucket

Model No. AC495



AIR-OPERATED GREASE PUMPS

- Ideal for applications having continuous need for high-pressure grease
- Pump ratio 50:1
- Recommended air pressure between 60 and 125 PSI
- Air inlet: 1/4" NPT (female)
- Grease outlet: 1/4" NPT (female)
- Fits 5-gallon and 16-gallon pails
- Rubber-lined follower plate, 7' of high pressure grease hose, Z swivel and grease control valve
- Develops: 6250 PSI

Model No. AC496

- 25-50 lbs. Pails
- 12" diameter drum cover

Model No. AC497

- For 120 lbs. Pails
- 15" diameter drum cover



PREMIUM GREASE CONTROL VALVE

- For use with power-operated equipment
- Provides continuous grease flow with trigger fully depressed
- Inlet thread specification: 1/4" NPT (female)
- Outlet thread specification: 1/8" NPT (female)
- 7500 PSI
- Comes with 6" steel extension and heavy-duty coupler

Model No. AC498



OIL CANS & FUNNELS

OIL CANS

- Seamless oil can body is drawn from heavy-gauge tin-coated sheet
- Premium powder-coated finish
- Steel pump



AC588



AC597



AC590

Model No.	Cap. Oz.	Spout Length"	Spout Type
PISTOL TYPE			
AC588	4	5	Flexible
AC513	6	5	Flexible
AC597	6	6	Flexible
AC596	6	6	Rigid
AC599	16	6	Flexible
AC598	16	6	Rigid
AC600	33	6	Rigid

Model No.	Cap. Oz.	Spout Length"	Spout Type
LEVER TYPE			
AC514	6	6	Flexible
AC515	10	6	Flexible
AC589	13	7	Flexible
AC516	16	7	Flexible
AC592	16	9	Flexible
AC593	16	9	Rigid
AC590	23	8	Flexible
AC594	33	9	Flexible
AC595	33	9	Rigid

LIQUID MEASURES

- Translucent high density polyethylene construction
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Cap on flexible spout and polypropylene lid renders measure spill proof
- Spout length: 7-1/2"
- Spout diameter: 3/4"



Model No.	Cap. Quart
TYB513	1
TYB514	2
TYB515	3
TYB516	5

FUNNELS

- Translucent high density polyethylene construction
- Wire mesh screen keeps contaminants out
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Curved funnel ends make the funnel splash and spill proof



Model No.	Diameter"	Capacity Litres
TYB517	8	1.7
TYB518	9-1/2	3

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

GREASE GUN ACCESSORIES

PROFESSIONAL COUPLER

- Hardened spring steel jaws and hardened body withstand high pressures without deformation
- Hexagonal nut allows easy tightening
- Threads: 1/8" NPT
- 4-jaw construction, 6000 PSI
- For hand-operated grease guns only

Model No. AC482



HEAVY-DUTY COUPLER

- Hardened spring steel jaws and hardened body with double-wall thickness withstand very high pressures without deformation
- Hexagonal nut allows easy tightening
- Threads: 1/8" NPT
- 4-jaw construction, 10 000 PSI
- For hand and air operated equipment

Model No. AC483



360° SWIVEL HYDRAULIC COUPLER

- Excellent coupler for effective lubrication of difficult and hard-to-reach grease fittings
- Swivels in full 360° circle and locks conveniently at any 45° position
- 45° angle gives easy access to most grease fittings
- Spring-loaded ball-check valve helps retain pressure
- Threads: 1/8" NPT
- 3-jaw construction, 7000 PSI

Model No. AC484



RIGHT-ANGLED HYDRAULIC COUPLER

- Fits all standard grease guns
- Designed for right-angled discharge of grease, very useful for greasing fittings with limited access or in low heights
- Threads: 1/8" NPT
- 10 000 PSI

Model No. AC485



FLEXIBLE GREASE HOSES

- Standard grease hose is the most popular version of flexible grease hoses
- **AC481** hose fitted with heavy-duty spring guard adds safety and convenience in fitting, as well as preventing the hose from bending
- Threads: 1/8" NPT
- Working pressure: 3500 PSI
- For hand-operated grease guns only

Model No. AC479 - 12"

Model No. AC480 - 18"


Model No. AC481 - 18"



SEAL-OFF DISPENSER

- Used with grease gun extension or hose for lubricating grease plugs
- Threads: 1/8" NPT

Model No. AC491



GREASE GUN ACCESSORIES

STEEL BEARING PACKER

- For use with grease guns
- The design incorporates a grease nipple at one end which easily adapts to the diameter grease gun coupler
- Greases bearings in cars, boats, trailers, RV's etc. with a minimum inner diameter of 1/2" to a maximum outer diameter of 5" and height from 1/4" to 2"

Model No. AC493



GREASE GUN HOLDER

- Simple snap action clamp for safe storage of grease guns and suction guns
- Fits all standard grease guns

Model No. AC486



GREASE INJECTOR NEEDLE

- Lubricates in very tight spaces such as universal joints and sealed bearings
- Equipped with standard grease fitting without ball check and protective plastic holder
- 18-gauge needle thickness
- 1-1/2" long

Model No. AC487



NEEDLE NOSE ADAPTOR

- Used for dispensing a fine line of grease through the needle nose
- Quick-connect action
- Tip diameter: 0.046" (1.168 mm)
- Needle length: 4"

Model No. AC488



NEEDLE NOSE DISPENSERS

- Used for dispensing a fine line of grease
- Can be attached directly to steel extensions or flexible hoses
- Threads: 1/8" NPT

Model No. AC489

Model No. AC490



AC489: 15 mm Needle Length, 0.219" (5.56 mm) needle diameter

AC490: 38 mm Needle Length, 0.156" (3.96 mm) needle diameter

EZEE-LUBE KIT

- The Ezee-Lube kit contains a range of quick-connect fittings designed to meet any and every greasing application

Model No. AC492



EASY-OUT TOOLS

- Handy, dual-purpose tool for removing worn and broken grease fittings, as well as re-tapping holes for installing new grease fittings

Model No. AC511

Model No. AC512



AC511: 1/4" - 28 tap re-threads


AC512: 1/8" - 27 tap re-threads

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

GREASE FITTINGS

SWIVELS

- Installed between the delivery hose and grease control valve, swivels permit easy handling of control valves and prevent damage to hose caused by twisting
- 6000 PSI



THREAD SPECIFICATIONS:

Model No. AC499

1/4" NPT (F) - 1/4" NPT (M)

Model No. AC500

1/4" NPT (F) - 1/8" NPT (M)

GREASE FITTINGS

- Manufactured to the most stringent quality standards
- QS9000 Approved



AC501



AC504



AC507

S.A.E.

Model No.	Description
1/4" - 28 S.A.E.-LT PIPE THREADS - SET OF 10	
AC501	Short - Straight
AC502	Short - 45°
1/8" - 27 NPT PIPE THREADS - SET OF 10	
AC504	Short - Straight
AC505	Short - 45°
AC506	Short - 90°
DRIVE FITTING - SET OF 10	
AC507	For 3/16" Drill

METRIC

Model No.	Description
M6 X 1 PIPE THREADS - SET OF 10	
AD202	Straight
AD203	90°
M8 X 1 PIPE THREADS - SET OF 10	
AD204	Straight
AD205	90°
M10 X 1 PIPE THREADS - SET OF 10	
AD206	Straight
AD207	90°

GREASE FITTING SETS



SETS

Model No.	Contents
AC509	80 PCS. OF S.A.E. GREASE FITTINGS: 15x 1/4" 28 S.A.E. LT Straight 10x 1/4" 28 S.A.E. LT 45° Angle 10x 1/4" 28 S.A.E. LT 90° Angle 25x 1/8" 27 NPT Straight 10x 1/8" 27 NPT 45° Angle 10x 1/8" 27 NPT 90° Angle
AC510	80 PCS. OF METRIC GREASE FITTINGS: 20x M6 x 1 Straight 10x M6 x 1 90° Angle 15x M8 x 1 Straight 10x M8 x 1 90° Angle 15x M10 x 1 Straight 10x M10 x 1 90° Angle



PACKAGING & SHIPPING

Staples Guns	100
Hammer Tackers	100
Glue Guns.....	101
Tape Dispensers	101
Box Tape.....	101
Utility Knives.....	102-103
Utility Blades.....	103
Stretch Wrap Dispensers	103
Bag Sealers	103
Cable Ties.....	104
Rubber Tie Downs	104
Packing List Envelopes	105
Reclosable Poly Bags	105
Duct Tape	106
Manual Gummed Tape Dispenser.....	106
Kraft Tape.....	106
Impulse Sealers.....	106

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

STAPLE & GLUE GUNS

HEAVY-DUTY STAPLE GUN

- All-steel construction, with rubberized handle for superior grip
- Easy squeeze, double leverage handle reduces operators fatigue
- Hand-contoured handle features molded plastic handle stop
- Bottom loading, with jam proof mechanism
- Adjustable driving force facilitates use
- Accepts staples in 3 lengths: 5/16", 3/8" and 1/2", with a crown width of 3/8"

Model No. PE337



HEAVY-DUTY HAMMER TACKER

- All-steel construction, with rubberized handle for superior grip
- Precision locked rear loading, with jam proof mechanism
- Retractable striking edge
- Chrome plated finish
- Accepts staples in 3 lengths: 5/16", 3/8" and 1/2", with a crown width of 3/8"

Model No. PE338



STAPLES

- Finish: Plain

Model No.	Length	Crown"	Gauge	Qty /Box
ON919	5/16" (8 mm)	3/8	0.3125	500
ON920	3/8" (10 mm)	3/8	9	500
ON921	1/2" (13 mm)	3/8	16	500



GLUE GUNS

- Accepts 7/16" diameter regular glue sticks
- Trigger design for better grip control
- Features precise, even adhesive distribution
- Comes with metal wire stand
- Operating Temperature: 245°F - 380°F (120°C - 193°C)
- **PE340**: Illuminated on/off switch

Model No.	Description	Heater
PE339	Light-Duty	120 Volt (80 Watt)
PE340	Heavy-Duty	120 Volt (100 Watt)



GLUE STICKS

Model No.	Appearance	Viscosity	Melting Point		Typical Applications	Dim."	Qty /Case
			°C	°F			
PE341	Clear	11 000-13 000	77-82	170-180	High Strength, High Temp, For Non Porous Materials	7/16 x 4	2000
PE342	Clear	11 000-13 000	77-82	170-180	High Strength, High Temp, For Non Porous Materials	7/16 x 10	803
PE343	Amber	5000	95	203	All Temp, For Porous Materials	7/16 x 15	536
PE541	Clear	9400	80	176	All temp, For Porous & Non Porous Materials	7/16 x 10	803

*Sold/Priced Per Stick

TAPE & TAPE DISPENSERS


TAPE DISPENSERS

- Industrial quality tape guns constructed of steel and high impact plastic frame
- Adjustable brake lets you choose the desired release tension



KLETON

Model No.	Description	Blade
PE321	2" Standard-Duty Plastic	Retractable
PE322	2" Heavy-Duty Steel	Retractable
PE323	3" Heavy-Duty Steel	Retractable
PF712	2" Standard-Duty Plastic	Non-retractable
PF713	2" Heavy-Duty Steel	Non-retractable
PF714	3" Heavy-Duty Steel	Non-retractable



PE321

PF713

ACRYLIC BOX TAPE

- Quality acrylic adhesive tape provides consistent performance
- Ideal for long term storage and lightweight carton sealing
- Works well in extreme temperatures
- Will not yellow with age



KLETON

Model No.	Dimensions	Thickness	
		Microns	Mils
PF231	2" x 216' (48 mm x 66 m)	40	1.6
PF232	2" x 328' (48 mm x 100 m)	40	1.6
PF233	2" x 328' (48 mm x 100 m)	50	2.0
PF234	3" x 216' (72 mm x 66 m)	40	1.6
PF235	2" x 432' (48 mm x 132 m)	40	1.6

HOT MELT BOX TAPE

- Possesses superior holding power and tensile strength
- Ideal for use with boxes containing high amounts of recycled content
- Suitable for shipping and short-term storage



KLETON

Model No.	Dimensions	Thickness	
		Microns	Mils
PG127	2" x 216' (48 mm x 66 m)	40	1.6
PG128	2" x 328' (48 mm x 100 m)	40	1.6
PG129	2" x 328' (48 mm x 100 m)	50	2.0
PG130	3" x 216' (72 mm x 66 m)	40	1.6
PG131	2" x 432' (48 mm x 132 m)	40	1.6

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

UTILITY KNIVES

HEAVY-DUTY UTILITY KNIFE ATK100

- Auto-reload blade change
- Auto-lock blade
- Rubber handle insert for superior grip
- Snap-off blades
- Attached blade snapper
- Includes 4 heavy-duty carbon steel blades
- Uses 18 mm blade

Model No. PE812



PROFESSIONAL UTILITY KNIFE ATK300

- Auto-lock blade
- Snap-off blades
- Attached blade snapper
- Uses 18 mm blade

Model No. PE814



PROFESSIONAL UTILITY KNIFE ATK400

- Blade screw lock
- Snap-off blades
- Comes with blade snapper
- Uses 18 mm blade

Model No. PE813



STAINLESS STEEL UTILITY KNIFE ATK500

- Auto-lock blade
- Snap-off blades
- Attached blade snapper
- Built-in belt clip
- Uses 9 mm blade

Model No. PE815



STANDARD-DUTY UTILITY KNIFE ATK600

- Snap-off blades
- Attached blade snapper
- Uses 9 mm blade

Model No. PE345



STANDARD-DUTY UTILITY KNIFE ATK700

- Auto-lock blade
- Durable ABS plastic body
- Snap-off blades
- Attached blade snapper
- Lightweight design
- Uses 18 mm blade

Model No. PE549



UTILITY KNIVES & ACCESSORIES

► HEAVY-DUTY UTILITY KNIFE ATK800

- Blade screw lock
- Snap-off blades
- Ergonomic handle for superior grip
- Uses 25 mm blade

Model No. PF710



► HEAVY-DUTY UTILITY KNIFE ATK900

- Ergonomic handle for superior grip
- Snap-off blades
- Blade Size: 18 mm
- Blade Material: Carbon Steel
- Blade Length: 139 mm
- Blade Thickness: 0.5 mm
- Locking Mechanism: Screw

Model No. PF711



► SELF-RETRACTING UTILITY KNIFE ATK1000

- Self-retracting blade for heightened safety
- Durable ABS plastic body
- Lightweight design
- Durability: Utility
- Blade Size: 18 mm
- Blade Material: Carbon Steel
- Blade Thickness: 0.5 mm

Model No. PF708

REPLACEMENT BLADES:
Model No. PF709



► REPLACEMENT UTILITY KNIFE BLADES

Model No.	Blade Size	Thickness	Qty/Pack
PE407	9 mm	0.4 mm	10
PF205	18 mm	0.5 mm	10
PE410	25 mm	0.7 mm	10



► STRETCH WRAP DISPENSER

- For a smooth, tight application of stretch wrap
- Needle bearings at the top and bottom of the unit increase tension control
- Tension control knob on top ensures a tight, smooth wrap
- Tension knob also provides a second hand grip for added stability
- Adjusts to hold rolls from 11" to 18" wide

Model No. PE354

KLETON



► BAG SEALER

- Heavy-duty bag sealer with tape cutter
- Easy to use: just twist bag shut and move through slot

Model No. PE356

REPLACEMENT BLADES:
Model No. PE383

KLETON



CABLE TIES & RUBBER TIE DOWNS

CABLE TIES

- Manufactured from Dupont™ Zytel® 101F and Ascend™ Vydyne® 21SPF
- Ideal use in temperatures ranging from -20° C to 80° C
- **PF396** has the added benefit of weather resistance

Model No.	Style	Length"	Bundle Dia. Min." - Max."	Tensile Strength lbs.	Qty /Bag
PF385	Natural	4	1/16 - 7/8	18	1000
PF386	Black	4	1/16 - 7/8	18	1000
PF387	Natural	6	1/16 - 1-1/4	40	1000
PF388	Black	6	1/16 - 1-1/4	40	1000
PF389	Natural	8	1/16 - 1-3/4	50	1000
PF390	Black	8	1/16 - 1-3/4	50	1000
PF391	Natural	11	1/16 - 3	50	1000
PF392	Black	11	1/16 - 3	50	1000
PF393	Natural	15-1/2	1/16 - 4	120	100
PF394	Black	15-1/2	1/16 - 4	120	100
PF395	Natural	24	3/16 - 7	175	100
PF396	Black	24	3/16 - 7	175	100



CABLE TIE SETS

Same great features as the Aurora cable ties, but with the added convenience of a set with mixed sizes.

Model No. PF397

SET INCLUDES:

400 x **PF387**
400 x **PF389**
200 x **PF391**

Model No. PF398

SET INCLUDES:

50 x **PF393**
50 x **PF395**

RUBBER TIE DOWNS

- Material: EPDM gives the ability to resist degradation resulting from weathering agents like UV rays and ozone making it perfect weather resistant rubber
- Retains its rebound qualities
- Rubber Tie Downs Straps resist cracking and rotting
- Durable Zinc plated steel "S" hooks

Model No.	Length"	Max. Safe Stretch"
PE366	5	7.5
PE367	9	13.5
PE368	15	22.5
PE369	21	31.5
PE370	31	46.5
PE371	41	61.5

RUBBER TIE DOWN SETS

Same great features as KLETON rubber tie downs however in the convenience of sets

10-PC. TIE DOWN SET

SET INCLUDES:

4 - 21" Tie Downs (**PE369**)
2 - 31" Tie Downs (**PE370**)
4 - 41" Tie Downs (**PE371**)

Model No. PF090

KLETON

16-PC. TIE DOWN SET

SET INCLUDES:

2 - 9" Tie Downs (**PE367**)
2 - 15" Tie Downs (**PE368**)
4 - 21" Tie Downs (**PE369**)
4 - 31" Tie Downs (**PE370**)
4 - 41" Tie Downs (**PE371**)

Model No. PF091

20-PC. TIE DOWN SET

SET INCLUDES:

10 - 21" Tie Downs (**PE369**)
10 - 41" Tie Downs (**PE371**)

Model No. PF092



PACKING ENVELOPES & POLY BAGS

► PACKING LIST ENVELOPES

- Ideal for packing slips, invoices, warranties, instructions, etc.
- Self-adhesive envelopes are fast and convenient to use
- 1000/case
- Back loading

PF787



Model No.	Description	Inside Dimensions"	Outside Dimensions"
PF878	Packing List Enclosed/Bilingual	4 x 5	4-1/2 x 5-1/2
PF879	Blank	4 x 5	4-1/2 x 5-1/2
PF880	Packing List Enclosed	4 x 5	4-1/2 x 5-1/2
PF881	Blank	6-1/2 x 5	7 x 5-1/2
PF882	Packing List Enclosed/Bilingual	6-1/2 x 5	7 x 5-1/2
PF883	Blank	9-1/2 x 5	10 x 5-1/2

► RECLOSABLE POLY BAGS

- Hang-holes allow users to hang on hooks or pegs
- Zippered opening allows for easy opening and resealing
- 2-mil thickness
- 100/pack



Model No.	Inside Dimensions"
PF915	3 x 4
PF919	3 x 5
PF922	4 x 4
PF925	4 x 6
PF928	4 x 8
PF929	5 x 7
PF932	5 x 8
PF935	6 x 6
PF937	6 x 8
PF942	6 x 9
PF946	8 x 10
PF949	9 x 6
PF950	9 x 12
PF954	10 x 12
PF957	10 x 13
PF958	12 x 12
PF961	12 x 15
PF965	15 x 20

► WHITE BLOCK RECLOSABLE POLY BAGS

- Hang-holes allow users to hang on hooks or pegs
- Identify contents by writing on the white block area
- Zippered opening allows for easy opening and resealing
- 2-mil thickness
- 100/pack



Model No.	Inside Dimensions"
PF916	3 x 4
PF918	3 x 5
PF926	4 x 6
PF933	5 x 8
PF941	6 x 9
PF948	8 x 10
PF951	9 x 12
PF963	12 x 15

TAPE & HEAT SEALERS

UTILITY GRADE DUCT TAPE

- Ideal for a wide variety of projects and applications
- Water resistant
- Easy to tear




Model No.	Width	Length	Thickness
PF688	50 mm (2")	55 m (180')	9 mils
PF689	50 mm (2")	45 m (148')	6 mils

MANUAL GUMMED TAPE DISPENSER

- A single pull of the handle moistens and dispenses the required length of gummed tape.
- Manual lever dispenses and cuts tape up to 44" long
- Fits Tape Width Up To: 100 mm (4")
- Weight: 20.46 lbs.

Model No. PG200



REINFORCED KRAFT TAPE

- Water activated adhesive bonds to the carton even in dusty or dirty conditions
- Reinforced with fiberglass, adding strength to the tape
- Works well with recycled cardboard
- Recommended for use on lightweight cartons of up to 20 lbs
- Width: 3"
- Length: 150 m (492')
- Colour: Kraft

Model No. PG132

HEAT IMPULSE SEALERS

- Used for sealing polyethylene, polypropylene, and PVC bags
- Compact design
- Lightweight
- Easy to operate
- 110 V

Model No.	Size"	Power
PF464	8	260 W
PF465	12	380 W

Replacement Silicon strip	Replacement PTFE Strip
PF467	PF468
PF470	PF471





WELDING

Welding Wire.....	108
Cam Action Cable Connectors.....	108
Soapstones.....	109
Welding Starter Kits.....	109
Electrode Holders.....	110
Grounding Clamps	110
Brass Gauges.....	111
Tip Refacer.....	111
Tip Drill Kit	111
Spiral Tip Cleaner.....	111
Flint Lighters.....	111
Cable Protectors	112
Magnetic Holders	112
Scratch Brushes.....	112
Arc Gouging Torch.....	113
Gouging Electrodes	113
Chipping Hammers.....	113
MIG Nozzle Reamers	113
MIG Pliers.....	113
Cutting Tips.....	114-115

Call 1-800-561-3600 or Email info@bapequipment.com for Pricing and Delivery

WELDING WIRE



ER70S6 CARBON STEEL WELDING WIRE

- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO₂ gas shielding
- Can also be applied with ArCO₂
- Excellent wetting
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
- Certified by CWB to CSA class W48 for ER49S-6
- Certified by AWS to class A5.18 for ER70S6

Sold per spool

Model No.	Diameter	Spool Weight	Spools Per Master Box
NT549	0.023" (0.6 mm)	2 lbs. (0.9 kg)	18
NT550	0.030" (0.8 mm)	2 lbs. (0.9 kg)	18
NT551	0.035" (0.9 mm)	2 lbs. (0.9 kg)	18
NT552	0.045" (1.14 mm)	2 lbs. (0.9 kg)	18
NT553	0.023" (0.6 mm)	11 lbs. (5 kg)	4
NT554	0.030" (0.8 mm)	11 lbs. (5 kg)	4
NT555	0.035" (0.9 mm)	11 lbs. (5 kg)	4
NT556	0.023" (0.6 mm)	33 lbs. (15 kg)	1
NT557	0.030" (0.8 mm)	33 lbs. (15 kg)	1
NT560	0.035" (0.9 mm)	44 lbs. (20 kg)	1
NT561	0.045" (1.14 mm)	44 lbs. (20 kg)	1



CAM ACTION CABLE CONNECTORS

- One model fits cable sizes 4 through 4/0
- Manufactured from heavy wall precision machined brass alloy
- Cable is held securely by large dome screw
- Brass body assembly slides easily into unique heavy-duty neoprene insulator with no external screws to avoid shock hazards
- Cam locking connectors are compatible with most common brands

Model No.	Description
NT664	Male/Female Connector Set
NT649	Male Half With Insulator
NT650	Female Half With Insulator



▶ SOAPSTONES

- White soapstone
- Sold in box quantity of 144

Model No.	Description
NT225	Flat Soapstone
NT226	Round Soapstone



▶ SOAPSTONE HOLDERS

- Soapstone features highly visible white marking stick cut from natural stone which adheres to metal, stone, concrete and fabrics
- Soapstone holders feature a pocket clip
- Sold with one soapstone installed
- Replacement soapstones available

ROUND HOLDER:

- Aluminum adjustable holder for 1/4" x 5" soapstone or chalk

FLAT HOLDER:

- Steel adjustable holder for 1/4" x 5" flat soapstone or chalk

Model No.	Description
NT638	Round Holder
NT639	Flat Holder



▶ WELDING STARTER'S KIT

- 2" x 4-1/4" or 4-1/4" x 5-1/4" lightweight welding helmet, with shade 10 lens and ratchet headgear
- Cotton welder's beanie, one size fits all
- Welding gloves, split leather with full thermal lining
- Chipping hammer, cone and chisel head with spring steel handle
- MIG pliers, 8-way with nickel plated finish
- Safety glasses with adjustable temples

Model No.	Description
TTU300	Kit With 2" x 4-1/4" Helmet
TTU301	Kit With 4-1/2" x 5-1/4" Helmet



SHORTSTUB™ ELECTRODE HOLDERS

- Grip the electrode closer to the end
- Allows you to use 20% more of the electrode than with standard tong holders
- Manufactured from copper alloy for maximum conductivity and strength
- Fibreglass insulators are designed to withstand intense heat and impact
- Will not burn, break or carbon char
- Electrode Capacity: 3/32" (2 mm) - 3/16" (5 mm)

Model No.	Amps	Description
NT629	400	Electrode Holder w/ Neck Ring
NT631	600	Electrode Holder w/ Neck Ring
NT630	400	Slimline – Bernard® Style Holder
NT818	-	Replacement Head For NT629 & NT630
TTV098	-	Replacement Head For NT631



NT629



NT631



NT630

STANDARD GROUND CLAMPS

- Manufactured from nickel-plated steel with forged brass conductors
- Heavy-duty springs provide positive strength at jaws
- **NT661** is ideal for farm welder and light shop work; current flows directly from lower jaw to welding cable
- **NT662** is ideal for portable gas drive welders; braided zinc coated copper strap carries current to both upper and lower jaws, fully insulated hinge and spring prevents arcing

Model No.	Amps
NT661	300
NT662	500




NT661

HEAVY-DUTY "C-STYLE" GROUND CLAMP

- C-type jaws are adjusted by screw lever
- Rubber insulated cable connector

Model No.	Amps
NT665	600



HEAVY-DUTY GROUND CLAMPS

- Manufactured from heavy-duty nickel-plated steel with forged brass conductors and braided copper strap to carry current to upper jaw
- Heavy-duty spring provides positive contact at jaws
- Cable is easy to install with built-in cable connector and oval point screw
- Allen-type wrench included

Model No.	Amps
NT668	300
NT669	500



BRASS GAUGES

- Brass casing
- Lexan™ cover lens
- 1/4" NPT inlet
- Dial type: Analogue
- Connection: Bottom Mount



Model No.	Description
NT616	2" x 100 PSI
NT618	2" x 30 PSI – Red Line
NT619	2" x 400 PSI
NT620	2" x 4000 PSI

Model No.	Description
NT622	2-1/2" x 200 PSI
NT623	2-1/2" x 30 PSI – Red Line
NT624	2-1/2" x 400 PSI
NT625	2-1/2" x 4000 PSI

TIP-NIP TIP REFACER

- For easy, fast precision tip resurfacing
- Insert tip and give a few turns
- Pitted tip is resurfaced for new performance
- Extends tip life

Model No. NT820



TIP DRILL KIT

- Cleans welding tips and a variety of other fuel orifices and injectors
- Includes 12 drills in sizes 52-74
- Promotes more effective fuel use and increases performance in welding, cutting and heating tips
- Drills store neatly in pipe vise handle

Model No. NT660



SPIRAL TIP CLEANER

- Cleaning data on back of case
- Hardening steel file included in each case
- Standard or extra long King set
- Quality aluminum case



Model No.	Description
NT641	Standard Set - 12 Cleaners
TTV223	King Set - 13 Cleaners

FLINT LIGHTERS

- Choice of single or three flint lighters
- Additional flints sold separately

Model No.	Description
NT642	Single Flint Lighter
NT663	Flints, 5 per Holder
TTU071	Three Flint Lighter
TTU072	Flints
TTU432	Single Flint Lighter, With 5 Flint Holder



NT642



TTU071



NT663



TTU072

WELDING ACCESSORIES



CABLE PROTECTOR

- Durable leather with Kevlar® sewn seams
- Lightweight to enhance flexibility and strength
- Metal snaps every 3"
- For TIG, MIG, plasma and flux-cored torch cable/hose assembly
- 4" W x 22' L

Model No. NP520



PYTHONRAP™ CABLE COVER

- Nylon cover
- Full length zipper
- 4" W x 22' L

Model No. NT887



ROD HOLDER

- Double leather bottom and metal swivel clip
- 5-ply Kevlar® stitched with rivet reinforcement
- Holds electrodes up to 15"

Model No. NP519

Rods not Included



MAGNETIC HOLDERS

- Multi-purpose holders for assembly and positioning
- Adheres to any metal object
- Ideal for welding, soldering, assembly, pipe installation




Model No.	Size	Dimensions L" x W" x H"
NT626	Medium	5 x 3-1/4 x 1/2
NT627	Large	6-1/4 x 4 x 3/4
NT628	X-Large	8 x 5 x 1

INDUSTRIAL DUTY SCRATCH BRUSHES

- Wood handle
- Choice of carbon or stainless steel bristles

Model No.	Bristles	Brush Length"	Overall Length"	Trim Length"	Wire Rows
LONG HANDLE BRUSHES					
NT607	Carbon Steel	5-3/4	13-3/4	1	3 x 19
NT608	Carbon Steel	5-3/4	13-3/4	1	4 x 19
NT611	Stainless Steel	5-3/4	13-3/4	1	3 x 19
NT612	Stainless Steel	6	10-1/4	1	4 x 19
SHOE HANDLE BRUSHES					
NT609	Carbon Steel	5-1/4	10-1/2	1	3 x 16
NT610	Carbon Steel	5-1/4	10-1/2	1	4 x 16
NT613	Stainless Steel	5	10-1/2	1	3 x 16
NT614	Stainless Steel	5	10-1/4	1	4 x 16
"TOOTHBRUSH" CLEANING BRUSH					
NT615	Stainless Steel	1-1/2	7-3/4	1/2	3 x 7



AIR CARBON ARC GOUGING TORCH

- For gouging, cutting, beveling, piercing and flushing metal
- Economical air carbon arc cutting process
- Can be used on most metals
- Chemical changes are virtually nil, as the process is primarily physical

Model No.	Amps
NT667	800

AIR REQUIREMENTS

Ordinary compressed air as supplied by a shop airline or compressor is suitable. Most applications require 80-100 PSI.

Air

PSI:	80
kg/cm ² :	5.6
CFM:	35
CMM:	0.076

Compressor


Intermittent:	5 HP (3.73 kW)
Continuous:	7.5 HP (5.60 kW)



AIR CARBON GOUGING ELECTRODES

- Consistent copper coating DCCC
- Used for gouging out defective welds and cutting non-ferrous metals
- Electrodes are 12" in length
- Sold per package

Model No.	Dia."	Qty/Pkg
NT632	5/32	100
NT633	3/16	50
NT634	1/4	50
NT635	5/16	50
NT636	3/8	50
NT637	1/2	50



CHIPPING HAMMER

- Cone and chisel head
- Spring steel handle
- Head length: 6-1/4"
- Overall length: 10-1/2"

Model No. NP532



MIG NOZZLE REAMERS

- Cleans hot MIG nozzle on the torch
- Self adjusting to fit all size nozzles
- Expanding spring steel cleaner

Model No. TTU660



MULTI-PURPOSE MIG PLIERS

- Eight-way pliers
- Nickel plated finish
- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses



Model No.	Description
NP537	Pliers
TYX128	Premium Pliers
NT666	Holster for Pliers

CUTTING TIPS




CUTTING TIP CHART

Material Thickness	1/8	1/4	1/2	3/4	1	1-1/2	2	4	5	6	8	10	12
Recommended Tip Number / And Drill Size	00 / 68	0 / 60	1 / 56	1 / 56	2 / 54	2 / 54	3 / 52	3 / 49	4 / 44	6 / 38	6 / 31	7 / 28	8
Oxygen Pressure Setting lb/in ² g	20-25	25-30	30-35	30-35	35-40	40-45	40-45	40-50	45-55	45-55	45-55	45-55	45-55
Acetylene Pressure Setting lb/in ² g	3-5	3-5	3-5	3-5	3-7	3-7	5-10	5-10	6-12	7-13	8-14	10-15	10-15
Cutting in/min	27-30	26-29	20-24	17-21	14-18	13-17	12-15	8-11	7-9	6-8	5-6	4-5	3-4

AIRCO® 144/ALC 802 STYLE CUTTING TIPS


- For general, hand or machine cutting
- Acetylene-oxygen
- Medium preheat
- Fits Airco® 3790, 4690, 4700, 4800, 5700, 5800, 1100, 3000, 9000 and 9500 style torches



Model No.	Size
TTU465	00
TTU466	0
TTU467	1
TTU468	2
TTU469	3
TTU470	4

AIRCO® 164/ALC 803 STYLE CUTTING TIPS


- For general, and cast iron or stainless steel cutting
- Acetylene-oxygen
- Very high preheat
- Fits Airco® 3790, 4690, 4700, 4800, 5700, 5800, 1100, 3000, 9000 and 9500 style torches



Model No.	Size
TTU471	00
TTU358	0
TTU359	1
TTU360	2
TTU361	3
TTU362	4
TTU472	5
TTU473	6
TTU474	7

AIRCO® 261/ALC 829 STYLE CUTTING TIPS


- For general cutting, two-piece tip for hand cutting
- Propane or oxygen-natural gas
- High preheat
- Fits Airco® 2900, 3790, 4690, 4700, 4800, 5700, 5800, 1100, 3000, 9000 and 9500 style torches



Model No.	Size
TTU475	0
TTU476	1
TTU477	2
TTU478	3
TTU479	4
TTU480	5

PUROX® 4202/ESAB STYLE CUTTING TIPS


- For general cutting
- Acetylene-oxygen
- Medium preheat
- Fits CW-200, CW-202, CW-300, Type E torches, and C-205 machine torch



Model No.	Size
TTU481	3
TTU482	4
TTU483	5
TTU484	7
TTU485	9

SMITH® MC12 STYLE CUTTING TIPS


- Hand cutting with oxy-acetylene
- Medium preheat
- Fits Smith® cutting assemblies MC505, MC509, AC305, and AC309



Model No.	Size
TTU530	1

SMITH® SC12 STYLE CUTTING TIPS


- Hand or machine cutting with oxy-acetylene
- Medium preheat
- Fits Smith® cutting attachments SilverStar & MC40
- Fits Smith® cutting torches Tuf Tony & Silver Star
- Fits Smith® machine torches SC770, SC771, SC780A, SC781A, & SC782A



Model No.	Size
TTU531	1

HARRIS® 6290 STYLE CUTTING TIPS


- For general hand cutting
- Acetylene-oxygen
- Medium preheat
- Fits Harris® 42-3, 62-3, 72, 72A, 73, 73A and 85 style torches



Model No.	Size
TTU458	000
TTU459	00
TTU349	0
TTU350	1
TTU351	2
TTU352	3
TTU460	4
TTU461	5
TTU462	6

VICTOR® 1-101 STYLE CUTTING TIPS


- For general cutting
- Acetylene-oxygen
- Machine preheat for hand and machine cutting
- Fits 2460, CA 1060, ST, SST & 1400C machine torches



Model No.	Size
TTU441	000
TTU333	00
TTU334	0
TTU335	1
TTU336	2
TTU337	3
TTU338	4
TTU339	5
TTU442	6
TTU443	7
TTU444	8

VICTOR® GPN STYLE CUTTING TIPS

- For general cutting
- Propane or oxygen-natural gas
- Medium preheat for hand and machine cutting
- Fits 2450, CA 1060, CAN 1060, ST, SST, STN, 1400C machine torches



Model No.	Size
TTU452	00
TTU344	0
TTU345	1
TTU346	2
TTU347	3
TTU348	4
TTU453	5

HARRIS® 6290-NX STYLE CUTTING TIPS

- For general hand cutting
- Propane or oxygen-natural gas
- Medium preheat
- Fits Harris® 42-3, 49AF, 49F, 62-3, 72, 73, 85, and 142 style torches




Model No.	Size
TTU463	000
TTU353	0
TTU354	1
TTU355	2
TTU356	3
TTU357	4
TTU464	5

VICTOR® 3-101 STYLE CUTTING TIPS

- For general cutting
- Acetylene-oxygen
- Medium preheat hand cutting
- Fits CA 1260, CA 1350, C 1450, CA 2060, CST 800 & C 1400 torches


Model No.	Size
TTU448	000
TTU449	00
TTU340	0
TTU341	1
TTU342	2
TTU343	3
TTU450	4
TTU451	5



VICTOR® 1-118 STYLE CUTTING TIPS

- For gouging
- Acetylene-oxygen
- Gouging, scarfing and dseaming
- Fits 2460, CA 1060, ST, SST & 1400C torches

Model No.	Size
TTU445	2
TTU446	4
TTU447	6



VICTOR® 3-GPN STYLE CUTTING TIPS

- For general cutting
- Propane or oxygen-natural gas
- Medium preheat series 3 tip
- Fits CA 1260, CA1350, C 1450, CA 2060, CST 800 & C 1400 torches

Model No.	Size
TTU454	0
TTU455	1
TTU456	2
TTU457	3



INDEX

A

Action Bars 70
Acrylic Tape 101
Air Blow Guns 36-37
Air Drills 31
Air Hoses 38
Air Ratchets 29
Air Screwdrivers 27, 32
Air Tools 27-38
Aluminum Foil Tape 16
Arc Gouging Electrodes 113
Arc Gouging Torches 113

B

Bag Sealers 103
Battery Testes 24
Bearing Packers 97
Belt Sanders 33
Bench Vises 89-90
Blow Guns 36-37
Bolt Cutters 70
Booster Cables 24
Box Cutters 102-103
Box Tape 101
Broadcast Spreaders 7

C

C-Clamps 87
Cable Connectors 108
Cable Protectors 112
Cable Ties 104
Calipers 69
Cam Action Cable Connectors 108
Caulking Guns 71
Chipping Hammers 113
Chisels 72-74
Clamps 87-88
Compound Snips 71
Coupler Kits 38
Creepers 42
Crow Bars 70
Cutting Tips 114-115

D

Die Grinders 30
Dock Lights 25
Drill Bit Sets 71
Drive Sockets 80-85
Duct Tape 106

E

Easy-Out Tools 97
Electrical Tape 25-53
Electrode Holders 110
Extension Cords 18-20
Ezee-Lube Kits 97

F

Fiberglass Handle Shovels 2, 4
Filter Regulator Lubricators 34-35
Flashlights 23, 24
Flint Lighters 111
Flux Chippers 27
Funnels 95

G

Gauges 111
Glue Guns 100

Grease Couplers 96
Grease Fittings 98
Grease Gun Holders 97
Grease Guns 92-93
Grease Hoses 96
Grease Injector Needles 97
Grease Pumps 94
Ground Clamps 110
Grounding Plugs 21
Gummed Tape 106
Gummed Tape Dispensers 106

H

Hacksaws 70
Hammer Tackers 100
Hammers 64-67
Hand Sanding Pads 15
Hand Sprayers 7
Head Lamps 24
Heat Sealers 106
Hex Keys 68
Hold Down Clamps 88
Hose Nozzles 8
Hot Melt Tape 101

I

Impact Wrenches 28-29
Impulse Sealers 106
Indestructible Handle Hammers 64
Insulated Tarps 8
Insulated Tools 53

L

Landscaping Shovels 2-5
Levels 71
Liquid Measures 95

M

Magnetic Holders 112
Mallets 65-66
Measuring Tapes 68
Measuring Wheels 69
Mechanics Creepers 42
Micrometers 69
MIG Pliers 113

N

Needle Scalars 27
Nozzle Reamers 113

O

Oil Cans 95
Orbital Sanders 27

P

Packing List Envelopes 105
Paint Brushes 13-14
Paint Cans 14
Paint Rollers 13
Parallel Jaw Clamps 87
Penlights 23
Pipe Wrenches 63
Plastic Bags 105
Pliers 56-60
Pneumatic Tools 27-38
Poly Bags 105
Power Boxes 20
Pry Bars 70
Punches 72-74

R

Ratchets 80, 82, 84
Retractable Blades 102-103
Roof Rakes 6
Rubber Tie Downs 104

S

Sanding Pads 15
Scratch Brushes 112
Screwdrivers 54-55
Seal Off Dispensers 96
Sealing Spatulas 15
Shovels 2-6
Sledge Hammers 64
Snow Brushes 6
Snow Roof Rakes 6
Snow Shovels 6
Soapstones 109
Socket Sets 76-79
Sockets 76-85
Spiral Tip Cleaners 111
Sprayers 7
Stamp Sets 67
Staple Guns 100
Stretch Wrap Dispensers 103
Suction Guns 93
Surge Suppressors 20-21

T

Tape Dispensers 101
Tarps 8-10
Teflon Tape 15
Thread Sealing Tape 15
Tin Snips 71
Tip Drill Kits 111
Tool Bags 43
Tool Boxes 40-44
Tool Carts 40-43
Tool Kits 45-51
Tool Pouches 43

U

Utility Carts 42
Utility Hammers 32
Utility Knives 102-103

V

Vacuums 11-12
Vertical Sanders 33
Vises 89-90

W

Welding Kits 109
Welding Pliers 113
Welding Tips 114-115
Welding Wire 108
Wet/Dry Vacuums 11-12
Wire Brushes 112
Wood Handle Shovels 3, 5-6
Work Lights 22, 24-25
Wrecking Bar 70
Wrenches 61-63