

Browse through our Work Glove Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com



### Kleen-Glo® Enviro-Friendly Gloves

- Meets EN388 Standard
- Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Made from natural latex—a renewable resource
- · Liner is made from recycled polyester and cotton
- · Carded only; 144 pairs per case

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	3	
Blade Cut Resistance	1	
Tear Resistance	3	
Puncture Resistance	1	

### 53343

Size S/M 53344

Size M/L

### Viking Handyman® Work Gloves

- Meets EN388 Standard
- · Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Made from natural latex—a renewable resource
- Liner is made from recycled polyester and cotton
- Breathable, comfortable, and reduced hand fatigue
- In bulk only; 120 pairs per case

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	3	
Blade Cut Resistance	1	
Tear Resistance	3	
Puncture Resistance	1	

Size 7 - 10

### Viking® MaxxGrip® Supported Work Gloves

- Meets EN388 standard
- Superior ergonomic fit and textured palm design provides dexterity and excellent gripping power
- Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Breathable, comfortable, and reduced hand fatigue
- · 6 times the wear of split leather
- In bulk and carded: 72 pairs per case

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	3	
Blade Cut Resistance	2	
Tear Resistance	4	
Puncture Resistance	2	

Black	Carded
S	63388
М	63389
L	63390
XL	63391

Blue	Carded
S	63345
М	63346
L	63347
XL	63348

73349

Size 7 - 10

### Viking® Thermo MaxxGrip® Supported Work Gloves

- Meets EN388 standard
- · Textured rubber grip over seamless warm acrylic knit
- Rubber-coated palm for puncture, wear, and liquid protection
- Breathable stretch knit wrist and back for comfort
- Contour-fit for excellent dexterity and gripping power
- Ideal for cold weather or padded glove applications
- In bulk and carded; 120 pairs per case

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	2	
Blade Cut Resistance	1	
Tear Resistance	4	
Puncture Resistance	2	

Black Carded		Orange Carded		Green	Carded
S	63371	S	63384	S	63380
М	63373	М	63385	М	63381
L	63374	L	63386	L	63382
XL	63375	XL	63387	XL	63383



### Viking® Arctic MaxxGrip® Work Gloves

• Meets EN388 standard

Size 7 - 10

- · 7-gauge interior soft pile lining to maintain warmth
- Textured rubber grip over seamless warm acrylic knit
- · Rubber-coated palm for puncture, wear, and liquid protection
- Breathable stretch knit wrist and back for comfort
- · Contour-fit for excellent dexterity and gripping power
- · Ideal for extreme weather or padded glove applications
- · Carded only; 72 pairs per case

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	1	
Blade Cut Resistance	3	
Tear Resistance	3	
Puncture Resistance	1	





Size 7 - 10

### Viking® Nitri-Dex Work Gloves

- Meets EN388 standard
- · Nitrile-dipped palm on seamless polyester knit
- 6 times the wear of split leather
- Superior grip in oily applications, flexible, comfortable, and breathable
- Excellent for use in assembly and repair work on electric appliances, mechanical maintenance, engineering, and construction work
- 73376; in bulk and carded; 120 pairs per case
- 73365; in bulk only; 120 pairs per case

Black	Carded
S	63376
М	63377
L	63378
XL	63379

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	4	
Blade Cut Resistance	1	
Tear Resistance	2	
Puncture Resistance	1	



96 2017/18



### Viking® Foam Nitri-Dex Gloves

- Meets EN388 standard
- · Nitrile-dipped palm on seamless nylon knit
- Foam Nitri-dex brings superior precision and flexibility, allowing for optimal comfort and dexterity while reducing hand fatigue
- · Foam nitrile coating provides better grip on slippery surfaces
- Superior grip in oily applications, flexible, comfortable, and breathable
- · Contour-fit for excellent gripping power
- · Breathable, stretch knit wrist and back for comfort
- · Carded only; 120 pairs per case

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	4	
Blade Cut Resistance	1	
Tear Resistance	3	
Puncture Resistance	2	


C:	0	10
Size	0 -	10



### Viking® Nitri-Dex 360° Gloves


- · Meets EN388 standard
- · Nitrile double dipped palm on seamless nylon knit
- Optimal dexterity, grip, and comfort while delivering industrial grade performance in strength and durability, abrasion resistance, and protection against a wide range of chemical substances
- 360° nitrile coating provides liquid proof protection even on the back of the hand
- Highly durable, high dexterity, ergonomic shape for comfort
- · Double coated palm improves strength, durability and abrasion resistance
- Outer foam nitrile layer also enables precision handling of small parts with increased flexibility and dexterity
- Knit wrist helps prevent dirt and debris from entering the gloves
- · Carded only; 120 pairs per case

Compliance EN388		
Level		
4		
1		
2		
1		



### Viking® Thermo Nitri-Dex Work Gloves

- Meets EN388 standard
- Dual layered protection—deal against cold weather or in padded glove applications
- 7 gauge interior soft pile lining to maintain warmth
- 15 gauge exterior nylon knit with nitrile coating for ultimate hand protection
- Contour-fit for excellent dexterity and gripping power
- Provides excellent puncture, wear and liquid protection
- · Breathable stretch knit wrist and back for comfort
- · In bulk only; 120 pairs per case






Size 8 - 10

### Viking® Cut Resistance NBR Palm Coated Gloves

- · Meets EN388 standard
- EN388 Cut Protection Level 5
- Good for steel/automobile, petro-chemicals, and jobs requiring metal/glass handling, precision or rough work.
- Multipurpose
- · Non-slip coating
- · Excellent for use in outdoor home repairs, gardening, furniture refinishing and
- · In bulk only; 72 pairs per case

	Compliance EN388	
	Test/Property	Level
	Abrasion Resistance	4
	Blade Cut Resistance	5
	Tear Resistance	4
į	Puncture Resistance	3





Size 7 - 10 73382 Size 8 - 10



### Viking® Firewall FR® Cut Resistant Gloves

- Meets CGSB 155.20 for Protection Against Hydrocarbon Flash Fire
- · Meets EN388 for Protection from Mechanical Risks
- Independently tested to meet the requirement of CGSB 155.20
  - TPP with spacer (Thermal Protective Performance) is 14.4 calories/cm<sup>2</sup>
  - TPP without spacer is 11.6 cal/cm<sup>2</sup>
- EN388 Cut Protection Level 4
- · Advanced ergonomic design for greather comfort, flexibility, and agility
- NBR-coated palm
- Materials utilized in the gloves are inherently flame-resistant providing

protection for the entire life of the gloves


· Industries: Mining, oil refining, petrochemical, public utilities, construction, electric and gas utilities, resource manufacturing

· Snug knit wrist prevents dirt and debris from entering the gloves

· In bulk only; 72 pairs per case









### Viking® Firewall FR® Cut Resistant Gloves

- Meets CGSB 155.20 for Protection Against Hydrocarbon Flash Fire
- · Meets EN388 for Protection from Mechanical Risks
- Independently tested to meet the requirement of CGSB 155.20
  - TPP with spacer (Thermal Protective Performance) is 14.4 calories/cm<sup>2</sup>
  - TPP without spacer is 11.6 cal/cm<sup>2</sup>
- EN388 Cut Protection Level 4
- Superior metacarpus and phalanges impact protection while delivering an industrial grade protection against hydrocarbon flash fire and cut resistance
- · Armour padding protection utilizes an advanced design to dissipate forceful blows
- NBR-coated palm
- · Materials utilized in the gloves are inherently flame-resistant providing protection for the entire life of the gloves
- · Industries: Mining, oil refining, petrochemical, public utilities, construction, electric, and gas utilities, resource manufacturing
- · Snug knit wrist prevents dirt and debris from entering the gloves
- · Carded only; 72 pairs per case



Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	4
Tear Resistance	4
Puncture Resistance	2



73384

98 2017/18



### Viking® Thermo Journeyman PVC Gloves

- Meets EN388 Standard
- Dual layered protection: ideal against cold weather or in padded glove applications
- Extra thick brushed acrylic liner provides superior insulation from the cold
- · Stretchy and form fitting design offers a high level of comfort and fit
- 15 gauge exterior nylon knit and an extra soft seamless 7 gauge interior lining allow for ultimate protection and excellent warmth and flexibility in sub-zero temperatures
- · Textured PVC-coated palm for puncture, wear, and liquid protection
- · Breathable stretch knit wrist and back for comfort
- · Latex-free
- · Carded only; 72 pairs per case

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	3	
Blade Cut Resistance	2	
Tear Resistance	2	
Puncture Resistance	1	

Size	8 -	- 10	
------	-----	------	--



### Viking® Ultimate® PVC Work Gloves

- · Meets EN388 Standard
- · Excellent for use in outdoor home repair gardening, furniture refinishing, and cleaning
- PVC-coated, and seamless knit 100% cotton lining
- · Highly durable, high dexterity, ergonomic shape for comfort and dexterity
- · Phthalate-free
- · Machine washable
- · Carded only; 72 pairs per case

Compliance EN388		
Test/Property	Level	
Abrasion Resistance	4	
Blade Cut Resistance	1	
Tear Resistance	2	
Puncture Resistance	1	

Size 8 - 10



· Sold in packs of 6 pairs; 240 pairs per case

### Polyester Gloves with Nitrile Coating

- · Superior grip with oily applications
- Flexible, comfortable, and breathable
- · Contour fit for excellent dexterity and gripping power
- Nitrile coated protection provides great performance in wet conditions
- Ideal for cleaning, gardening, and household projects

52224-ELD53 52224-ELD41 52224-ELD42

52226-ELD53

Size S/M



52226-ELD422

52224-ELD422

52224-ELD41

### 52226-ELD53 52224-ELD53

52224-ELD42

### **Polyester Gloves with Latex Coating**

- Textured palm for great gripping power
- Breathable, with non-slip coating
- Ideal for assembly and repair work, mechanical maintenance, engineering and construction work

### 52226-ELD422

### 52224-ELD422

Size S/M

Size L/XL

### Viking® Nitrile Gloves

- Food safe
- Excellent for chemical handling, printing, and food processing work
- · Sand smooth, and flocklined
- 12" long; 15 mil
- 12 per poly bag; 144 pairs per case

Browse through our Work Glove Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email <a href="mailto:info@bapequipment.com">info@bapequipment.com</a>





34675

### Viking® Heavy-Duty Latex Gloves

- · Excellent for chemical handling, and agricultural work
- · Cotton flock lining absorbs perspiration

### 155

- · Beaded cuff prevents droplets flowing beyond the glove
- Rlack
- · Heavy-duty rubber
- Diamond pattern, and flocklined
- 13" long; 27 mil
- 12 per poly bag; 144 pairs per case

Size 8 - 11

### 02088

- Straight cuff
- Orange
- · Heavy-duty rubber
- · Diamond pattern, and flocklined
- 13" long; 30 mil
- 1 pair per poly bag; 12 pairs per case







155

02088





### 34603



### 34600



### 34605



### Viking Handyman® Nitrile Disposable Gloves

- Food safe
- · Multipurpose, and lightweight
- · Liquid-proof
- Ambidextrous
- · Latex-free; powder-free
- Reference specification for size L: 4.0g (+/- 0.3g) (3.35 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

Size S - XL

### Viking® Nitrile Disposable Gloves

- · Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- · Latex-free; powder-free
- Heavy-duty blue nitrile; reference specification for size L: 5g (+/- 0.3g) (4 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

Size S - XL

### Viking<sup>®</sup> Black Forte<sup>™</sup> Nitrile Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- · Latex-free; powder-free
- Heavy-duty black nitrile; reference specification for size L: 5.5g (+/- 0.3g) (4.5 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

Size S - XL

## Viking Professional® Black Forte $^{\mathsf{TM}}$ Disposable Nitrile Gloves

- · Multipurpose, and lightweight
- · Liquid-proof
- Ambidextrous
- · Latex-free; powder-free
- Extra heavy-duty black nitrile; reference specification for size L: 11 g (+/- 0.3g) (8 mil thick)
- Textured finger tips for better grip, and extended cuff lengths for better protection
- 3x Stronger than latex/vinyl
- 10 dispensers of 50 gloves/case

Size M - XL

### Viking® Latex Disposable Gloves

- Multipurpose, and lightweight
- · Liquid-proof
- Ambidextrous
- · Lightly powdered
- Reference specification for size L: 5.5 g (+/- 0.3g) (4 mil thick)

### 01370 - 01373

• 10 dispensers of 100 gloves/case



### 84051

• 10 dispensers of 50 gloves/case



### Viking® Latex Disposable Gloves

- · Multipurpose, and lightweight
- · Liquid-proof
- Ambidextrous
- Powder-free
- Reference specification for size L: 6 g (+/- 0.3g) (5 mil thick)
- 10 dispensers of 100 gloves/case



34900

01370-01373

### Size S - XL

### **NITRYL DISPOSABLE GLOVES**

### Viking® Nitryl Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- · Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- 2x Stronger than latex/vinyl
- Superior chemical resistance compared to vinyl gloves
- Economic alternative to nitrile
- Reference specification for size L: 5.5 g (+/- 0.3g) (3.5 mil thick)
- 10 dispensers of 50 gloves/case



84052


### **POLY DISPOSABLE GLOVES**

### Viking® Poly Disposable Gloves

- Food safe
- · Multipurpose, and lightweight
- · Liquid-proof
- Ambidextrous
- Latex-free
- 20 dispensers of 500 gloves/case



00142-00143





### Phthalate-Free Vinyl Disposable Gloves

- · Multipurpose, and lightweight
- Liquid-proof
- · Ambidextrous
- · Latex-free; phthalate-free
- · Lightly powdered
- Reference specification for size L: 5 g (+/- 0.3g) (3.5 mil thick)
- Reduced environmental impact, and reduced health risk
- 10 dispensers of 100 gloves/case



Size S - XL

### 34000

Size One size

# O1364 - 01367 WELL STUDYS WITH STATES WINTEDSTORABLE STUDYS GANS DE VENUE RETAILES WINTEDSTORABLE STUDYS GANS DE VENUE RETAILES WINTEDSTORABLE WINTEDSTOR

01360 - 01363

### Viking® Vinyl Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- · Liquid-proof
- Ambidextrous
- · Latex-free; PVC contains no latex proteins. Safe for Type 1 allergies
- · Powder-free
- Super soft for use comfort; stretchy; fatigue-free
- · Durable, and tear-resistant
- Excellent for use in employee/occupational health servces and non-surgical clinics, infant services, food handling, public services, kitchen work, sanitary activities, light-duty cleaning, office cleaning, and janitorial services
- Reference specification for size L: 6g (+/- 0.3g) (4.5 mil thick)
- 10 dispensers of 100 gloves/case

### 01364 - 01367

• Blue vinyl

Size S - XL

### 01360 - 01363

· White vinyl

Size S - XL

## Plastic without harmful Plasticians and Control of Cont

01356 - 01359

### Viking® Phthalate-Free Vinyl Disposable Gloves

- Food safe
- · Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; phthalate-free; powder-free
- Reference specification for size L: 5.5g (+/- 0.3g) (4 mil thick)
- Reduced environmental impact, and reduced health risk
- 10 dispensers of 100 gloves/case