

HIGH VISIBILITY HEAVY-DUTY HIGH TECHNOLOGY

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability

Call 1-800-561-3600 or email info@bapequipment.com

High Visibility Standard: CSA Z96-15

Hi-Vis apparel is a function of two parts—retroreflective striping (most common is silver tape), and luminance of background material (generally fluorescent yellow-green or fluorescent orange-red).

Classes

Class 1

Apparel is a basic harness or stripes/bands over the shoulder and encircling the waist (stripes/bands only meet CSA/ANSI standard). Can be Level 1, 2, and FR retroreflection.

Class 2

Apparel is full coverage of upper torso—front, back, sides and over the shoulder (stripes/bands and background fabric both meet CSA/ANSI standard). Can be Level 1, 2, and FR retroreflection.

Class 3

Apparel is Class 2 apparel in addition to bands encircling both arms and legs (all stripes/bands and background fabric meet CSA/ANSI standard). Must have Level 2 retroreflection.

Levels

Level FR

This level allows for flame resistant garments with striping/bands where the total retroreflective level is at 20% of the level 2 requirement (FR treated fabrics lose lustre after treatment).

Level 1

Level 1 is a slightly lower performance level of the striping, but still requires the background material to meet CSA/ANSI Standards. Retroreflective level is at 70% of the Level 2 requirement.

Level 2

Level 2 is the highest level of retroreflection and requires the background fabric to meet CSA/ANSI standards as well as the striping/bands to meet the highest coefficient level (the brightest level).

Difference: Canada and USA Standards



Canada
back configuration



USA
back configuration

High Visibility Standard: ANSI/ISEA 107-2015

This new standard combines the requirements of ANSI/ISEA 107-2010 and ANSI/ISEA 207, creating one standard that takes all occupational tasks into account.

Three Garment Types

The new garment types categorize hi-vis garments according to the different work environments of specific workers. When garment types are combined with the existing performance classes (1, 2, and 3), this new standard gives safety managers a larger variety of protection levels that considers more hazards.

Garment Type	Application	Performance Class
O	Off-Road Use	Class 1
R	Roadway Use	Class 2 & 3
P	Public Safety	Class 2 & 3

Balance of Design & Logo Personalization


To maintain the balance in design, at least 40% of both the front and back of garments have retroreflective or combined-performance and background materials.

This new standard also permits company logos or any personalization to be part of a garment without compromising the total background area of the garment according to the following criteria:

- Personalization on background material should not exceed a total of 465 cm² or 72 in² on the front and/or back of the garment.
- Personalization on retroreflective material should not exceed a total of 142 cm² or 22 in² on the front and/or back of the garment.

Flame-Resistant Performance Labeling

All Viking® and Open Road® ANSI/ISEA 2015 garments will be labelled to indicate flame resistance. Garments made from non-inherent flame resistant material or those not designed to meet FR standards will be differentiated on garment label by the following statement: "This garment is not flame resistant by ANSI/ISEA 107-2015 Section 10.5"



Compact Mesh Safety Vest

- Ultra lightweight, and foldable
- Fluorescent polyester mesh material for visibility, comfort, and breathability
- Side elastic bands to accommodate a range of sizes
- 1" reflective tape
- Front hook-and-loop closure
- Retail packaging
- Machine washable



6101 ○



6101 G



Retail packaging

Size Fits all

Compact Mesh Safety Vest

- Durable, lightweight, and foldable
- Fluorescent polyester mesh material for visibility, comfort, and breathability
- Side elastic bands to accommodate a range of sizes
- 1" reflective tape
- Front hook-and-loop closure
- Machine washable



6102 ○



6102 G

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size Fits all



6105O



6105G

Open Road® Mesh Safety Vest

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Polyester mesh material for comfort and breathability
- 2" DM® reflective tape
- Front hook-and-loop closure
- 2 Pockets (1 inside, 1 outside)
- Machine washable

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size S/M - 4XL/5XL



6106O



6106G



6106BK

Open Road® Solid Safety Vest

- Solid polyester material for added coverage
- 2" DM® reflective tape
- Front hook-and-loop closure
- 2 Pockets (1 inside, 1 outside)
- Machine washable

6106O & 6106G

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

6106BK

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size S/M - 4XL/5XL

Open Road® Mesh Safety Vest

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Polyester mesh material for comfort and breathability
- 2" DM® reflective tape
- Front zipper closure
- 2 Pockets (1 inside, 1 outside)
- Machine washable



6108O



6108G

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply
To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size S/M - 4XL/5XL

Open Road® Solid Safety Vest

- Solid polyester material for added coverage
- 2" DM® reflective tape
- Front zipper closure
- 2 Pockets (1 inside, 1 outside)
- Machine washable

6109O & 6109G

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

6109BK

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



6109O



6109G



6109BK

Size S/M - 4XL/5XL



6110O



6110G

Open Road® “BTE” Vest

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes Class 3 when combined with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Fluorescent mesh fabric
- Front hook-and-loop closure
- Dual reflective chest straps
- Machine washable

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size S/M - 4XL/5XL



6112O



6112G

Open Road® Zipper Safety Vest

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Fluorescent mesh fabric
- 4" Contrasting Vi-brance® tape
- Zippered front for a shirt-like feel
- 4 Pockets with hook-and-loop closure
- Dual reflective chest straps
- Machine washable

Size S - 5XL



Open Road® 5pt. Tear Away Vest

- Polyester mesh and tape configuration meets WCB requirements
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Safety D-ring slot access
- 5-point hook-and-loop tear away design and 4 front pockets
- Dual reflective chest straps
- Adjustable waist band



6115O



6115G

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size Fits all



Viking® 5pt. Tear Away Safety Vest

- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Safety D-ring slot access
- 5-point hook-and-loop tear away design
- 4 front pockets
- Dual reflective chest straps

6125O & 6125G

- Fully compliant with CSA Z96-15 Class 2, Level 2 becomes CSA Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Soft breathable mesh polyester vest material



6125O 6125G

6135O & 6135G

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Solid polyester material for added coverage

6135BK

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- Solid polyester material for added coverage



6135O 6135G 6135BK

Size S/M - 4XL/5XL





Viking® Tall (Extended Length) Safety Vest

- Mesh underarm cooling ventilation panels
- Extended length for better fit
- Gusseted sides for expandable fit
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Snap closure
- 6 pockets with hook-and-loop fasteners (3 outside; 3 inside)
- 4 pen stalls and 1 ruler stall
- Dual reflective chest straps
- Machine washable

6160O & 6160G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes Class 3 when combined with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

6160BK

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Browse through our Safety Wear Catalog. The items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply
 To get Current Pricing and Availability
 Call 1-800-561-3600 or email info@bapequipment.com



Open Road® Surveyor Vest

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 150 Denier polyester twill material with double hemstitched pockets and seams to increase wear resistance from washing
- Built to last heavy-duty brass snaps and grommets
- Mesh side vents
- Dual reflective chest straps
- Cell/radio pocket with hook-and-loop fastener
- Safety D-ring slot access on back
- 14" zippered pack across entire back area
- 8 pockets with hook-and-loop fasteners (5 outside; 3 inside)
- Brass grommets on lower front pockets for surveyor tape dispenser
- Long ruler slot pocket on left back

6165O & 6165G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes Class 3 when combined with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

6165BK & 6165R

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size **S - 4XL**



Viking® Surveyor Safety Vest

- Fully compliant with CSA Z96-15 Class 2, Level 2 becomes CSA Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/ Worksafe/DOT configuration
- All seams are overlapping, multilayered hemstitched for triple the resistance to seam slippage, and extra durable pocket strength
- Built to last with quality, heavy-duty brass snaps and grommets
- Safety D-ring slot access
- Dual reflective chest straps
- Brass grommets on lower front pockets for surveyor tape dispenser
- 14" zippered pack across entire back area
- 8 pockets with hook-and-loop fasteners, 1 cell/radio phone sealed pouch, and 4 other pockets
- Long ruler slot pocket on left back
- Mesh side vents



6195O



6195G

Browse through our Safety Wear Catalog. The items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size S - 5XL



Viking® All-Trades 1000D® Surveyor Safety Vest

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- High abrasion, snagging industries due to superior tear resistance of 1000 denier fibers. Ideal for forestry, lumber yard, and construction
- 2" Vi-brance® reflective tape in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Made from heavy-duty 1000 denier polyester fabric to withstand damages caused by rips, punctures and snags in industrial use
- Double stitched tape and background for superior durability
- Heavy-duty front tooth zipper closure
- 4 Large storage pockets with hook-and-loop fasteners, and 4 inside pockets
- Cell/radio pouch pocket
- 11" zippered pack across entire back area
- Back pouch with hook-and-loop fastener
- Dual reflective chest straps
- Viking Professional® All-Trades 1000D® red vest offers multiple features that are well suited for geologists, foresters, conservation officers, surveyors, construction workers, etc.



4915R

Professional

Size S - 4XL





6005O 6005G



6006O 6006G

Viking® Safety T-Shirt

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium soft polyester fabric in fluorescent CSA and ANSI colours
- Left chest cell phone pocket with hook-and-loop fastener, and pen slot
- Dual reflective chest straps

6005

- Safety mesh T-shirt
- V-neck style

6006

- Safety double layered mesh T-shirt
- Crew neck style

6005G available in XS
6006G and 6006O
available in S-3XL

Size S - 5XL



6000O

6000G

6000N

Viking® Safety Cotton Lined T-shirt

- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Dual layer construction of a cotton back and an outer polyester layer provide superior comfort and breathability while decreasing irritation
- Dual reflective chest straps
- Pocket with hook-and-loop fastener on left side of chest
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

6000O & 6000G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

6000N

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size S - 4XL



Viking® Safety Cotton T-shirt

- 6001O meets Ontario OHSA REGULATION 213/91 SEC.69.1 (1)
- 6002O meets Ontario OHSA REGULATION 213/91 SEC.69.1 (1) (4)
- 6002O comes with 2" silver heat transferred tapes on arms
- 2" Vertical heat transferred tape on front and diagonal "X" pattern on back
- 100% Pre-shrunk cotton T-shirt ensuring maximum breathability and comfort
- Reinforced back, neck and shoulder seams for increased durability
- Seamless ribbed neck
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt



Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size S - 4XL

UPF 50+

Viking® Safety Long Sleeve Shirt

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when combined with right model leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium woven soft polyester solid fabric in fluorescent CSA and ANSI colours
- Left chest cell phone pocket with hook-and-loop fastener, and pen slot
- Dual reflective chest straps
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt



Size S - 4XL



UPF 50+



Viking® Safety Cotton Lined Long Sleeve Shirt

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Dual layers of a cotton back and an outer polyester layer provide superior comfort and breathability while decreasing irritation
- Dual reflective chest straps
- Pocket with hook-and-loop fastener on left side of chest
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

6015O & 6015G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR

6015N

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size S - 4XL



Viking® Safety Cotton Long Sleeve Shirt

- 6016O meets Ontario OHSA REGULATION 213/91 SEC.69.1 (1)
- 6017O meets Ontario OHSA REGULATION 213/91 SEC.69.1 (1) (4)
- 6017O comes with 2" silver heat transferred tapes on arms
- 2" Vertical heat transferred tape on front and diagonal "X" pattern on back
- 100% Pre-shrunk cotton long sleeve shirt offering maximum breathability and comfort
- Reinforced back, neck and shoulder seams for increased durability
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt
- Seamless ribbed neck and cuff

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply
To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Size S - 4XL



Viking® Safety Fleece Hoodie

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium knitted polyester fleece for warmth and breathability
- Anti-pill, warm, quick-drying 260 gsm polyester
- Warm full-size hood with drawstring adjusters
- Dual reflective chest straps
- Taffeta-lined sleeves
- 2 front storage pockets
- Cell phone pocket on left side of chest
- Comfort snug elastic wrist and waistband
- Tear away detachable hood
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

6420JO & 6420JG

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR

6420BK

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



6420JO

6420JG

6420BK

6420JG available in
XS - 4XL

Size S - 4XL



UPF 50+

Viking® Cotton Lined Safety Hoodie

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium, durable 420 grams two-layer polyester/cotton jersey knitted fleece
- Cotton lined inner fabric offers breathability and comfort
- Tear-away detachable three-piece hood with draw string and barrel-locks for improved fit
- Dual reflective chest straps
- Full zipper front
- 2 front storage pockets
- Rib knit sleeve cuffs and waistband for comfort and snug fit

Browse through our Safety Wear Catalog. The items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply
To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com



6421BK

Size S - 4XL





Open Road® 150D

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 150 Denier Trilobal rip-stop polyester/PU material light weight and flexible even in cold conditions
- Double sewn, taped and heat-sealed seams
- Waterproof and windproof
- Generous sizing for working comfort and ventilation

Jacket

- 6323JO/JG are fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 6323JB is fully compliant with CSA Z96-15 Class 1, Level 2, and with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- Adjustable wrists cuffs
- Detachable snap-off hood
- Multi-vented front and back for breathability
- Dual reflective chest straps
- Mesh lining on inside upper back for added comfort
- 2 sealed outside pockets

Bib Pants

- 6323PO/PG are fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- 6323PB is fully compliant with CSA Z96-15 Class 1 Level 2, and with ANSI/ISEA 107-2015 Class E, not FR
- Attached bib pants with elasticized waist, hook-and-loop fly access, elastic suspenders with quick release buckle, and adjustable boot cuffs

Waist Pants

- 6323WPG is fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- Pass-through pockets, and adjustable boot cuffs
- Draw cord elasticized waist pants

For Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com



Open Road® Insulated 150D


- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 125 gsm ThermoMAXX® insulation good up to -30°C/-22°F
- Waterproof and windproof
- 150 Denier Trilobal rip-stop polyester/PU material light weight and flexible even in cold conditions

Jacket

- 6326JO/JG are fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 6326JB is fully compliant with CSA Z96-15 Class 1, Level 2, and with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- Detachable insulated hood
- Micro-fleece lined collar for greater comfort
- Dual reflective chest straps
- Adjustable wrist cuffs with hook-and-loop fasteners
- 2 front patch pockets

Bib Pants

- 6326PO/PG are fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- 6326PB is fully compliant with CSA Z96-15 Class 1, Level 2, and with ANSI/ISEA 107-2015 Class E, not FR
- Adjustable suspenders with quick release buckle
- Elasticized waist
- Adjustable boot cuffs with hook-and-loop fasteners



Size **S - 4XL**

Viking® Safety Long Coat

- Fully compliant with CSA Z96-15 Class 3, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 150 Denier polyester/PU material light weight and flexible even in cold conditions
- Double sewn, taped and heat-sealed seams
- Waterproof and windproof
- Full-body protection from water with the convenience of wearing over shirts, pants, and footwear
- Multiple back vents for breathability
- Adjustable wrist cuffs
- Long coat features slit lower back with snaps
- Detachable snap-off hood
- Dual reflective chest straps

Browse through our Safety Wear Catalog. The Items that are on our website are the items we stock. However we can special order most of the items in this catalog. Some limitations may apply

To get Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com



6326G

Size S - 3XL



Viking Handyman® 300D

- Fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit
- 100% Waterproof, and windproof
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 300 Denier polyester/PVC material gives good abrasion, puncture, rip and snag resistance, and flexibility even in sub-zero conditions
- Double sewn, taped and heat-sealed seams
- Generous sizing for working comfort and ventilation

Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Fully polyester mesh lined jacket with adjustable wrist cuffs
- Multi-vented on the front for breathability
- Dual reflective chest straps
- Detachable hood

Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist
- Adjustable boot cuffs with hook-and-loop fasteners
- Fully lined for comfort
- 2 Reflective tapes in 4" contrasting material



6327PO

6327PG



6327JO

6327JG

Size S - 3XL





Viking Professional® Journeyman 300D

- Fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Heavy-duty 300 denier Trilobal ripstop polyester with PU material gives superior abrasion, puncture, rip and snag resistance
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and ventilation

Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Fully lined jacket for comfort
- Front and back multi vents to keep you cool while working
- Generous cut for working mobility
- 2 Zippered storage front pockets and 1 chest pocket
- Dual reflective chest straps
- Double stitched tape and background for superior durability
- Detachable hood (6330HG/O) sold separately in Canada

6330JG available in XS - 5XL

Size **S - 5XL**

Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Detachable bib design with inner zippered storage pocket
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access
- Fully lined for comfort
- 13" adjustable boot cuffs

Professional

6330PG available in XS - 5XL

For Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com



Viking Journeyman® 300D Tri-Zone

- Fully compliant with CSA Z96-15 Class 2, Level 2, becomes CSA Class 3 when worn as a suit
- 100% Waterproof and windproof
- 2" Vi-brance® reflective material in 4" contrasting tape on outer shell meets WCB/Worksafe/DOT configuration
- 3-in-1 all season safety design
- Heavy-duty 300 denier polyester/PVC material gives good resistance to abrasion, puncture, rips, and snags
- Double sewn, taped and heat sealed seams

Jacket & Inner Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Jacket shell fully lined for comfort
- Waterproof pit zip vents with mesh lining
- Inner jacket has 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 260 grams premium polyester inner safety jacket with detachable hood
- Double stitched tape and background for superior durability
- Flexible in sub-zero conditions
- Underarm vent zips provide breathability
- 2 front pockets and chest cell pocket
- Hoods (6330HG/O) sold separately in Canada

Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- ThermoMaxx® 80 gsm polyfill insulated pants are lightweight and fully lined providing superior protection against cold weather up to -15°C/5°F without bulkiness
- Detachable bib design with inner zippered storage pocket
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access
- Fully lined for comfort

6400JG & 6400PG available in XS - 4XL

Size **S - 4XL**



Viking Professional® Arctic 300D Tri-Zone

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when worn as a suit
- 2" 3M Scotchlite® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Fully lined and insulated garment provides ultimate protection against cold weather, good for up to -30°C/-22°F
- Heavy-duty outer shell with 300 denier Trilobal rip-stop polyester with PU backing material gives superior abrasion, puncture, rip and snag resistance
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and mobility

Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Insulated Stormblaster® hood reduces wind and rain exposure up the back of the jacket, while orienting the front close to the chin and cheek area. It has a safety tear away design, making it easy to remove and attach.
- Outer shell zips together with 125 gsm ThermoMAXX® insulated Ultimate ArcticLITE liner to become a 3-in-1 insulated system
- Ultimate ArcticLITE liner can also be worn by itself for protection up to -20°C/-4°F
- Waterproof pit zip vents with mesh lining
- Dual reflective chest straps
- Double stitched tape and background for superior durability

Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- ThermoMaxx® 125 gsm polyfill insulated pants are light weight and fully lined providing superior protection against cold weather up to -30°C/-22°F without bulkiness.
- Attached bib with inner zippered storage pockets
- Back bib is lined and insulated to provide maximum comfort and warmth for your back
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access

Professional

Trilobal Polyester

ThermoMaxx Ultra thin Insulation

-30°C
-22°F

3 IN 1 System

STORMBLASTER

6410PO and 6410PG available in S - 3XL

Size S - 4XL



6410PO

6410PG



6410JO

6410JG

For Current Pricing and Availability
Call 1-800-561-3600 or email info@bapequipment.com

Viking Professional® Freezer 300D Trilobal

- Fully compliant with CSA Z96-15 Class 2, Level 2, becomes CSA Class 3 when worn as a suit
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 250 gsm ThermoMAXX® Insulation good up to -50°C / -60°F
- Heavy-duty 300 denier Trilobal ripstop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance
- Waterproof, and windproof

Parka

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Insulated Stormblaster® hood reduces wind and rain exposure up the back of the jacket, while orienting the front close to the chin and cheek area. It has a safety tear away design, making it easy to remove and attach.
- Warm and comfortable fleece collar
- #10 heavy duty tooth zipper with storm flap for weather protection
- Dual reflective chest straps
- Double stitched tape and background for superior durability
- Adjustable waist drawstring toggle for windproof
- 2 large storage pockets with hook-and-loop flap closure, and 1 inner chest pocket
- Adjustable wrist with double cuffs and hook-and-loop fasteners to seal out rain and wind
- Insulated 34" long parka for added warmth
- Embroidery zipper included

Overalls

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Heavy-duty elastic suspenders with quick release buckle
- Insulated front and back upper bib
- Inner zippered pocket and front storage pocket on bib
- 2 side waist gussets for wind guard
- 2 front slash pockets
- 18" heavy duty boot zipper with 7" internal kick panel
- Zippered fly access
- Left side cargo pocket

-50°C
-60°F

Professional

Trilobal Polyester

ThermoMaxx Ultra thin Insulation

Vi-brance

STORMBLASTER

Size S - 4XL



6450PO

6450PG



6450JO

6450JG