

**1560 CASE**

22.06" x 17.93" x 10.43"  
(56 x 45.5 x 26.5 cm)

20.37" x 15.43" x 9.00"  
(51.7 x 39.2 x 22.9 cm)

2.00" / 7.00"  
(5.1 cm / 17.8 cm)

20 lbs. (9.07 kg) WITH FOAM  
17 lbs. (7.71 kg) NO FOAM



Replacement O-ring, 4 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organizer

IP67  
DEF STAN 81-41/STANAG 4280

**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLORS****AVAILABLE ACCESSORIES****CERTIFICATES****1560LFC with lid organizer****NEW**

22.06" x 17.93" x 10.43"  
(56 x 45.5 x 26.5 cm)

20.37" x 15.43" x 9.00"  
(51.7 x 39.2 x 22.9 cm)

2.00" / 7.00"  
(5.1 cm / 17.8 cm)

20 lbs. (9.07 kg) WITH FOAM  
17 lbs. (7.71 kg) NO FOAM



Replacement O-ring

IP67  
DEF STAN 81-41/STANAG 4280

**1560LOC with computer sleeve and accessories pouch****NEW**

22.06" x 17.93" x 10.43"  
(56 x 45.5 x 26.5 cm)

20.37" x 15.43" x 9.00"  
(51.7 x 39.2 x 22.9 cm)

2.00" / 7.00"  
(5.1 cm / 17.8 cm)

20 lbs. (9.07 kg) WITH FOAM  
17 lbs. (7.71 kg) NO FOAM



Replacement O-ring

IP67  
DEF STAN 81-41/STANAG 4280

**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLORS****AVAILABLE ACCESSORIES****CERTIFICATES****1600 CASE**

24.25" x 19.43" x 8.68"  
(61.6 x 49.3 x 22 cm)

21.43" x 16.50" x 7.87"  
(54.4 x 41.9 x 20 cm)

1.75" / 6.12"  
(4.4 cm / 15.5 cm)

14.11 lbs. (6.4 kg) WITH FOAM  
13 lbs. (5.9 kg) NO FOAM



Replacement O-ring, 4 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organizer

IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300

**1560SC with padded dividers and lid organizer****NEW**

22.06" x 17.93" x 10.43"  
(56 x 45.5 x 26.5 cm)

20.37" x 15.43" x 9.00"  
(51.7 x 39.2 x 22.9 cm)

2.00" / 7.00"  
(5.1 cm / 17.8 cm)

20 lbs. (9.07 kg) WITH FOAM  
17 lbs. (7.71 kg) NO FOAM



Replacement O-ring

IP67  
DEF STAN 81-41/STANAG 4280

**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLORS****AVAILABLE ACCESSORIES****CERTIFICATES****1600EMS CASE**

24.25" x 19.43" x 8.68"  
(61.6 x 49.3 x 22 cm)

21.43" x 16.50" x 7.87"  
(54.4 x 41.9 x 20 cm)

1.75" / 6.12"  
(4.4 cm / 15.5 cm)

18 lbs. (8.16 kg)



EMS accessory set

IP67 • MIL C-4150J  
STANAG 4280 • ATA 300



## 1620 CASE



24.64" x 19.39" x 13.78"  
(62.6 x 49.2 x 35 cm)

21.48" x 16.42" x 12.54"  
(54.5 x 41.7 x 31.8 cm)

2.01" / 10.53"  
(5.1 cm / 26.7 cm)

24.62 lbs. (11.17 kg) WITH FOAM  
21.20 lbs. (9.62 kg) NO FOAM



Replacement O-ring, 6 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organizer

IP67 • MIL C-4150J  
DEF STAN 81-41/STANAG 4280

## 1630 TRANSPORT CASE



31.28" x 24.21" x 17.48"  
(79.4 x 61.5 x 44.4 cm)

27.70" x 20.98" x 15.50"  
(70.3 x 53.3 x 39.4 cm)

3.25" / 12.14"  
(8.3 cm / 30.8 cm)

36 lbs. (16.33 kg) WITH FOAM  
31 lbs. (14.06 kg) NO FOAM



Replacement O-ring, 5 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organizer, Document Container Accessory

IP67  
DEF STAN 81-41/STANAG 4280

## 1610 CASE



24.83" x 19.69" x 11.88"  
(63 x 50 x 30.2 cm)

21.78" x 16.69" x 10.62"  
(55.3 x 42.4 x 27 cm)

2.05" / 8.57"  
(5.2 cm / 21.8 cm)

22.3 lbs. (10.12 kg) WITH FOAM  
19.5 lbs. (8.85 kg) NO FOAM



Replacement O-ring, 5 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organizer

IP67  
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

## 1640 TRANSPORT CASE



27.20" x 27.50" x 16.30"  
(69.1 x 69.8 x 41.4 cm)

23.70" x 24.00" x 13.90"  
(60.2 x 60.9 x 35.3 cm)

2.00" / 11.90"  
(5.1 cm / 30.2 cm)

38 lbs. (17.24 kg) WITH FOAM  
34 lbs. (15.42 kg) NO FOAM



Replacement O-ring, 5 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organizer

IP67  
DEF STAN 81-41/STANAG 4280

## 1650 CASE



31.59" x 20.47" x 12.45"  
(80.2 x 52 x 31.6 cm)

28.57" x 17.52" x 10.65"  
(72.5 x 44.5 x 27 cm)

1.81" / 8.84"  
(4.6 cm / 22.4 cm)

28.06 lbs. (12.73 kg) WITH FOAM  
24.03 lbs. (10.9 kg) NO FOAM



Replacement O-ring, 4 pc. foam set, Pick N Pluck™ foam only, padded divider set, photo lid organizer

IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH


WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

## 1660 CASE



31.59" x 22.99" x 19.48"  
(80.2 x 58.4 x 49.5 cm)

28.20" x 19.66" x 17.63"  
(71.6 x 49.9 x 44.8 cm)

3.50" / 14.14"  
(8.9 cm / 35.9 cm)

42.16 lbs. (19.12 kg) WITH FOAM  
34.16 lbs. (15.49 kg) NO FOAM



Replacement O-ring, 5 pc. foam set, Pick N Pluck™ foam only, padded divider set, photo lid organizer

IP67  
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

## 1690 TRANSPORT CASE



33.36" x 28.44" x 18.23"  
(84.7 x 72.2 x 46.3 cm)

30.01" x 25.02" x 15.00"  
(76.2 x 63.5 x 38.1 cm)

2.86" / 12.14"  
(7.3 cm / 30.8 cm)

43 lbs. (19.5 kg) WITH FOAM  
34 lbs. (15.42 kg) NO FOAM



Replacement O-ring, 5 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organizer

IP67  
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

\* OD green available upon request / Case contents not included





Use of the military image does not imply or constitute Department of Defense endorsement.

### 1730 TRANSPORT CASE



37.50" x 27.13" x 14.37"  
(95.2 x 68.9 x 36.5 cm)

34.00" x 24.00" x 12.50"  
(86.3 x 60.9 x 31.7 cm)

2.50" / 10.00"  
(6.3 cm / 25.4 cm)

38 lbs. (17.24 kg) WITH FOAM  
30 lbs. (13.61 kg) NO FOAM



Replacement O-ring,  
5 pc. replacement foam set

IP67

#### EXTERIOR DIMENSIONS

#### INTERIOR DIMENSIONS

#### LID/BOTTOM DEPTH


#### WEIGHT

#### COLORS

#### AVAILABLE ACCESSORIES

#### CERTIFICATES

### 1780 TRANSPORT CASE



44.90" x 25.32" x 16.50"  
(114 x 64.3 x 41.9 cm)

42.00" x 22.00" x 15.10"  
(106.6 x 55.9 x 38.3 cm)

7.58" / 7.30"  
(19.2 cm / 18.5 cm)

49 lbs. (22.23 kg) WITH FOAM  
38.4 lbs. (17.42 kg) NO FOAM



Replacement O-ring,  
6 pc. replacement foam set  
Pick N Pluck™ foam only

DEF STAN 81-41/STANAG 4280

### 0340 CUBE CASE



20.50" x 20.50" x 19.25"  
(52 x 52 x 48.9 cm)

18.00" x 18.00" x 18.00"  
(45.7 x 45.7 x 45.7 cm)

4.50" / 13.50"  
(11.4 cm / 34.3 cm)

29.76 lbs. (13.5 kg) WITH FOAM  
24 lbs. (10.89 kg) NO FOAM

■ ■ ■\*

Replacement O-ring, 7 pc.  
replacement foam set, padded  
divider set, lid organizer

IP67  
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

### 0450 MOBILE TOOL CHEST



23.95" x 14.75" x 17.95"  
(60.8 x 37.5 x 45.6 cm)

20.56" x 10.97" x 12.65"  
(52.2 x 27.9 x 32.1 cm)

N/A

33 lbs. (14.97 kg) NO DRAWERS  
41.5 lbs. (18.82 kg) WITH DRAWERS

■

Deep drawer, shallow drawer,  
4" drawer, top tray, vertical tool  
pallet and horizontal tool pallet

MIL-STD-810F

CERTIFICATES

### 0350 CUBE CASE



22.50" x 22.43" x 21.25"  
(57.1 x 56.9 x 54 cm)

20.00" x 20.00" x 20.00"  
(50.8 x 50.8 x 50.8 cm)

5.00" / 15.00"  
(12.7 cm / 38.1 cm)

32.01 lbs. (14.52 kg) WITH FOAM  
25.99 lbs. (11.79 kg) NO FOAM

■ ■

Replacement O-ring, 7 pc. foam set,  
padded divider set, lid organizer,  
cube case mobility package

IP67  
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

### 0500 TRANSPORT CASE



39.95" x 23.45" x 28.65"  
(101.4 x 59.5 x 72.7 cm)

34.95" x 18.45" x 25.25"  
(88.7 x 46.8 x 64.1 cm)

2.25" / 23.00"  
(5.7 cm / 58.4 cm)

58.6 lbs. (26.58 kg) WITH FOAM  
50 lbs. (22.68 kg) NO FOAM

■

7 pc. replacement foam set,  
caster wheel kit, pallet riser kit  
document container accessory

N/A

CERTIFICATES

### 0370 CUBE CASE



26.50" x 26.50" x 25.25"  
(67.3 x 67.3 x 64.1 cm)

24.00" x 24.00" x 24.00"  
(60.9 x 60.9 x 60.9 cm)

5.00" / 19.00"  
(12.7 cm / 48.2 cm)

41 lbs. (18.6 kg) WITH FOAM  
31.97 lbs. (14.5 kg) NO FOAM

■ ■ ■\*

Replacement O-ring, 7 pc. foam set,  
padded divider set, lid organizer,  
cube case mobility package

IP67  
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

### 0550 TRANSPORT CASE



51.05" x 27.54" x 22.79"  
(129.6 x 69.9 x 57.9 cm)

47.57" x 24.07" x 17.68"  
(120.8 x 61.1 x 44.9 cm)

3.19" / 14.49"  
(8.1 cm / 36.8 cm)

95 lbs. (43.09 kg) WITH FOAM  
79.2 lbs. (35.92 kg) NO FOAM

■

6 pc. replacement foam set,  
caster wheel kit, pallet riser kit  
document container accessory

N/A

CERTIFICATES