

BAP Equipment Ltd.
385 Wilsey Road, Unit 4B
Fredericton, N.B. E3B 5N6
Phone: 1-800-561-3600
Fax: 1-506-458-2200
info@bapequipment.com
www.bapequipment.com



PELICAN™









PELICAN™ CASES

Call 1-800-561-3600 or email info@bapequipment.com for Pricing

> TABLE OF CONTENTS

Call 1-800-561-3600 or email info@bapequipment.com for Pricing

PELICAN™ CASES

 0915 Memory Card Case	5
 0945 Memory Card Case	5
1010 Micro Case	6
1015 Micro Case	6
1020 Micro Case	6
1030 Micro Case	7
1040 Micro Case	7
1050 Micro Case	7
1060 Micro Case	8
i1010 Case	8
i1015 Case	8
 1055 HardBack™ Case	9
 1065 HardBack™ Case	9
 1075 HardBack™ Case	9
 i1075 HardBack™ Case	10
 1085 HardBack™ Case	10
 1095 HardBack™ Case	10
1120 Case	11
1150 Case	11
1170 Case	12
1200 Case	12
1300 Case	13
1400 Case	13
1430 Top Loader Case	14
1440 Top Loader Case	14
1450 Case	15
1460 Case	15
1460EMS Case	15
1460TOOL Mobile Tool Chest	16
1470 Case	16
1490 Case	17
1490CC1 Case	17
1490CC2 Case	17
1495 Case	18
1495CC1 Case	18
1495CC2 Case	18
1500 Case	19
1500EMS Case	19
1510 Carry On Case	20
1510LOC Laptop Overnight Case	20
1520 Case	21
1550 Case	21
1550EMS Case	22
1560 Case	22
1560LOC Laptop Overnight Case	22
1600 Case	23

1600EMS Case	23
1610 Case	24
1620 Case	24
1630 Transport Case	25
1640 Transport Case	25
1650 Case	26
1660 Case	26
1690 Transport Case	27
1700 Long Case	27
1720 Long Case	28
1730 Transport Case	28
1740 Long Case	29
1750 Long Case	29
1770 Long Case	29
1780T Transport Case	30
1780HL Long Case (with Rifle Hard Liner Insert)	30
0340 Cube Case	30
0350 Cube Case	31
0370 Cube Case	31
0450 Mobile Tool Chest	32
0500 Transport Case	32
0550 Transport Case	33




PELICAN™ STORM CASE™ PRODUCTS

iM2050 Pelican™ Storm Case™	35
iM2075 Pelican™ Storm Case™	35
iM2100 Pelican™ Storm Case™	36
iM2200 Pelican™ Storm Case™	36
iM2300 Pelican™ Storm Case™	37
iM2306 Pelican™ Storm Case™	37
iM2370 Pelican™ Storm Laptop Case	38
iM2400 Pelican™ Storm Case™	38
iM2450 Pelican™ Storm Case™	39
iM2500 Pelican™ Storm Carry On Case	39
iM2600 Pelican™ Storm Case™	40
iM2620 Pelican™ Storm Case™	40
iM2700 Pelican™ Storm Case™	41
iM2720 Pelican™ Storm Case™	41
iM2750 Pelican™ Storm Case™	42
iM2875 Pelican™ Storm Case™	42
iM2950 Pelican™ Storm Case™	43
iM2975 Pelican™ Storm Transport Case	43
iM3075 Pelican™ Storm Transport Case	44
iM3100 Pelican™ Storm Long Case	44
iM3200 Pelican™ Storm Long Case	45
iM3220 Pelican™ Storm Long Case	45
iM3300 Pelican™ Storm Long Case	45

MISCELLANEOUS PRODUCTS	46
------------------------	----

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	DEPTH (TOTAL)	WEIGHT	COLORS	CERTIFICATES
PELICAN™ MEMORY CARD CASES STORAGE MEDIA NOT INCLUDED							
> 0915 0915 MEMORY CARD CASE							
		5.55" X 3.27" X 0.85" (14.1 X 8.3 X 2.2 cm)	4.79" X 2.25" X 0.55" (12.2 X 5.7 X 1.4 cm)	N/A	.22 LBS. (0.1 KG) WITH LINER	■ BLACK	
		<ul style="list-style-type: none"> • Removable insert liner absorbs shock and protects memory cards • Stores 12 SD cards, 6 mini SD cards and 6 micro SD cards • Master Pack 6 ea. 					
■ CONFIGURATIONS							
0915	0915 Memory Card Case						
> 0945 0945 MEMORY CARD CASE							
		5.55" X 3.27" X 0.85" (14.1 X 8.3 X 2.2 cm)	4.79" X 2.25" X 0.55" (12.2 X 5.7 X 1.4 cm)	N/A	.21 LBS. (0.1 KG) WITH LINER	■ BLACK	
		<ul style="list-style-type: none"> • Removable insert liner absorbs shock and protects memory cards • Stores 6 compact flash cards • Master Pack 6 ea. 					
■ CONFIGURATIONS							
0945	0945 Memory Card Case						




PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
<p>PELICAN™ MICRO CASE SERIES™ MICRO CASES COME STANDARD WITH AN IMPACT ABSORBING ELASTOMERIC LINER (1010, 1015, 1020, 1030, 1040, 1050, 1060). CASES WITH PICK N PLUCK™ FOAM ARE AVAILABLE AS A CUSTOM ORDER. CALL FOR PRICING. SOLID CASE COLORS: BLACK, BLUE, YELLOW, RED (EXCEPT 1015). CLEAR CASE LINER COLORS: BLACK, BLUE, YELLOW, RED (EXCEPT 1015).</p>							
> 1010 1010 MICRO CASE							
		5.88" X 4.06" X 2.12" (14.9 X 10.3 X 5.4 cm)	4.37" X 2.87" X 1.68" (11.1 X 7.3 X 4.3 cm)	0.69" / 0.94" (1.8 cm / 2.4 cm)	0.41 LBS. (0.19 KG)	<ul style="list-style-type: none"> ■ BLACK ■ YELLOW ■ BLUE ■ RED 	IP67 (1 meter submersion for 30 minutes)
					WITH LINER 0.4 LBS. (0.18 KG)		
					NO LINER		
		Master Pack 6 ea. WT.: 3.2 lbs. (1.45 kg)					
■ CONFIGURATIONS							
1010	1010 Micro Case						
■ ACCESSORIES							
1011	Replacement Case Liner						
1012	Pick N Pluck™ Foam Insert						
> 1015 1015 MICRO CASE							
		6.68" X 3.88" X 1.86" (17 X 9.9 X 4.7 cm)	5.14" X 2.64" X 1.37" (13.1 X 6.7 X 3.5 cm)	0.43" / 0.94" (1.1 cm / 2.4 cm)	0.46 LBS. (0.21 KG)	<ul style="list-style-type: none"> ■ BLACK ■ YELLOW ■ BLUE ■ RED 	
					NO LINER		
		Master Pack 6 ea. WT.: 3.2 lbs. (1.45 kg)					
■ CONFIGURATIONS							
1015	1015 Micro Case						
■ ACCESSORIES							
1016	Replacement Case Liner						
1017	Pick N Pluck™ Foam Insert						
> 1020 1020 MICRO CASE							
		6.82" X 4.75" X 2.12" (17.3 X 12.1 X 5.4 cm)	5.31" X 3.56" X 1.68" (13.5 X 9 X 4.3 cm)	0.69" / 0.94" (1.8 cm / 2.4 cm)	0.56 LBS. (0.25 KG)	<ul style="list-style-type: none"> ■ BLACK ■ YELLOW ■ BLUE ■ RED 	IP67 (1 meter submersion for 30 minutes)
					WITH LINER 0.55 LBS. (0.25 KG)		
					NO LINER		
		Master Pack 6 ea. WT.: 4 lbs. (1.81 kg)					
■ CONFIGURATIONS							
1020	1020 Micro Case						
■ ACCESSORIES							
1021	Replacement Case Liner						
1022	Pick N Pluck™ Foam Insert						

PELICAN™ CASES

BAP Equipment Ltd.

PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1030 1030 MICRO CASE							
		7.50" X 3.87" X 2.43" (19 X 9.8 X 6.2 cm)	6.37" X 2.62" X 2.06" (16.2 X 6.7 X 5.2 cm)	0.69" / 1.25" (1.8 cm / 3.2 cm)	0.61 LBS. (0.28 KG) WITH LINER 0.6 LBS. (0.27 KG) NO LINER	<ul style="list-style-type: none"> ■ BLACK ■ YELLOW ■ BLUE ■ RED 	IP67 (1 meter submersion for 30 minutes)
		Master Pack 6 ea. WT.: 4.24 lbs. (1.92 kg)					
■ CONFIGURATIONS							
1030	1030 Micro Case						
■ ACCESSORIES							
1031	Replacement Case Liner						
1032	Pick N Pluck™ Foam Insert						
> 1040 1040 MICRO CASE							
		7.50" X 5.06" X 2.12" (19 X 12.8 X 5.4 cm)	6.50" X 3.87" X 1.75" (16.5 X 9.8 X 4.4 cm)	0.69" / 0.94" (1.8 cm / 2.4 cm)	0.71 LBS. (0.32 KG) WITH LINER 0.7 LBS. (0.32 KG) NO LINER	<ul style="list-style-type: none"> ■ BLACK ■ YELLOW ■ BLUE ■ RED ■ MOSSY OAK 	IP67 (1 meter submersion for 30 minutes)
		Master Pack 6 ea. WT.: 4.85 lbs. (2.2 kg)					
■ CONFIGURATIONS							
1040	1040 Micro Case						
■ ACCESSORIES							
1041	Replacement Case Liner						
1042	Pick N Pluck™ Foam Insert						
> 1050 1050 MICRO CASE							
		7.50" X 5.06" X 3.12" (19 X 12.8 X 7.9 cm)	6.31" X 3.68" X 2.75" (16 X 9.3 X 7 cm)	0.69" / 1.94" (1.8 cm / 4.9 cm)	0.83 LBS. (0.38 KG) WITH LINER 0.81 LBS. (0.37 KG) NO LINER	<ul style="list-style-type: none"> ■ BLACK ■ YELLOW ■ BLUE ■ RED 	IP67 (1 meter submersion for 30 minutes)
		Master Pack 6 ea. WT.: 6.04 lbs. (2.74 kg)					
■ CONFIGURATIONS							
1050	1050 Micro Case						
■ ACCESSORIES							
1051	Replacement Case Liner						
1052	Pick N Pluck™ Foam Insert						

BAP Equipment Ltd.

PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
--------	-------------	----------	----------	--------------------	--------	--------	--------------

> 1060 | 1060 MICRO CASE



9.37" X 5.56" X 2.62"
(23.8 X 14.1 X 6.7 cm)

8.25" X 4.25" X 2.25"
(20.9 X 10.8 X 5.7 cm)

0.69" / 1.44"
(1.8 cm / 3.7 cm)

1.03 LBS.
(0.47 KG)
WITH LINER
1 LBS. (0.45 KG)
NO LINER

- BLACK
- YELLOW
- BLUE
- RED

IP67 (1 meter submersion for 30 minutes)

Master Pack 6 ea. WT.: 6.88 lbs. (3.12 kg)

■ CONFIGURATIONS

1060	1060 Micro Case
------	-----------------

■ ACCESSORIES

1061	Replacement Case Liner
1062	Pick N Pluck™ Foam Insert

> i1010 | i1010 CASE



5.88" X 4.06" X 2.12"
(14.9 X 10.3 X 5.4 cm)

4.37" X 2.87" X 1.68"
(11.1 X 7.3 X 4.3 cm)

0.69" / 0.94"
(1.8 cm / 2.4 cm)

0.41 LBS.
(0.19 KG)

- BLACK
- YELLOW
- WHITE
- IPOD PINK
- IPOD BLUE
- IPOD SILVER
- IPOD GREEN

- Master Pack 6 ea.
- Designed for any 1st or 2nd generation iPod®, Nano, and Shuffle™

■ CONFIGURATIONS

i1010	i1010 Case
-------	------------

Apple, iPod, and Shuffle are registered and unregistered trademarks of Apple Computer Inc.

> i1015 | i1015 CASE



6.68" X 3.88" X 1.86"
(17 X 9.9 X 4.7 cm)

5.14" X 2.64" X 1.37"
(13.1 X 6.7 X 3.5 cm)

0.43" / 0.94"
(1.1 cm / 2.4 cm)

0.49 LBS. (0.22 KG)
NO LINER

- BLACK







- Master Pack 6 ea.
- Designed for iPhone™, iPhone™ 4 & iPod touch®
- Fits several Smart Phones including Blackberry®: Bold/Curve/Storm/Pearl, T-Mobile® MyTouch 3G, T-Mobile® G1 Nokia®: 5800/5530/E63/E71/E71x/E75/N97 Mini/N79/N78, Motorola: Droid/Cliq

■ CONFIGURATIONS

i1015	i1015 Case
-------	------------

Apple, iPhone and iPod Touch are registered and unregistered trademarks of Apple Computer Inc.







BAP Equipment Ltd.

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1055 1055 HARDBACK™ CASE							
		9.42" X 7.02" X 1.24"	8.55" X 5.52" X 0.85"	0.43" / 0.43"	0.82 LBS.	■ BLACK	
		(23.9 X 17.8 X 3.1 cm)	(21.7 X 14 X 2.2 cm)	(1.1 cm / 1.1 cm)	(0.37 KG)		
		<ul style="list-style-type: none"> • Master Pack 6 ea. • Designed to protect the most popular eReaders and 7" tablets 					
		<ul style="list-style-type: none"> WITH FOAM 0.75 LBS. (0.34 KG) NO FOAM 					
■ CONFIGURATIONS							
1055CC	1055 HardBack™ Case (with Computer Case Liner)						
> 1065 1065 HARDBACK™ CASE							
		10.86" X 9.28" X 1.24"	9.96" X 7.76" X 0.81"	0.41" / 0.41"	1.25 LBS.	■ BLACK	
		(27.6 X 23.6 X 3.1 cm)	(25.3 X 19.7 X 2.1 cm)	(1 cm / 1 cm)	(0.57 KG)		
		<ul style="list-style-type: none"> • Master Pack 6 ea. • Designed to protect most 10" tablets including iPad, iPad 2, iPad 2 with smart cover 					
		<ul style="list-style-type: none"> WITH FOAM 0.72 LBS. (0.33 KG) NO FOAM 					
■ CONFIGURATIONS							
1065CC	1065 HardBack™ Case (with Computer Case Liner)						
> 1075 1075 HARDBACK™ CASE							
		12.38" X 9.75" X 2.13"	11.11" X 7.92" X 1.63"	0.81" / 0.81"	1.54 LBS.	■ BLACK	
		(31.4 X 24.8 X 5.4 cm)	(28.2 X 20.1 X 4.1 cm)	(2.1 cm / 2.1 cm)	(0.7 KG)		
		<ul style="list-style-type: none"> • Master Pack 6 ea. • Designed to protect various electronics including external hard drives 					
		<ul style="list-style-type: none"> WITH FOAM 1.41 LBS. (0.64 KG) NO FOAM 					
■ CONFIGURATIONS							
1075	1075 HardBack™ Case						
1075CC	1075 HardBack™ Case (with Computer Case Liner)						

PELICAN™ CASES



BAP Equipment Ltd.

PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> i1075 i1075 HARDBACK™ CASE							
		12.38" X 9.75" X 2.13" (31.4 X 24.8 X 5.4 cm)	11.11" X 7.92" X 1.63" (28.2 X 20.1 X 4.1 cm)	0.81" / 0.81" (2.1 cm / 2.1 cm)	2.54 LBS. (1.15 KG)	■ BLACK	IP67 (1 meter submersion for 30 minutes)
					WITH FOAM 1.41 LBS. (0.64 KG) NO FOAM		
		 <ul style="list-style-type: none"> • Master Pack 6 ea. • Designed to protect iPad, iPad 2, iPad 2 with smart cover 					
■ CONFIGURATIONS							
i1075	i1075 HardBack™ Case (with iPad insert)						
> 1085 1085 HARDBACK™ CASE							
		15.64" X 12.41" X 2.5" (39.7 X 31.5 X 6.3 cm)	14.29" X 10.37" X 1.97" (36.3 X 26.3 X 5.0 cm)	0.99" / 0.99" (2.5 cm / 2.5 cm)	2.592 LBS. (1.17 KG)	■ BLACK	
		 <ul style="list-style-type: none"> • Master Pack 4 ea. WT.: 15.53 lbs. (7.04 kg) • Designed to protect 14" laptops 					
■ CONFIGURATIONS							
1085	1085 HardBack™ Case						
1085CC	1085 HardBack™ Case (with Computer Case Liner)						
■ ACCESSORIES							
1086	3 pc. Replacement Foam Set						
1088	Replacement O-ring						
> 1095 1095 HARDBACK™ CASE							
		17.18" X 13.24" X 2.60" (43.6 X 33.6 X 6.6 cm)	15.78" X 11.16" X 2.06" (40.1 X 28.3 X 5.2 cm)	1.03" / 1.03" (2.6 cm / 2.6 cm)	2.92 LBS. (1.32 KG)	■ BLACK	
					NO FOAM		
		 <ul style="list-style-type: none"> • Master Pack 4 ea. WT.: 15.53 lbs. (7.04 kg) • Designed to protect 15" laptops 					
■ CONFIGURATIONS							
1095	1095 HardBack™ Case						
1095CC	1095 HardBack™ Case (with Computer Case Liner)						
■ ACCESSORIES							
1096	3 pc. Replacement Foam Set						
1098	Replacement O-ring						



BAP Equipment Ltd.



PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1120 1120 CASE							
		8.12" X 6.56" X 3.56" (20.6 X 16.7 X 9 cm)	7.25" X 4.75" X 3.06" (18.4 X 12.1 X 7.8 cm)	0.50" / 2.56" (1.3 cm / 6.5 cm)	1.23 LBS. (0.56 KG)	<ul style="list-style-type: none"> ■ BLACK ■ SILVER ■ ORANGE ■ YELLOW ■ BLUE ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/ STANAG 4280
					WITH FOAM 1.17 LBS. (0.53 KG) NO FOAM		
		Master Pack 6 ea. WT.: 10.45 lbs. (4.74 kg)					
■ CONFIGURATIONS							
1120	1120 Case						
1120NF	1120 Case (No foam)						
■ ACCESSORIES							
1120PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1121	3 pc. Replacement Foam Set						
1123	Replacement O-ring						
> 1150 1150 CASE							
		9.12" X 7.56" X 4.37" (23.2 X 19.2 X 11.1 cm)	8.18" X 5.68" X 3.62" (20.8 X 14.4 X 9.2 cm)	0.75" / 2.87" (1.9 cm / 7.3 cm)	1.98 LBS. (0.9 KG)	<ul style="list-style-type: none"> ■ BLACK ■ SILVER ■ ORANGE ■ YELLOW ■ BLUE ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
					WITH FOAM 1.76 LBS. (0.8 KG) NO FOAM		
		Master Pack 6 ea. WT.: 13.95 lbs. (6.33 kg)					
■ CONFIGURATIONS							
1150	1150 Case						
1150NF	1150 Case (No foam)						
■ ACCESSORIES							
1150PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1151	3 pc. Replacement Foam Set						
1153	Replacement O-ring						

BAP Equipment Ltd.



PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1170 1170 CASE							
		11.64" X 8.34" X 3.78" (29.6 X 21.2 X 9.6 cm)	10.54" X 6.04" X 3.16" (26.8 X 15.3 X 8.0 cm)	1.08" / 2.08" (2.7 cm / 5.3 cm)	2.10 LBS. (0.95 KG) WITH FOAM 1.96 LBS. (0.89 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ SILVER ■ ORANGE ■ YELLOW ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes)
		Master Pack 6 ea. WT.: 16.40 lbs. (7.44 kg)					
■ CONFIGURATIONS							
1170	1170 Case						
1170NF	1170 Case (No foam)						
■ ACCESSORIES							
1171	3 pc. Replacement Foam Set						
1173	Replacement O-ring						
> 1200 1200 CASE							
		10.62" X 9.68" X 4.87" (27 X 24.6 X 12.4 cm)	9.25" X 7.12" X 4.12" (23.5 X 18.1 X 10.5 cm)	1.18" / 2.93" (3 cm / 7.4 cm)	2.87 LBS. (1.3 KG) WITH FOAM 2.65 LBS. (1.2 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ SILVER ■ ORANGE ■ YELLOW ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
		Master Pack 6 ea. WT.: 25 lbs. (11.34 kg)					
■ CONFIGURATIONS							
1200	1200 Case						
1200NF	1200 Case (No foam)						
■ ACCESSORIES							
1200PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1201	3 pc. Replacement Foam Set						
1203	Replacement O-ring						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1300 1300 CASE							
		10.62" X 9.68" X 6.87" (27 X 24.6 X 17.4 cm)	9.87" X 7.00" X 6.12" (25.1 X 17.8 X 15.5 cm)	1.18" / 4.93" (3 cm / 12.5 cm)	3.53 LBS. (1.6 KG)	■ BLACK	IP67 (1 meter
					WITH FOAM	■ SILVER	submersion for
					3.09 LBS. (1.4 KG)	■ ORANGE	30 minutes)
					NO FOAM	■ YELLOW	DEF STAN
						■ OD GREEN*	81-41/STANAG
						■ DESERT TAN	4280
Master Pack 4 ea. WT.: 16.85 lbs. (7.64 kg)							
■ CONFIGURATIONS							
1300	1300 Case						
1300NF	1300 Case (No foam)						
■ ACCESSORIES							
1200PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1203	Replacement O-ring						
1301	4 pc. Replacement Foam Set						
> 1400 1400 CASE							
		13.37" X 11.62" X 6.00" (33.9 X 29.5 X 15.2 cm)	11.81" X 8.87" X 5.18" (30 X 22.5 X 13.2 cm)	1.18" / 4.00" (3 cm / 10.2 cm)	4.41 LBS. (2 KG)	■ BLACK	IP67 (1 meter
					WITH FOAM	■ SILVER	submersion for
					3.97 LBS. (1.8 KG)	■ ORANGE	30 minutes)
					NO FOAM	■ YELLOW	MIL C-4150J
						■ OD GREEN*	DEF STAN
						■ DESERT TAN	81-41/STANAG
							4280
							ATA 300
Master Pack 4 ea. WT.: 22.6 lbs. (10.25 kg)							
■ CONFIGURATIONS							
1400	1400 Case						
1400NF	1400 Case (No foam)						
■ ACCESSORIES							
1400PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1401	3 pc. Replacement Foam Set						
1403	Replacement O-ring						




BAP Equipment Ltd.

PELICAN™ CASES


CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1430 1430 TOP LOADER CASE							
		16.93" X 9.61" X 13.42" (43 X 24.4 X 34.1 cm)	13.56" X 5.76" X 11.70" (34.4 X 14.6 X 29.7 cm)	2.00" / 9.70" (5.1 cm / 24.6 cm)	6.5 LBS. (2.95 KG)	■ BLACK	IP67 (1 meter
					WITH FOAM	■ ORANGE	submersion for
					5.6 LBS. (2.54 KG)	■ YELLOW	30 minutes)
					NO FOAM	■ OD GREEN*	DEF STAN
						■ DESERT TAN	81-41/STANAG 4280
Master Pack 1 ea. WT.: 8.09 lbs. (3.67 kg)							
■ CONFIGURATIONS							
1430	1430 Top Loader Case						
1430NF	1430 Top Loader Case (No foam)						
1434	1430 Case with Padded Dividers & Lid Organizer						
1437	1430 Case with Padded Office Divider Set & Lid Organizer						
■ ACCESSORIES							
1430PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1431	5 pc. Replacement Foam Set						
1432	Strap Kit						
1433	Replacement O-ring						
1435	Padded Divider Set Only						
1436	Office Divider Kit						
1438	Boat Bracket Kit						
1439	Lid Organizer						
> 1440 1440 TOP LOADER CASE							
		19.70" X 12.00" X 18.00" (50 X 30.5 X 45.7 cm)	17.10" X 7.50" X 16.00" (43.4 X 19 X 40.6 cm)	2.00" / 14.00" (5.1 cm / 35.5 cm)	16.5 LBS. (7.48 KG)	■ BLACK	IP67 (1 meter
					WITH FOAM	■ SILVER	submersion for
					14.5 LBS. (6.58 KG)	■ ORANGE	30 minutes)
					NO FOAM	■ YELLOW	DEF STAN
						■ OD GREEN*	81-41/STANAG
						■ DESERT TAN	4280
Master Pack 1 ea. WT.: 18 lbs. (8.16 kg)							
■ CONFIGURATIONS							
1440	1440 Top Loader Case						
1440NF	1440 Top Loader Case (No foam)						
1444	1440 Case with Utility Padded Divider Set & Lid Organizer						
1447	1440 Case with Padded Office Divider Set & Lid Organizer						
■ ACCESSORIES							
1441	6 pc. Replacement Foam Set						
1443	Replacement O-ring						
1445	Utility Padded Divider Set & Lid Organizer						
1446	Office Divider Set & Lid Organizer						
1449	Office Lid Organizer						

BAP Equipment Ltd.

PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1450 1450 CASE							
		16.00" X 13.00" X 6.87" (40.6 X 33 X 17.4 cm)	14.62" X 10.18" X 6.00" (37.1 X 25.8 X 15.2 cm)	1.75" / 4.25" (4.4 cm / 10.8 cm)	6.39 LBS. (2.9 KG) WITH FOAM 5.51 LBS. (2.5 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ SILVER ■ ORANGE ■ YELLOW ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) MIL C-4150J DEF STAN 81-41/STANAG 4280
		Master Pack 4 ea. WT.: 33.35 lbs. (15.13 kg)					
■ CONFIGURATIONS							
1450	1450 Case						
1450NF	1450 Case (No foam)						
1454	1450 Case with Padded Dividers						
■ ACCESSORIES							
1450PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1451	3 pc. Replacement Foam Set						
1453	Replacement O-ring						
1455	Padded Divider Set Only						
> 1460 1460 CASE							
		20.85" x 12.73" x 12.75" (52.9 x 32.3 x 32.1 cm)	18.54" x 9.92" x 10.92" (47.1 x 25.2 x 27.7 cm)	4.91"/6.01" (12.5 cm/15.3cm)	12.48 LBS. (5.66 KG) WITH FOAM 8.75 LBS. (3.97 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ DESERT TAN ■ OD GREEN* 	IP67 (1 meter submersion for 30 minutes)
		Master Pack 1 ea. WT.: 12.20 lbs. (5.53 kg)					
■ CONFIGURATIONS							
1460	1460 Case						
1460NF	1460 Case (No Foam)						
1460AALG	1460 Case (with custom foam for 9430/9435)						
■ ACCESSORIES							
1461	Replacement Foam Set						
1463	Replacement O-ring						
> 1460EMS 1460EMS CASE							
		20.85" x 12.73" x 12.75" (52.9 x 32.3 x 32.1 cm)	18.54" x 9.92" x 10.92" (47.1 x 25.2 x 27.7 cm)	4.91"/6.01" (12.5 cm/15.3cm)	WITH TRAY ASSEMBLY: 18.20 LBS. (8.26 KG)	<ul style="list-style-type: none"> ■ BLACK ■ ORANGE 	IP66
		Master Pack 1 ea.					
■ CONFIGURATIONS							
1460EMS	1460 EMS Case						
■ ACCESSORIES							
1463	Replacement O-ring						
1466	Tray System for 1460EMS 3 tier collapsible tray system for the 1460EMS						




BAP Equipment Ltd.

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1460TOOL 1470 MOBILE TOOL CHEST							
		20.85" X 12.73" X 12.75" (52.9 X 32.3 X 32.4 cm)	18.54" X 9.92" X 10.92" (47.1 X 25.2 X 27.7 cm)	4.91" / 6.01" (12.5 cm / 15.3 cm)	13 LBS. (5.9 KG) WITH FOAM	<ul style="list-style-type: none"> ■ BLACK ■ YELLOW ■ RED 	IP66
		Master Pack 1 ea.					
■ CONFIGURATIONS							
1460 TOOL	1460 Mobile Tool Chest						
■ ACCESSORIES							
1463	Replacement O-ring						
> 1470 1470 CASE							
		16.68" X 13.06" X 4.37" (42.4 X 33.2 X 11.1 cm)	15.62" X 10.43" X 3.75" (39.7 X 26.5 X 9.5 cm)	1.37" / 2.37" (3.5 cm / 6 cm)	5.51 LBS. (2.5 KG) WITH FOAM 4.28 LBS. (1.94 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ DESERT TAN 	MIL C-4150J
		Master Pack 4 ea. WT.: 22.2 lbs. (10.07 kg)					
■ CONFIGURATIONS							
1470	1470 Case						
1470NF	1470 Case (No foam)						
■ ACCESSORIES							
1470PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1471	3 pc. Replacement Foam Set						
1472	Shoulder Strap						
1473	Replacement O-ring						



PELICAN™ CASES

BAP Equipment Ltd.

PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1490 1490 CASE							
		19.87" X 13.93" X 4.68" (50.4 X 35.4 X 11.9 cm)	17.75" X 11.37" X 4.12" (45.1 X 28.9 X 10.5 cm)	1.50" / 2.62" (3.8 cm / 6.7 cm)	6.5 LBS. (2.95 KG) WITH FOAM 5.47 LBS. (2.48 KG) NO FOAM	■ BLACK ■ DESERT TAN	DEF STAN 81-41/STANAG 4280
	Master Pack 4 ea. WT.: 27.3 lbs. (12.38 kg)						
■ CONFIGURATIONS							
1490	1490 Case						
1490NF	1490 Case (No foam)						
■ ACCESSORIES							
1472	Shoulder Strap						
1490PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1491	3 pc. Replacement Foam Set						
1493	Replacement O-ring						
1498	Computer Lid Organizer						
1499C	Computer Bottom Insert						
> 1490CC1 1490CC1 LAPTOP CASE							
		19.87" X 13.93" X 4.68" (50.4 X 35.4 X 11.9 cm)	17.75" X 11.37" X 4.12" (45.1 X 28.9 X 10.5 cm)	1.50" / 2.62" (3.8 cm / 6.7 cm)	6.5 LBS. (2.95 KG) WITH FOAM 5.47 LBS. (2.48 KG) NO FOAM	■ BLACK ■ DESERT TAN	DEF STAN 81-41/STANAG 4280
	Master Pack 4 ea. WT.: 27.3 lbs. (12.38 kg)						
■ CONFIGURATIONS							
1490CC1	1490CC1 Laptop Case						
■ ACCESSORIES							
1493	Replacement O-ring						
1498	Computer Lid Organizer						
1499C	Computer Bottom Insert						
> 1490CC2 1490CC2 LAPTOP CASE							
		19.87" X 13.93" X 4.68" (50.4 X 35.4 X 11.9 cm)	17.75" X 11.37" X 4.12" (45.1 X 28.9 X 10.5 cm)	1.50" / 2.62" (3.8 cm / 6.7 cm)	6.5 LBS. (2.95 KG) WITH FOAM 5.47 LBS. (2.48 KG) NO FOAM	■ BLACK ■ DESERT TAN	DEF STAN 81-41/STANAG 4280
	Master Pack 4 ea. WT.: 27.3 lbs. (12.38 kg)						
■ CONFIGURATIONS							
1490CC2	1490CC2 Laptop Case						
■ ACCESSORIES							
1493	Replacement O-ring						
1498	Computer Lid Organizer						
1491HDF	2 pc. High Density Foam						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1495 1495 CASE							
		21.62" X 17.25" X 4.87" (54.9 X 43.8 X 12.4 cm)	18.87" X 13.12" X 3.81" (47.9 X 33.3 X 9.7 cm)	1.12" / 2.68" (2.8 cm / 6.8 cm)	8.37 LBS. (3.8 KG) WITH FOAM 7.23 LBS. (3.28 KG) NO FOAM	■ BLACK ■ DESERT TAN	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
Master Pack 2 ea. WT.: 16.74 (7.6 kg)							
■ CONFIGURATIONS							
1495	1495 Case						
1495NF	1495 Case (No foam)						
■ ACCESSORIES							
1472	Shoulder Strap						
1481	3 pc. Replacement Foam Set						
1483	Replacement O-ring						
> 1495CC1 1495CC1 LAPTOP CASE							
		21.62" X 17.25" X 4.87" (54.9 X 43.8 X 12.4 cm)	18.87" X 13.12" X 3.81" (47.9 X 33.3 X 9.7 cm)	1.12" / 2.68" (2.8 cm / 6.8 cm)	11.1 LBS. (5.03 KG)	■ BLACK ■ DESERT TAN	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
Master Pack 2 ea. WT.: 22.2 (10.06 kg)							
■ CONFIGURATIONS							
1495CC1	1495CC1 Laptop Case						
■ ACCESSORIES							
1483	Replacement O-ring						
1495ALI	Attache/Computer Lid Insert						
1495CBI	Computer Bottom Insert						
1495HDF	4 lb. High Density Foam						
> 1495CC2 1495CC2 LAPTOP CASE							
		21.62" X 17.25" X 4.87" (54.9 X 43.8 X 12.4 cm)	18.87" X 13.12" X 3.81" (47.9 X 33.3 X 9.7 cm)	1.12" / 2.68" (2.8 cm / 6.8 cm)	8.99 LBS. (4.08 KG)	■ BLACK ■ DESERT TAN	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
Master Pack 2 ea. WT.: 17.98 (8.16kg)							
■ CONFIGURATIONS							
1495CC2	1495CC2 Laptop Case						
■ ACCESSORIES							
1483	Replacement O-ring						
1495ALI	Attache/Computer Lid Insert						
1495CBI	Computer Bottom Insert						
1495HDF	4 lb. High Density Foam						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1500 1500 CASE							
		18.50" X 14.06" X 6.93" (47 X 35.7 X 17.6 cm)	16.75" X 11.18" X 6.12" (42.5 X 28.4 X 15.5 cm)	1.81" / 4.31" (4.6 cm / 10.9 cm)	7.05 LBS. (3.2 KG)	■ BLACK	IP67 (1 meter submersion for 30 minutes) MIL C-4150J DEF STAN 81-41/STANAG 4280 ATA 300
					WITH FOAM	■ SILVER	
					6.39 LBS. (2.9 KG)	■ ORANGE	
					NO FOAM	■ YELLOW	
						■ OD GREEN*	
						■ DESERT TAN	
Master Pack 4 ea. WT.: 40.65 lbs. (18.44 kg)							
■ CONFIGURATIONS							
1500	1500 Case						
1500NF	1500 Case (No foam)						
1504	1500 Case with Padded Dividers						
■ ACCESSORIES							
1500PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1501	3 pc. Replacement Foam Set						
1503	Replacement O-ring						
1505	Padded Divider Set Only						
1508	Photographer's Lid Organizer						
1509	Lid Organizer						
> 1500EMS 1500EMS CASE							
		18.50" X 14.06" X 6.93" (47 X 35.7 X 17.6 cm)	16.75" X 11.18" X 6.12" (42.5 X 28.4 X 15.5 cm)	1.81" / 4.31" (4.6 cm / 10.9 cm)	10 LBS. (4.54 KG)	■ BLACK	IP67 (1 meter submersion for 30 minutes) MIL C-4150J STANAG 4280 ATA 300
						■ ORANGE	
						■ DESERT TAN	
Master Pack 1 ea. WT.: 11 lbs. (4.99 kg)							
■ CONFIGURATIONS							
1500EMS	1500EMS Case						
■ ACCESSORIES							
1503	Replacement O-ring						
1505EMS	EMS Accessory Set (Lid Organizer and Divider Set)						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
--------	-------------	----------	----------	--------------------	--------	--------	--------------

> 1510 | 1510 CARRY ON CASE



22.00" X 13.81" X 9.00"
(55.9 X 35.1 X 22.9 cm)

19.75" X 11.00" X 7.60"
(50.1 X 27.9 X 19.3 cm)

1.79" / 5.79"
(4.5 cm / 14.7 cm)

13.6 LBS.
(6.17 KG)

WITH FOAM

11.99 LBS.
(5.44 KG)

NO FOAM

■ BLACK
■ OD GREEN*
■ DESERT TAN

IP67 (1 meter submersion for 30 minutes)
DEF STAN
81-41/STANAG
4280

Master Pack 2 ea. WT.: 32.43 lbs. (14.71 kg)

■ CONFIGURATIONS

1510	1510 Carry On Case
1510NF	1510 Carry On (No foam)
1514	1510 Case with Padded Dividers

■ ACCESSORIES

1511	4 pc. Replacement Foam Set
1513	Replacement O-ring
1515	Padded Divider Set Only
1519	Lid Organizer for 1510 Case

> 1510LOC | 1510LOC LAPTOP OVERNIGHT CASE



22.0" X 13.81" X 9.0"
(55.9 X 35.1 X 22.9 cm)

19.75" X 11.00" X 7.60"
(50.1 X 27.9 X 19.3 cm)

1.79" / 5.79"
(4.5 cm / 14.7 cm)

13.6 LBS.
(6.17 KG)

■ BLACK
■ OD GREEN*
■ DESERT TAN

IP67 (1 meter submersion for 30 minutes)
DEF STAN
81-41/STANAG
4280

Master Pack 2 ea. WT.: 32.43 lbs. (14.71 kg)

■ CONFIGURATIONS



1510LOC	1510 Laptop Overnight Case
---------	----------------------------

■ ACCESSORIES

1513	Replacement O-ring
------	--------------------




BAP Equipment Ltd.

PELICAN™ CASES



CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1520 1520 CASE							
		19.78" X 15.77" X 7.41" (50.2 X 40 X 18.8 cm)	18.06" X 12.89" X 6.72" (45.9 X 32.7 X 17.1 cm)	1.79" / 4.93" (4.5 cm / 12.5 cm)	9.35 LBS. (4.24 KG)	■ BLACK	IP67 (1 meter
					WITH FOAM	■ SILVER	submersion for
					8.29 LBS. (3.76 KG)	■ ORANGE	30 minutes)
					NO FOAM	■ YELLOW	MIL C-4150J
						■ OD GREEN*	DEF STAN
						■ DESERT TAN	81-41/STANAG 4280
Master Pack 2 ea. WT.: 23.3 lbs. (10.57 kg)							
■ CONFIGURATIONS							
1520	1520 Case						
1520NF	1520 Case (No foam)						
1524	1520 Case with Padded Dividers						
1526	1520 Case w/1527 Convertible Travel Bag						
■ ACCESSORIES							
1508	Photographers Lid Organizer						
1509	Lid Organizer						
1520PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1521	3 pc. Replacement Foam Set						
1523	Replacement O-ring						
1525	Padded Divider Set Only						
1527	Convertible Travel Bag Only						
> 1550 1550 CASE							
		20.62" X 16.87" X 8.12" (52.4 X 42.8 X 20.6 cm)	18.43" X 14.00" X 7.62" (46.8 X 35.5 X 19.3 cm)	1.75" / 5.87" (4.4 cm / 14.9 cm)	11.9 LBS. (5.4 KG)	■ BLACK	IP67 (1 meter
					WITH FOAM	■ SILVER	submersion for
					10.58 LBS. (4.8 KG)	■ ORANGE	30 minutes)
					NO FOAM	■ YELLOW	MIL C-4150J
						■ OD GREEN*	DEF STAN
						■ DESERT TAN	81-41/STANAG 4280 ATA 300
Master Pack 2 ea. WT.: 28.35 lbs. (12.86 kg)							
■ CONFIGURATIONS							
1550	1550 Case						
1550NF	1550 Case (No foam)						
1554	1550 Case with Padded Dividers						
■ ACCESSORIES							
1550PF	Special Application Panel Frame - For electronic interface mounting information go to PelicanOEM.com.						
1551	4 pc. Replacement Foam Set						
1552	Pick N Pluck™ Sections Only (set of 2)						
1553	Replacement O-ring						
1555	Padded Divider Set Only						

BAP Equipment Ltd.



PELICAN™ CASES



CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1550EMS 1550EMS CASE							
		20.62" X 16.87" X 8.12" (52.4 X 42.8 X 20.6 cm)	18.43" X 14.00" X 7.62" (46.8 X 35.5 X 19.3 cm)	1.75" / 5.87" (4.4 cm / 14.9 cm)	15 LBS. (6.8 KG)	<ul style="list-style-type: none"> ■ BLACK ■ ORANGE ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) MIL C-4150J STANAG 4280 ATA 300
		Master Pack 1 ea. WT.: 15 lbs. (6.8 kg)					
■ CONFIGURATIONS							
1550EMS	1550EMS Case						
■ ACCESSORIES							
1553	Replacement O-ring						
1555EMS	EMS Accessory Set (Lid Organizer and Divider Set)						
> 1560 1560 CASE							
		22.06" X 17.93" X 10.43" (56 X 45.5 X 26.5 cm)	20.37" X 15.43" X 9.00" (51.7 X 39.2 X 22.9 cm)	2.00" / 7.00" (5.1 cm / 17.8 cm)	20 LBS. (9.07 KG) WITH FOAM 17 LBS. (7.71 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ SILVER ■ ORANGE ■ YELLOW ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
		Master Pack 1 ea. WT.: 21 lbs. (9.53 kg)					
■ CONFIGURATIONS							
1560	1560 Case						
1560NF	1560 Case (No foam)						
1564	1560 Case with Padded Dividers						
■ ACCESSORIES							
1561	4 pc. Replacement Foam Set						
1562	Pick N Pluck™ Sections Only (set of 2)						
1565	Padded Divider Set Only						
1569	Lid Organizer for 1560 Case						
0343	Replacement O-ring						
> 1560LOC 1560 LAPTOP OVERNIGHT CASE							
		22.06" X 17.93" X 10.43" (56 X 45.5 X 26.5 cm)	20.37" X 15.43" X 9.00" (51.7 X 39.2 X 22.9 cm)	2.00" / 7.00" (5.1 cm / 17.8 cm)	20 LBS. (9.07 KG) WITH FOAM 17 LBS. (7.71 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
		Master Pack 1 ea. WT.: 21 lbs. (9.53 kg)					
■ CONFIGURATIONS							
1560LOC	1560 Laptop Overnight Case						
1560LFC	1560LOC Case with base foam						
1560SC	1560 Studio Case (1560LOC with padded dividers)						
■ ACCESSORIES							
0343	Replacement O-ring						



BAP Equipment Ltd.



CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1600 1600 CASE							
		24.25" X 19.43" X 8.68" (61.6 X 49.3 X 22 cm)	21.43" X 16.50" X 7.87" (54.4 X 41.9 X 20 cm)	1.75" / 6.12" (4.4 cm / 15.5 cm)	14.11 LBS. (6.4 KG) WITH FOAM 13 LBS. (5.9 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ SILVER ■ ORANGE ■ YELLOW ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) MIL C-4150J DEF STAN 81-41/STANAG 4280 ATA 300
		Master Pack 2 ea. WT.: 34.75 lbs. (15.76 kg)					
■ CONFIGURATIONS							
1600	1600 Case						
1600NF	1600 Case (No foam)						
1604	1600 Case with Padded Dividers						
■ ACCESSORIES							
1601	4 pc. Replacement Foam Set						
1602	Pick N Pluck™ Sections Only (set of 2)						
1603	Replacement O-ring						
1605	Padded Divider Set Only						
1609	Lid Organizer						
> 1600EMS 1600EMS CASE							
		24.25" X 19.43" X 8.68" (61.6 X 49.3 X 22 cm)	21.43" X 16.50" X 7.87" (54.4 X 41.9 X 20 cm)	1.75" / 6.12" (4.4 cm / 15.5 cm)	18 LBS. (8.16 KG)	<ul style="list-style-type: none"> ■ BLACK ■ ORANGE ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) MIL C-4150J STANAG 4280 ATA 300
		Master Pack 1 ea. WT.: 18.5 lbs. (8.39 kg)					
■ CONFIGURATIONS							
1600EMS	1600EMS Case						
■ ACCESSORIES							
1603	Replacement O-ring						
1605EMS	EMS Accessory Set (Lid Organizer and Divider Set)						



PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1610 1610 CASE							
		24.83" x 19.69" x 11.88" (63 x 50 x 30.2 cm)	21.78" x 16.69" x 10.62" (55.3 x 42.4 x 27 cm)	2.05" / 8.57" (5.2 cm / 21.8 cm)	22.3 lbs. (10.12 kg)	■ BLACK ■ OD GREEN*	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
					WITH FOAM	■ DESERT TAN	
					19.5 lbs. (8.85 kg) NO FOAM		
		Master Pack 1 ea. WT.: 25.55 lbs. (11.59 kg)					
■ CONFIGURATIONS							
1610	1610 Case						
1610NF	1610 Case (No foam)						
1614	1610 Case with Padded Dividers						
■ ACCESSORIES							
1609	Lid Organizer						
1611	5 pc. Replacement Foam Set						
1612	Pick N Pluck™ Sections Only (set of 3)						
1623	Replacement O-ring						
1615	Padded Divider Set Only						
> 1620 1620 CASE							
		24.64" x 19.39" x 13.78" (62.6 x 49.2 x 35 cm)	21.48" x 16.42" x 12.54" (54.5 x 41.7 x 31.8 cm)	2.01" / 10.53" (5.1cm / 26.7 cm)	24.62 lbs. (11.17 kg)	■ BLACK ■ OD GREEN*	IP67 (1 meter submersion for 30 minutes) MIL C-4150J DEF STAN 81-41/STANAG 4280
					WITH FOAM	■ DESERT TAN	
					21.2 lbs. (9.62 kg) NO FOAM		
		Master Pack 1 ea. WT.: 26.9 lbs. (12.2 kg)					
■ CONFIGURATIONS							
1620	1620 Case						
1620NF	1620 Case (No foam)						
1624	1620 Case with Padded Dividers						
■ ACCESSORIES							
1609	Lid Organizer						
1621	6 pc. Replacement Foam Set						
1622	Pick N Pluck™ Sections Only (set of 4)						
1623	Replacement O-ring						
1625	Padded Divider Set Only						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1630 1630 TRANSPORT CASE							
		31.28" X 24.21" X 17.48" (79.4 X 61.5 X 44.4 cm)	27.70" X 20.98" X 15.50" (70.3 X 53.3 X 39.4 cm)	3.25" / 12.14" (8.3 cm / 30.8 cm)	36 LBS. (16.33 KG)	■ BLACK ■ OD GREEN* ■ DESERT TAN	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
					WITH FOAM 31 LBS. (14.06 KG) NO FOAM		
Master Pack 1 ea. WT.: 42 lbs. (19.05 kg)							
■ CONFIGURATIONS							
1630	1630 Transport Case						
1630NF	1630 Transport Case (No foam)						
1634	1630 Transport Case with Padded Dividers						
■ ACCESSORIES							
1630DC	Document Container Accessory						
1631	5 pc. Replacement Foam Set						
1632	Pick N Pluck™ Sections Only (set of 3)						
1633	Replacement O-ring						
1635	Padded Divider Set Only						
1639	Lid Organizer for 1630 Transport Case						
> 1640 1640 TRANSPORT CASE							
		27.20" X 27.50" X 16.30" (69.1 X 69.8 X 41.4 cm)	23.70" X 24.00" X 13.90" (60.2 X 60.9 X 35.3 cm)	2.00" / 11.90" (5.1 cm / 30.2 cm)	38 LBS. (17.24 KG)	■ BLACK ■ OD GREEN* ■ DESERT TAN	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
					WITH FOAM 34 LBS. (15.42 KG) NO FOAM		
Master Pack 1 ea. WT.: 50 lbs. (22.68 kg)							
■ CONFIGURATIONS							
1640	1640 Transport Case						
1640NF	1640 Transport Case (No foam)						
1644	1640 Transport Case with Padded Dividers						
■ ACCESSORIES							
1641	5 pc. Replacement Foam Set						
1642	Pick N Pluck™ Sections Only (set of 3)						
1645	Padded Divider Set Only						
1643	Replacement O-ring						
0379	Lid Organizer for 1640 Transport Case						




CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1650 1650 CASE							
		31.59" x 20.47" x 12.45" (80.2 x 52 x 31.6 cm)	28.57" x 17.52" x 10.62" (72.5 x 44.5 x 27 cm)	1.81" / 8.84" (4.6 cm / 22.4 cm)	28.06 lbs. (12.73 kg)	■ BLACK ■ OD GREEN*	IP67 (1 meter submersion for 30 minutes)
					WITH FOAM	■ DESERT TAN	MIL C-4150J
					24.03 lbs. (10.9 kg)		DEF STAN
					NO FOAM		81-41/STANAG 4280 ATA 300
Master Pack 1 ea. WT.: 30.1 lbs. (13.65 kg)							
■ CONFIGURATIONS							
1650	1650 Case						
1650NF	1650 Case (No foam)						
1654	1650 Case with Padded Dividers						
■ ACCESSORIES							
1651	4 pc. Replacement Foam Set						
1652	Pick N Pluck™ Sections Only (set of 2)						
1653	Replacement O-ring						
1655	Padded Divider Set Only						
1659	Photo/Lid Organizer for 1650 Case						
> 1660 1660 CASE							
		31.59" x 22.99" x 19.48" (80.2 x 58.4 x 49.5 cm)	28.20" x 19.66" x 17.63" (71.6 x 49.9 x 44.8 cm)	3.50" / 14.14" (8.9 cm / 35.9 cm)	42.84 lbs. (19.43 kg)	■ BLACK ■ OD GREEN*	IP67 (1 meter submersion for 30 minutes)
					WITH FOAM	■ DESERT TAN	DEF STAN
					34.16 lbs. (15.49 kg)		81-41/STANAG
					NO FOAM		4280
Master Pack 1 ea. WT.: 49 lbs. (22.23 kg)							
■ CONFIGURATIONS							
1660	1660 Case						
1660NF	1660 Case (No foam)						
1664	1660 Case with Padded Dividers						
■ ACCESSORIES							
1661	5 pc. Replacement Foam Set						
1662	Pick N Pluck™ Sections Only (set of 3)						
1663	Replacement O-ring						
1665	Padded Divider Set Only						
1669	Photo/Lid Organizer for 1660 Case						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1690 1690 TRANSPORT CASE							
		33.36" X 28.44" X 18.23" (84.7 X 72.2 X 46.3 cm)	30.01" X 25.02" X 15.00" (76.2 X 63.5 X 38.1 cm)	2.86" / 12.14" (7.3 cm / 30.8 cm)	43 LBS. (19.5 KG)	■ BLACK ■ OD GREEN*	IP67 (1 meter submersion for 30 minutes)
					WITH FOAM	■ DESERT TAN	DEF STAN
					34 LBS. (15.42 KG)		81-41/STANAG
					NO FOAM		4280
Master Pack 1 ea. WT.: 52.27 lbs. (23.71 kg)							
■ CONFIGURATIONS							
1690	1690 Transport Case						
1690NF	1690 Transport Case (No foam)						
1694	1690 Transport Case with Padded Dividers						
■ ACCESSORIES							
1691	5 pc. Replacement Foam Set						
1692	Pick N Pluck™ Sections Only (set of 3)						
1693	Replacement O-ring						
1695	Padded Divider Set Only						
1699	Lid Organizer for 1690 Transport Case						
> 1700 1700 LONG CASE							
		38.12" X 16.00" X 6.12" (96.8 X 40.6 X 15.5 cm)	35.75" X 13.50" X 5.25" (90.8 X 34.3 X 13.3 cm)	1.75" / 3.50" (4.4 cm / 8.9 cm)	16.98 LBS. (7.7 KG)	■ BLACK ■ OD GREEN*	IP67 (1 meter submersion for 30 minutes)
					WITH FOAM	■ DESERT TAN	MIL C-4150J
					16.09 LBS. (7.3 KG)		DEF STAN
					NO FOAM		81-41/STANAG 4280
Master Pack 1 ea. WT.: 19.1 lbs. (8.66 kg)							
■ CONFIGURATIONS							
1700	1700 Long Case						
1700NF	1700 Long Case (No foam)						
■ ACCESSORIES							
1701	3 pc. Replacement Foam Set						
1703	Replacement O-ring						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1720 1720 LONG CASE							
		44.37" X 16.00" X 6.12" (112.7 X 40.6 X 15.5 cm)	42.00" X 13.50" X 5.25" (106.6 X 34.3 X 13.3 cm)	1.75" / 3.50" (4.4 cm / 8.9 cm)	18.96 LBS. (8.6 KG)	■ BLACK ■ OD GREEN*	DEF STAN 81-41/STANAG
					WITH FOAM	■ DESERT TAN	4280
					16.76 LBS. (7.6 KG)	NO FOAM	
Master Pack 1 ea. WT.: 21.1 lbs. (9.57 kg)							
■ CONFIGURATIONS							
1720	1720 Long Case						
1720NF	1720 Long Case (No foam)						
■ ACCESSORIES							
1721	3 pc. Replacement Foam Set						
1723	Replacement O-ring						
> 1730 1730 TRANSPORT CASE							
		37.50" X 27.13" X 14.37" (95.2 X 68.9 X 36.5 cm)	34.00" X 24.00" X 12.50" (86.3 X 60.9 X 31.7 cm)	2.50" / 10.00" (6.3 cm / 25.4 cm)	38 LBS. (17.24 KG)	■ BLACK ■ OD GREEN*	IP67 (1 meter submersion for 30 minutes)
					WITH FOAM	■ DESERT TAN	
					30 LBS. (13.61 KG)	NO FOAM	
Master Pack 1 ea. WT.: 43 lbs. (19.5kg)							
■ CONFIGURATIONS							
1730	1730 Transport Case						
1730NF	1730 Transport Case (No foam)						
■ ACCESSORIES							
1731	5 pc. Replacement Foam Set						
1733	Replacement O-ring						




BAP Equipment Ltd.

PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1740 1740 LONG CASE							
		44.16" x 16.09" x 14.00" (112.1 x 40.9 x 35.5 cm)	40.98" x 12.92" x 12.13" (104 x 32.8 x 30.8 cm)	2.56" / 9.57" (6.5 cm / 24.3 cm)	27 LBS. (12.25 KG) WITH FOAM 22 LBS. (9.88 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ OD GREEN* ■ DESERT TAN 	IP65
		Master Pack 1 ea. WT.: 28.47 lbs. (12.9 kg)					
■ CONFIGURATIONS							
1740	1740 Long Case						
1740NF	1740 Long Case (No foam)						
■ ACCESSORIES							
1741	6 pc. Replacement Foam Set						
1743	Replacement O-ring						
1630DC	Document Container Accessory						
> 1750 1750 LONG CASE							
		53.00" X 16.00" X 6.12" (134.6 X 40.6 X 15.5 cm)	50.50" X 13.50" X 5.25" (128.2 X 34.3 X 13.3 cm)	1.75" / 3.50" (4.4 cm / 8.9 cm)	25.57 LBS. (11.6 KG) WITH FOAM 23.59 LBS. (10.7 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
		Master Pack 1 ea. WT.: 25.65 lbs. (11.63 kg)					
■ CONFIGURATIONS							
1750	1750 Long Case						
1750NF	1750 Long Case (No foam)						
■ ACCESSORIES							
1751	3 pc. Replacement Foam Set						
1753	Replacement O-ring						
> 1770 1770 LONG CASE							
		57.42" x 18.48" x 11.23" (145.8 x 46.9 x 28.5 cm)	54.58" x 15.58" x 8.63" (138.6 x 39.6 x 21.9 cm)	1.88" / 6.75" (4.8 cm / 17.1 cm)	36 LBS. (16.33 KG) WITH FOAM 29 LBS. (13.15 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK 	
		Master Pack 1 ea. WT.: 39.5 lbs (17.92 kg)					
■ CONFIGURATIONS							
1770	1770 Long Case						
1770NF	1770 Long Case (No foam)						
■ ACCESSORIES							
1771	4 pc. Replacement Foam Set						
1773	Replacement O-ring						
1630DC	Document Container Accessory						



BAP Equipment Ltd.


PELICAN™ CASES


CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 1780T 1780T TRANSPORT CASE							
		44.90" X 25.32" X 16.50" (114 X 64.3 X 41.9 cm)	42.00" X 22.00" X 15.10" (106.6 X 55.9 X 38.3 cm)	7.58" / 7.30" (19.2 cm / 18.5 cm)	49 LBS. (22.23 KG) WITH FOAM 38.4 LBS. (17.42 KG) NO FOAM	<ul style="list-style-type: none"> ■ BLACK ■ OD GREEN* ■ DESERT TAN 	<ul style="list-style-type: none"> DEF STAN 81-41/STANAG 4280
		Master Pack 1 ea. WT.: 56 lbs (25.4 kg)					
■ CONFIGURATIONS							
1780T	1780T Transport Case						
1780NF	1780 Transport Case (No foam)						
■ ACCESSORIES							
1781	6 pc. Replacement Foam Set						
1782	Pick N Pluck™ Sections Only (set of 4)						
1783	Replacement O-ring						
> 1780W 1780HL LONG CASE (WITH RIFLE HARD LINER INSERT)							
		44.90" X 25.32" X 16.50" (114 X 64.3 X 41.9 cm)	42.00" X 22.00" X 15.10" (106.6 X 55.9 X 38.3 cm)	7.58" / 7.30" (19.2 cm / 18.5 cm)	68.4 LBS. (31.03 KG)	<ul style="list-style-type: none"> ■ BLACK ■ OD GREEN* ■ DESERT TAN 	<ul style="list-style-type: none"> DEF STAN 81-41/STANAG 4280
		Master Pack 1 ea. WT.: 77 lbs (34.93 kg)					
■ CONFIGURATIONS							
1780HL	1780HL Long Case (with Rifle Hard Liner Insert)						
1780RF	1780RF Long Case (with Rifle Foam Cut Insert)						
■ ACCESSORIES							
1783	Replacement O-ring						
> 0340 0340 CUBE CASE							
		20.50" X 20.50" X 19.25" (52 X 52 X 48.9 cm)	18.00" X 18.00" X 18.00" (45.7 X 45.7 X 45.7 cm)	4.00" / 12.50" (10.2 cm / 31.7 cm)	4.00" / 13.50" (10.2 cm / 34.3 cm)	<ul style="list-style-type: none"> ■ BLACK ■ OD GREEN* ■ DESERT TAN 	<ul style="list-style-type: none"> IP67 (1 meter submersion for 30 minutes) DEF STAN 81-41/STANAG 4280
		Master Pack 1 ea. WT.: 32.24 lbs. (14.62 kg)					
		*This case has internal wheel and/or handle wells that will reduce usable area, please review for each application.					
■ CONFIGURATIONS							
0340	0340 Cube Case						
0340NF	0340 Cube Case (No foam)						
0344	0340 Cube Case with Padded Dividers						
■ ACCESSORIES							
0341	7 pc. Replacement Foam Set						
0343	Replacement O-ring						
0345	Padded Divider Set Only						
0349	Lid Organizer for 0340 Cube Case						


BAP Equipment Ltd.

PELICAN™ CASES

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 0350 0350 CUBE CASE							
		22.50" X 22.43" X 21.25" (57.1 X 56.9 X 54 cm)	20.00" X 20.00" X 20.00" (50.8 X 50.8 X 50.8 cm)	5.00" / 15.00" (12.7 cm / 38.1 cm)	32.01 LBS. (14.52 KG)	<ul style="list-style-type: none"> ■ BLACK ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes)
					WITH FOAM		DEF STAN
					25.99 LBS. (11.79 KG)		81-41/STANAG
					NO FOAM		4280
	Master Pack 1 ea. WT.: 33.89 lbs. (15.37 kg) *This case has internal wheel and/or handle wells that will reduce usable area, please review for each application.						
■ CONFIGURATIONS							
0350	0350 Cube Case						
0350NF	0350 Cube Case (No foam)						
0354	0350 Cube Case with Padded Dividers						
■ ACCESSORIES							
0351	7 pc. Replacement Foam Set						
0353	Replacement O-ring						
0355	Padded Divider Set Only						
0357	Cube Case Mobility Package						
0359	Lid Organizer for 0350 Cube Case						
> 0370 0370 CUBE CASE							
		26.50" X 26.50" X 25.25" (67.3 X 67.3 X 64.1 cm)	24.00" X 24.00" X 24.00" (60.9 X 60.9 X 60.9 cm)	5.00" / 19.00" (12.7 cm / 48.2 cm)	41 LBS. (18.6 KG)	<ul style="list-style-type: none"> ■ BLACK ■ OD GREEN* ■ DESERT TAN 	IP67 (1 meter submersion for 30 minutes)
					WITH FOAM		DEF STAN
					31.97 LBS. (14.5 KG)		81-41/STANAG
					NO FOAM		4280
	Master Pack 1 ea. WT.: 46.78 lbs. (21.22 kg) *This case has internal wheel and/or handle wells that will reduce usable area, please review for each application.						
■ CONFIGURATIONS							
0370	0370 Cube Case						
0370NF	0370 Cube Case (No foam)						
0374	0370 Cube Case with Padded Dividers						
■ ACCESSORIES							
0357	Cube Case Mobility Package						
0371	7 pc. Replacement Foam Set						
0373	Replacement O-ring						
0375	Padded Divider Set Only						
0379	Lid Organizer for 0370 Cube Case						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 0450	0450 MOBILE TOOL CHEST						
		23.95" x 14.75" x 17.95" (60.8 x 37.5 x 45.6 cm)	20.56" x 10.97" x 12.65" (52.2 x 27.9 x 32.1 cm)	N/A	41.5 LBS. (18.82 KG) WITH DRAWERS 33 LBS. (14.97 KG) NO DRAWERS	■ BLACK	MIL-STD-810F
		Master Pack 1 ea. WT.: 34.5 lbs. (15.65 kg)					
■ CONFIGURATIONS							
0450WD	0450 Tool Case						
0450ND	0450 Tool Case (No drawers)						
■ ACCESSORIES							
0455DD	Deep Drawer						
0455DE	4" Drawer						
0455DS	Shallow Drawer						
0455TT	Top Tray						
0456	0450 Vertical Tool Pallet						
0457	0450 Horizontal Tool Pallet						

> 0500	0500 TRANSPORT CASE						
		39.95" X 23.45" X 28.65" (101.4 X 59.5 X 72.7 cm)	34.95" X 18.45" X 25.25" (88.7 X 46.8 X 64.1 cm)	2.25" / 23.00" (5.7 cm / 58.4 cm)	58.6 LBS. (26.58 KG) WITH FOAM 50 LBS. (22.68 KG) NO FOAM	■ BLACK	
		Master Pack 1 ea. WT.: 69 lbs. (31.3 kg)					
■ CONFIGURATIONS							
0500	0500 Transport Case						
0500NF	0500 Transport Case (No foam)						
■ ACCESSORIES							
0501	7 pc. Replacement Foam Set						
0507	0500 Caster Wheel Kit						
0508	0500 Pallet Riser Kit						
1630DC	Document Container Accessory						

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> 0550	0550 TRANSPORT CASE						
		51.05" X 27.54" x 22.79" (129.6 X 69.9 X 57.9 cm)	47.57" X 24.07" x 17.68" (120.8 X 61.1 x 44.9 cm)	3.19" / 14.49" (8.1 cm / 36.8 cm)	95 LBS. (43.09 KG) WITH FOAM 79.2 LBS. (35.92 KG) WITH FOAM	■ BLACK	IP55
				Master Pack 1 ea. WT.: 95 lbs. (43.09 kg)			
■ CONFIGURATIONS							
0550	0550 Transport Case						
0550NF	0550 Transport Case (No foam)						
■ ACCESSORIES							
0507	0550 Caster Wheel Kit						
0508	0550 Pallet Riser Kit						
0551	6 Piece Replacement Foam Set						
1630DC	Document Container Accessory						

BAP Equipment Ltd.

385 Wilsey Road, Unit 4B

Fredericton, N.B. E3B 5N6

Phone: 1-800-561-3600

Fax: 1-506-458-2200

info@bapequipment.com

www.bapequipment.com





PELICAN™
STORM CASE™

PELICAN™ STORM CASE™ PRODUCTS



BAP Equipment Ltd.

PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> iM2050 iM2050 PELICAN™ STORM CASE™							
		11.80" X 9.80" X 4.70" (30 X 24.9 X 11.9 cm)	9.50" X 7.50" X 4.25" (24.1 X 19 X 10.8 cm)	1.50" / 2.75" (3.8 cm / 7 cm)	3.0 LBS. (1.36 KG)	■ Black	MIL-STD-810F
					WITH FOAM	■ Yellow	FED-STD-101C
					2.7 LBS. (1.22 KG)	■ OD	ATA 300
					NO FOAM	Green	
		Master Pack 6 ea. WT.: 23.2 lbs. (10.52 kg)					
■ CONFIGURATIONS							
iM2050-X0001	iM2050 Pelican Storm Case						
iM2050-X0000	iM2050 Pelican Storm Case (No foam)						
iM2050-X0002	iM2050 Pelican Storm Case with Padded Dividers						
■ ACCESSORIES							
iM2050-DIV	Padded Dividers						
iM2050-FOAM	Replacement Foam						
iM20XX-BEZEL	Base Bezel Kit						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						
> iM2075 iM2075 PELICAN™ STORM CASE™							
		11.80" X 9.80" X 7.70" (30 X 24.9 X 19.6 cm)	9.50" X 7.50" X 7.25" (24.1 X 19 X 18.4 cm)	1.50" / 5.75" (3.8 cm / 14.6 cm)	3.7 LBS. (1.68 KG)	■ Black	MIL-STD-810F
					WITH FOAM	■ Yellow	FED-STD-101C
					3.3 LBS. (1.5 KG)	■ OD	ATA 300
					NO FOAM	Green	
		Master Pack 4 ea. WT.: 18.2 lbs. (8.26 kg)					
■ CONFIGURATIONS							
iM2075-X0001	iM2075 Pelican Storm Case						
iM2075-X0000	iM2075 Pelican Storm Case (No foam)						
iM2075-X0002	iM2075 Pelican Storm Case with Padded Dividers						
■ ACCESSORIES							
iM2075-DIV	Padded Dividers						
iM2075-FOAM	Replacement Foam						
iM20XX-BEZEL	Base Bezel Kit						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						

BAP Equipment Ltd.


PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> iM2100	iM2100 PELICAN™ STORM CASE™						
		14.20" X 11.40" X 6.50" (36.1 X 28.9 X 16.5 cm)	13.00" X 9.20" X 6.00" (33 X 23.4 X 15.2 cm)	2.00" / 4.00" (5.1 cm / 10.2 cm)	4.9 LBS. (2.22 KG) WITH FOAM 4.2 LBS. (1.91 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
		Master Pack 4 ea. WT.: 24.6 lbs. (11.16 kg)					
■ CONFIGURATIONS							
iM2100-X0001	iM2100 Pelican Storm Case						
iM2100-X0000	iM2100 Pelican Storm Case (No foam)						
iM2100-X0002	iM2100 Pelican Storm Case with Padded Dividers						
■ ACCESSORIES							
iM2100-DIV	Padded Dividers						
iM2100-FOAM	Replacement Foam						
iM2100-BEZEL	Base Bezel Kit						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						
> iM2200	iM2200 PELICAN™ STORM CASE™						
		16.20" X 12.70" X 6.60" (41.1 X 32.2 X 16.8 cm)	15.00" X 10.50" X 6.00" (38.1 X 26.7 X 15.2 cm)	2.00" / 4.00" (5.1 cm / 10.2 cm)	6.1 LBS. (2.77 KG) WITH FOAM 4.9 LBS. (2.22 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ Yellow 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
		Master Pack 4 ea. WT.: 28.6 lbs. (12.97 kg)					
■ CONFIGURATIONS							
iM2200-X0001	iM2200 Pelican Storm Case						
iM2200-X0000	iM2200 Pelican Storm Case (No foam)						
iM2200-X0002	iM2200 Pelican Storm Case with Padded Dividers						
■ ACCESSORIES							
iM2200-DIV	Padded Dividers						
iM2200-FOAM	Replacement Foam						
iM2200-BEZEL	Base Bezel Kit						
iM2200-BEZEL-LID	Lid Bezel Kit						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						

BAP Equipment Ltd.

PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
--------	-------------	----------	----------	--------------------	--------	--------	--------------


	> iM2300	iM2300 PELICAN™ STORM CASE™					
		18.20" X 13.40" X 6.70" (46.2 X 34 X 17 cm)	17.00" X 11.70" X 6.20" (43.2 X 29.7 X 15.7 cm)	2.00" / 4.20" (5.1 cm / 10.7 cm)	7.1 LBS. (3.22 KG)	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
						WITH FOAM	
						5.9 LBS. (2.68 KG)	
					NO FOAM		
Master Pack 4 ea. WT.: 33 lbs. (14.97 kg)							

■ CONFIGURATIONS

iM2300-X0001	iM2300 Pelican Storm Case
iM2300-X0000	iM2300 Pelican Storm Case (No foam)
iM2300-X0002	iM2300 Pelican Storm Case with Padded Dividers

■ ACCESSORIES

iM2300-DIV	Padded Dividers
iM2300-FOAM	Replacement Foam
iM2300-BEZEL	Base Bezel Kit
iM2300-BEZEL-LID	Lid Bezel Kit
iM2300-LIDORG	Lid Organizer
iM2300-PHOTO PALLET	Photography Pallet
iM-LIDSTAY	Lid Stay
iM-STRAP-S-VER2	Padded Shoulder Strap
iM-VALVE-M-B	Manual Purge Valve

	> iM2306	iM2306 PELICAN™ STORM CASE™					
		18.20" X 8.40" X 6.70" (46.2 X 21.3 X 17 cm)	17.00" X 6.30" X 6.20" (43.2 X 16 X 15.7 cm)	2.00" / 4.20" (5.1 cm / 10.7 cm)	4.7 LBS. (2.13 KG)	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
						WITH FOAM	
						4.3 LBS. (1.95 KG)	
					NO FOAM		
Master Pack 4 ea. WT.: 29 lbs. (13.15 kg)							

■ CONFIGURATIONS

iM2306-X0001	iM2306 Pelican Storm Case
iM2306-X0000	iM2306 Pelican Storm Case (No foam)
iM2306-X0002	iM2306 Pelican Storm Case with Padded Dividers

■ ACCESSORIES

iM2306-DIV	Padded Dividers
iM2306-FOAM	Replacement Foam
iM2306-BEZEL	Base Bezel Kit
iM2306-BEZEL-LID	Lid Bezel Kit
iM-LIDSTAY	Lid Stay
iM-STRAP-S-VER2	Padded Shoulder Strap
iM-VALVE-M-B	Manual Purge Valve

BAP Equipment Ltd.



PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> iM2370	iM2370 PELICAN™ STORM LAPTOP CASE	20.00" X 14.70" X 5.80" (50.8 X 37.3 X 14.7 cm)	18.20" X 12.10" X 5.20" (46.2 X 30.7 X 13.2 cm)	1.70" / 3.50" (4.3 cm / 8.9 cm)	7.2 LBS. (3.27 KG) WITH FOAM 5.7 LBS. (2.59 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
		Master Pack 4 ea. WT.: 29 lbs. (13.15 kg)					
■ CONFIGURATIONS							
iM2370-X0001	iM2370 Pelican Storm Laptop Case						
iM2370-X0000	iM2370 Pelican Storm Laptop Case (No foam)						
iM2370-X0002	iM2370 Pelican Storm Laptop Case with Padded Dividers						
iM2370-X0003	iM2370 Pelican Storm Computer Case Deluxe (includes lid organizer, padded shoulder strap and computer tray)						
■ ACCESSORIES							
iM2370-COMPTRAY	Computer Tray						
iM2370-DIV	Padded Dividers						
iM2370-FOAM	Replacement Foam						
iM2370-UTILITYORG	Utility Organizer						
iM2370-STRAP-S	Removal Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						

> iM2400	iM2400 PELICAN™ STORM CASE™	19.20" X 15.20" X 7.30" (48.7 X 38.6 X 18.5 cm)	18.00" X 13.00" X 6.70" (45.7 X 33 X 17 cm)	2.00" / 4.70" (5.1 cm / 11.9 cm)	7.8 LBS. (3.54 KG) WITH FOAM 6.5 LBS. (2.95 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
		Master Pack 3 ea. WT.: 28.3 lbs. (12.84 kg)					
■ CONFIGURATIONS							
iM2400-X0001	iM2400 Pelican Storm Case						
iM2400-X0000	iM2400 Pelican Storm Case (No foam)						
iM2400-X0002	iM2400 Pelican Storm Case with Padded Dividers						
■ ACCESSORIES							
iM2400-DIV	Padded Dividers						
iM2400-FOAM	Replacement Foam						
iM24XX-BEZEL	Base Bezel Kit						
iM24XX-BEZEL-LID	Lid Bezel Kit						
iM24XX-LIDORG	Lid Organizer						
iM24XX-PHOTO PALLET	Photography Pallet						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						

BAP Equipment Ltd.


PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> iM2450	iM2450 PELICAN™ STORM CASE™						
		19.20" X 15.20" X 9.00" (48.7 X 38.6 X 22.9 cm)	18.00" X 13.00" X 8.40" (45.7 X 33 X 21.3 cm)	2.00" / 6.40" (5.1 cm / 16.2 cm)	8.9 LBS. (4.04 KG) WITH FOAM 7.4 LBS. (3.36 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	MIL-STD-810F FED-STD-101C ATA 300
		Master Pack 3 ea. WT.: 31 lbs. (14.06 kg)					
■ CONFIGURATIONS							
iM2450-X0001	iM2450 Pelican Storm Case						
iM2450-X0000	iM2450 Pelican Storm Case (No foam)						
iM2450-X0002	iM2450 Pelican Storm Case with Padded Dividers						
■ ACCESSORIES							
iM2450-DIV	Padded Dividers						
iM2450-FOAM	Replacement Foam						
iM24XX-BEZEL	Base Bezel Kit						
iM24XX-BEZEL-LID	Lid Bezel Kit						
iM24XX-PHOTO PALLET	Photography Pallet						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						
> iM2500	iM2500 PELICAN™ STORM CARRY ON CASE						
		21.70" X 14.10" X 8.90" (55.1 X 35.8 X 22.6 cm)	20.50" X 11.50" X 7.20" (52 X 29.2 X 18.3 cm)	2.00" / 5.20" (5.1 cm / 13.2 cm)	13.7 LBS. (6.21 KG) WITH FOAM 11.1 LBS. (5.03 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD ■ Green 	MIL-STD-810F FED-STD-101C ATA 300
		Master Pack 3 ea. WT.: 42.1 lbs. (19.1 kg)					
■ CONFIGURATIONS							
iM2500-X0001	iM2500 Pelican Storm Carry On Case						
iM2500-X0000	iM2500 Pelican Storm Carry On Case (No foam)						
iM2500-X0002	iM2500 Pelican Storm Carry On Case with Padded Dividers						
■ ACCESSORIES							
iM2500-DIV	Padded Dividers						
iM2500-FOAM	Replacement Foam						
iM2500-BEZEL	Base Bezel Kit						
iM2500-BEZEL-LID	Lid Bezel Kit						
iM2500-UTILITYORG	Utility Organizer						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						

BAP Equipment Ltd.

PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
--------	-------------	----------	----------	--------------------	--------	--------	--------------


> iM2600	iM2600 PELICAN™ STORM CASE™	21.20" X 16.00" X 8.30" (53.8 X 40.6 X 21.1 cm)	20.00" X 14.00" X 7.70" (50.8 X 35.5 X 19.6 cm)	2.00" / 5.70" (5.1 cm / 14.5 cm)	11.6 LBS. (5.26 KG) WITH FOAM 8.5 LBS. (3.86 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
							
		Master Pack 2 ea. WT.: 24.2 lbs. (10.98 kg)					

■ CONFIGURATIONS

iM2600-X0001	iM2600 Pelican Storm Case
iM2600-X0000	iM2600 Pelican Storm Case (No foam)
iM2600-X0002	iM2600 Pelican Storm Case with Padded Dividers

■ ACCESSORIES

iM2600-DIV	Padded Dividers
iM2600-FOAM	Replacement Foam
iM26XX-BEZEL	Base Bezel Kit
iM26XX-BEZEL-LID	Lid Bezel Kit
iM26XX-LIDORG	Lid Organizer
iM26XX-PHOTO PALLET	Photography Pallet
iM-LIDSTAY	Lid Stay
iM-STRAP-S-VER2	Padded Shoulder Strap
iM-VALVE-M-B	Manual Purge Valve

> iM2620	iM2620 PELICAN™ STORM CASE™	21.20" X 16.00" X 10.60" (53.8 X 40.6 X 26.9 cm)	20.00" X 14.00" X 10.00" (50.8 X 35.5 X 25.4 cm)	2.00" / 8.00" (5.1 cm / 20.3 cm)	14.5 LBS. (6.58 KG) WITH FOAM 12.5 LBS. (5.67 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
							
		Master Pack 1 ea. WT.: 14.5 lbs. (6.58 kg)					

■ CONFIGURATIONS

iM2620-X0001	iM2620 Pelican Storm Case
iM2620-X0000	iM2620 Pelican Storm Case (No foam)
iM2620-X0002	iM2620 Pelican Storm Case with Padded Dividers

■ ACCESSORIES

iM2620-DIV	Padded Dividers
iM2620-FOAM	Replacement Foam
iM26XX-BEZEL	Base Bezel Kit
iM26XX-BEZEL-LID	Lid Bezel Kit
iM26XX-LIDORG	Lid Organizer
iM26XX-PHOTO PALLET	Photography Pallet
iM-LIDSTAY	Lid Stay
iM-STRAP-S-VER2	Padded Shoulder Strap
iM-VALVE-M-B	Manual Purge Valve

BAP Equipment Ltd.

PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
--------	-------------	----------	----------	--------------------	--------	--------	--------------

> iM2700	iM2700 PELICAN™ STORM CASE™	24.60" X 19.70" X 8.60" (62.5 X 50 X 21.8 cm)	22.00" X 17.00" X 8.00" (55.9 X 43.2 X 20.3 cm)	2.00" / 6.00" (5.1 cm / 15.2 cm)	14.4 LBS. (6.53 KG) WITH FOAM 11.1 LBS. (5.03 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD ■ Green 	MIL-STD-810F FED-STD-101C ATA 300
		Master Pack 1 ea. WT.: 17 lbs. (7.71 kg)					

■ CONFIGURATIONS

iM2700-X0001	iM2700 Pelican Storm Case
iM2700-X0000	iM2700 Pelican Storm Case (No foam)
iM2700-X0002	iM2700 Pelican Storm Case with Padded Dividers

■ ACCESSORIES

iM2700-DIV	Padded Dividers
iM2700-FOAM	Replacement Foam
iM27XX-BEZEL	Base Bezel Kit
iM27XX-BEZEL-LID	Lid Bezel Kit
iM27XX-UTILITYORG	Utility Organizer
iM-LIDSTAY	Lid Stay
iM-STRAP-S-VER2	Padded Shoulder Strap
iM-VALVE-M-B	Manual Purge Valve

> iM2720	iM2720 PELICAN™ STORM CASE™	24.60" X 19.70" X 11.70" (62.5 X 50 X 29.7 cm)	22.00" X 17.00" X 10.00" (55.9 X 43.2 X 25.4 cm)	2.00" / 8.00" (5.1 cm / 20.3 cm)	22 LBS. (9.98 KG) WITH FOAM 16.8 LBS. (7.62 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD ■ Green 	MIL-STD-810F FED-STD-101C ATA 300
		Master Pack 1 ea. WT.: 24 lbs. (10.89 kg)					

■ CONFIGURATIONS

iM2720-X0001	iM2720 Pelican Storm Case
iM2720-X0000	iM2720 Pelican Storm Case (No foam)
iM2720-X0002	iM2720 Pelican Storm Case with Padded Dividers


■ ACCESSORIES

iM2720-DIV	Padded Dividers
iM2720-FOAM	Replacement Foam
iM27XX-BEZEL	Base Bezel Kit
iM27XX-BEZEL-LID	Lid Bezel Kit
iM27XX-UTILITYORG	Utility Organizer
iM-LIDSTAY	Lid Stay
iM-VALVE-M-B	Manual Purge Valve

BAP Equipment Ltd.

PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
--------	-------------	----------	----------	--------------------	--------	--------	--------------


> iM2750	iM2750 PELICAN™ STORM CASE™						
		24.60" X 19.70" X 14.40" (62.5 X 50 X 36.6 cm)	22.00" X 17.00" X 12.70" (55.9 X 43.2 X 32.2 cm)	2.00" / 10.70" (5.1 cm / 27.2 cm)	23.4 LBS. (10.61 KG) WITH FOAM 18.5 LBS. (8.39 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
Master Pack 1 ea. WT.: 25.2 lbs. (11.43 kg)							

■ CONFIGURATIONS

iM2750-X0001	iM2750 Pelican Storm Case
iM2750-X0000	iM2750 Pelican Storm Case (No foam)
iM2750-X0002	iM2750 Pelican Storm Case with Padded Dividers

■ ACCESSORIES

iM2750-DIV	Padded Dividers
iM2750-FOAM	Replacement Foam
iM27XX-BEZEL	Base Bezel Kit
iM27XX-BEZEL-LID	Lid Bezel Kit
iM27XX-UTILITYORG	Utility Organizer
iM-LIDSTAY	Lid Stay
iM-VALVE-M-B	Manual Purge Valve

> iM2875	iM2875 PELICAN™ STORM CASE™						
		24.90" X 23.70" X 13.10" (63.2 X 60.2 X 33.3 cm)	22.50" X 21.10" X 11.40" (57.1 X 53.6 X 28.9 cm)	2.00" / 9.40" (5.1 cm / 23.9 cm)	24.6 LBS. (11.16 KG) WITH FOAM 20.1 LBS. (9.12 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
Master Pack 1 ea. WT.: 32 lbs. (14.51 kg)							


■ CONFIGURATIONS

iM2875-X0001	iM2875 Pelican Storm Case
iM2875-X0000	iM2875 Pelican Storm Case (No foam)
iM2875-X0002	iM2875 Pelican Storm Case with Padded Dividers

■ ACCESSORIES

iM2875-DIV	Padded Dividers
iM2875-FOAM	Replacement Foam
iM2875-BEZEL	Base Bezel Kit
iM2875-BEZEL-LID	Lid Bezel Kit
iM2875-UTILITYORG	Utility Organizer
iM-LIDSTAY	Lid Stay
iM-VALVE-M-B	Manual Purge Valve

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
--------	-------------	----------	----------	--------------------	--------	--------	--------------


> iM2950		iM2950 PELICAN™ STORM CASE™					
		31.30" X 20.40" X 12.20" (79.5 X 51.8 X 31 cm)	29.00" X 18.00" X 10.50" (73.6 X 45.7 X 26.7 cm)	2.00" / 8.50" (5.1 cm / 21.6 cm)	28.7 LBS. (13.02 KG)	<ul style="list-style-type: none"> ■ Black ■ Yellow ■ OD ■ Green 	MIL-STD-810F FED-STD-101C ATA 300
					WITH FOAM		
						20.8 LBS. (9.43 KG)	
						NO FOAM	
		Master Pack 1 ea. WT.: 28 lbs. (12.7 kg)					

■ CONFIGURATIONS

iM2950-X0001	iM2950 Pelican Storm Case
iM2950-X0000	iM2950 Pelican Storm Case (No foam)
iM2950-X0002	iM2950 Pelican Storm Case with Padded Dividers

■ ACCESSORIES

iM2950-DIV	Padded Dividers
iM2950-FOAM	Replacement Foam
iM29XX-BEZEL	Base Bezel Kit
iM29XX-BEZEL-LID	Lid Bezel Kit
iM29XX-UTILITYORG	Utility Organizer
iM-LIDSTAY	Lid Stay
iM-VALVE-M-B	Manual Purge Valve

> iM2975		iM2975 PELICAN™ STORM TRANSPORT CASE					
		31.30" X 20.40" X 15.50" (79.5 X 51.8 X 39.4 cm)	29.00" X 18.00" X 13.80" (73.6 X 45.7 X 35 cm)	2.00" / 11.80" (5.1 cm / 30 cm)	29.5 LBS. (13.38 KG)	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	MIL-STD-810F FED-STD-101C ATA 300
					WITH FOAM		
						22.8 LBS. (10.34 KG)	
						NO FOAM	
		Master Pack 1 ea. WT.: 31.5 lbs. (14.29 kg)					

■ CONFIGURATIONS

iM2975-X0001	iM2975 Pelican Storm Transport Case
iM2975-X0000	iM2975 Pelican Storm Transport Case (No foam)
iM2975-X0002	iM2975 Pelican Storm Transport Case with Padded Dividers


■ ACCESSORIES

iM2975-DIV	Padded Dividers
iM2975-FOAM	Replacement Foam
iM29XX-BEZEL	Base Bezel Kit
iM29XX-BEZEL-LID	Lid Bezel Kit
iM29XX-UTILITYORG	Utility Organizer
iM-LIDSTAY	Lid Stay
iM-VALVE-M-B	Manual Purge Valve

BAP Equipment Ltd.

PELICAN™ STORM CASE™ PRODUCTS

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
--------	-------------	----------	----------	--------------------	--------	--------	--------------


> iM3075		iM3075 PELICAN™ STORM TRANSPORT CASE					
		33.30" X 24.40" X 19.30" (84.5 X 62 X 49 cm)	29.80" X 20.80" X 17.80" (75.7 X 52.8 X 45.2 cm)	4.00" / 13.75" (10.2 cm / 34.9 cm)	45 LBS. (20.41 KG)	■ Black ■ OD Green	MIL-STD-810F FED-STD-101C ATA 300
					WITH FOAM 31.5 LBS. (14.29 KG)		
						NO FOAM	
		Master Pack 1 ea. WT.: 37 lbs. (16.78 kg)					

■ CONFIGURATIONS

iM3075-X0001	iM3075 Pelican Storm Transport Case
iM3075-X0000	iM3075 Pelican Storm Transport Case (No foam)
iM3075-X0002	iM3075 Pelican Storm Transport Case with Padded Dividers

■ ACCESSORIES

iM3075-DIV	Padded Dividers
iM3075-FOAM	Replacement Foam
iM30XX-BEZEL	Base Bezel Kit
iM30XX-BEZEL-LID	Lid Bezel Kit
iM30XX-UTILITYORG	Utility Organizer
iM-LIDSTAY	Lid Stay
iM-VALVE-M-B	Manual Purge Valve




> iM3100		iM3100 PELICAN™ STORM LONG CASE					
		39.80" X 16.50" X 6.70" (101.1 X 41.9 X 17 cm)	36.50" X 14.00" X 6.00" (92.7 X 35.5 X 15.2 cm)	2.00" / 4.00" (5.1 cm / 10.2 cm)	19.8 LBS. (8.98 KG)	■ Black ■ OD Green	MIL-STD-810F FED-STD-101C ATA 300
					WITH FOAM 15.2 LBS. (6.89 KG)		
						NO FOAM	
		Master Pack 1 ea. WT.: 8 lbs. (3.63 kg)					

■ CONFIGURATIONS

iM3100-X0001	iM3100 Pelican Storm Long Case
iM3100-X0000	iM3100 Pelican Storm Long Case (No foam)

■ ACCESSORIES

iM3100-FOAM	Replacement Foam
iM-LIDSTAY	Lid Stay
iM-STRAP-S-VER2	Padded Shoulder Strap
iM-VALVE-M-B	Manual Purge Valve

CAT. #	DESCRIPTION	EXTERIOR	INTERIOR	LID / BOTTOM DEPTH	WEIGHT	COLORS	CERTIFICATES
> iM3200 iM3200 PELICAN™ STORM LONG CASE							
		47.20" X 16.50" X 6.70" (119.8 X 41.9 X 17 cm)	44.00" X 14.00" X 6.00" (111.7 X 35.5 X 15.2 cm)	2.00" / 4.00" (5.1 cm / 10.2 cm)	21.1 LBS. (9.57 KG) WITH FOAM 17.7 LBS. (8.03 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
	Master Pack 1 ea. WT.: 19.7 lbs. (8.94 kg)						
■ CONFIGURATIONS							
iM3200-X0001	iM3200 Pelican Storm Long Case						
iM3200-X0000	iM3200 Pelican Storm Long Case (No foam)						
■ ACCESSORIES							
iM3200-FOAM	Replacement Foam						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						
> iM3220 iM3220 PELICAN™ STORM LONG CASE							
		47.20" X 16.50" X 9.20" (119.8 X 41.9 X 23.4 cm)	44.00" X 14.00" X 8.50" (111.7 X 35.5 X 21.6 cm)	2.00" / 6.50" (5.1 cm / 16.5 cm)	24.8 LBS. (11.25 KG) WITH FOAM 20.4 LBS. (9.25 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
	Master Pack 1 ea. WT.: 32 lbs. (14.51 kg)						
■ CONFIGURATIONS							
iM3220-X0001	iM3220 Pelican Storm Long Case						
iM3220-X0000	iM3220 Pelican Storm Long Case (No foam)						
■ ACCESSORIES							
iM3220-FOAM	Replacement Foam						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						
> iM3300 iM3300 PELICAN™ STORM LONG CASE							
		53.80" X 16.50" X 6.70" (136.6 X 41.9 X 17 cm)	50.50" X 14.00" X 6.00" (128.2 X 35.5 X 15.2 cm)	2.00" / 4.00" (5.1 cm / 10.2 cm)	23 LBS. (10.43 KG) WITH FOAM 19.1 LBS. (8.66 KG) NO FOAM	<ul style="list-style-type: none"> ■ Black ■ OD ■ Green 	<ul style="list-style-type: none"> MIL-STD-810F FED-STD-101C ATA 300
	Master Pack 1 ea. WT.: 24.5 lbs. (11.11 kg)						
■ CONFIGURATIONS							
iM3300-X0001	iM3300 Pelican Storm Long Case						
iM3300-X0000	iM3300 Pelican Storm Long Case (No foam)						
■ ACCESSORIES							
iM3300-FOAM	Replacement Foam						
iM-LIDSTAY	Lid Stay						
iM-STRAP-S-VER2	Padded Shoulder Strap						
iM-VALVE-M-B	Manual Purge Valve						