WHAT'S NEW IN



Respiratory

Compact Air 200 Series PAPR

No Worry, No Guess Work

The North Compact Air 200 Series Powered Air Purifying Respirator (PAPR) lets you know when the battery is low or your filters are clogged.

Now you can continue working as long as possible without trying to guess when the battery will need recharging or your filters need to be changed. The North Compact Air 200 Series PAPR includes multiple alarms, giving you the heads up you need to work as long as possible without fear of losing power.

Honeywell



by Honeywell



Hear It, See It, Feel It: Triple Alarm System

A system of three different alarms (audible, visual and vibration) will alert the user at 10% remaining battery life, increase to a continuous audible alarm at 5% of remaining battery life, plus alarm when filters are blocked or clogged. The audible alarm is located near the breathing tube so sound will travel to the workers' zone of hearing.

An additional vibratory alarm also goes off, assuring that even those workers who are hearing impaired or are in extremely noisy environments will be alerted to the low battery or clogged filter. The third alarm is a LED light that will let the worker know if the battery is low or if the filter needs changing.

- Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog
- Vibratory alarm that can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- Lightweight for improved comfort and longer wear
- The same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements

▲ WARNING! North and Honeywell Respiratory equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury, illness or fatality.

DISPOSABLE RESPIRATORS

Sperian – ONE-Fit[™] NBW95 and NBW95V Molded Cup Particulate Respirators

- Exclusive design and shape that contours with the natural shape of the face
- 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols
- Strong and rigid outer shell prevents mask from collapse in high humidity or moist environments
- Contoured mask fits with the natural shape of the face, minimizing pressure points
- Molded nose bridge comfortably fits a variety of face shapes and sizes
- Dual welded head straps keep the respirator comfortably on the user's face

| SKU | Style No. | Size | Description |
|----------|-----------|--------|----------------------------|
| 14110444 | NBW95 | 1 Size | Molded Cup, N95 Non-Valved |
| 14110445 | NBW95V | 1 Size | Molded Cup, N95 Valved |



NBW95V

Sperian - SAF-T-FIT® Plus

- Nose clip is color-coded for visible size recognition
- N95, N99, P95 or P100 protection to choose from
- Molded cup design
- Low breathing resistance
- Humidity-resistant filter media
- Durable suspension straps
- Latex free



P1130



N1115

| SKU | Style No. | Filtration | Description | Size: Medium/Large |
|----------|--------------|------------|---|-----------------------|
| 14110391 | N1115 M/L | N95 | Boomerang Nose Sea | al |
| 14110394 | N1125 M/L | N95 | Boomerang Nose Sea | al, Exhalation Valve |
| 14110397 | N1125-OV M/L | N95 | Boomerang Nose Sea Nuisance OV | al, Exhalation Valve, |
| 14110403 | N1139 M/L | N99 | Full Face Seal, Adjust Exhalation Valve | table Straps, |
| 14110440 | P1130 | P100 | Full Face Seal, Adjust Exhalation Valve | table Straps, |

Available in different sizes.

LIMITED USE RESPIRATORS

North - CFR-1

- Elastomeric face seal offers superior fit over filtering facepieces; filters are not in direct contact with the worker's face
- Cradle suspension with parking feature; mask is at the ready
- User seal check gasket for ease in performing a negative user seal check
- Exhalation valve limits build up of warm, moist exhaled breath and lessens carbon build up

| SKU | Size | Description |
|-------|--------|-----------------------------------|
| 4200S | Small | Limited Use Elastomeric Facepiece |
| 4200M | Medium | Limited Use Elastomeric Facepiece |
| 4200L | Large | Limited Use Elastomeric Facepiece |
| 42N95 | | Replacement Filters 20 per/box |



REUSABLE AIR PURIFYING RESPIRATORS



5583P100



770030



BP1002 Shown here with 7700, mask not included







54001

North 5500 and 5500 Convenience Packs

- 5500 Half mask is elastomeric and silicone blend for a soft comfortable fit
- Convenience packs include 5500 Half mask, cartridges and/or filters for convenience
- Cartridges and filters are replaceable so facepiece can be re-used
- Ideal as an economical respirator for sub-contractors, plant guests and occasional users
- Elastomeric with a silicone blend is economical and softer than other elastomeric masks
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

| SKU | Size | Description |
|----------|------------|---|
| 5580 | Sm/Med/Lrg | 5500 w/7580P100 for particulates |
| 5501N95 | Sm/Med/Lrg | 5500 w/N75001 OV and N7506N95 prefilter for painting and pesticide applications |
| 5583P100 | Sm/Med/Lrg | 5500 w/7583P100 OV AG for heavy spray applications and industrial use |
| 550030 | Sm/Med/Lrg | Economical half mask |

North Premium Silicone Half Mask

- 100% Silicone facepiece is flexible, to provide a soft, secure and comfortable fit
- Dual elasticity headstraps provide a secure and flexible fit
- Wide contoured sealing area fits a greater variety of facial types
- Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

| SKU | Size | Description |
|---------|--------|----------------------------|
| 770030S | Small | Premium Silicone Half Mask |
| 770030M | Medium | Premium Silicone Half Mask |
| 770030L | Large | Premium Silicone Half Mask |

| SKU | Description |
|---------------------|---|
| Accessory BP1002 | Backpack for use with North 5500 and 7700 series; cartridges moved to the back for a lower profile to fit under welding helmets and |
| | face shields |

North 5400 Series Full Facepiece

- Wide sealing area for improved fit and ability to fit more facial types
- Nose cup provides less dead air space and channels exhaled breath
- Latex free, with no natural rubber proteins which may cause an allergic reaction
- Lens offers 200° field of vision and downward view for optimal viewing area in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

| SKU | Size | Description |
|--------|--------------|--|
| 54001S | Small | Economy Elastomeric Full Facepiece w/4 Point Headstrap |
| 54001 | Medium/Large | Economy Elastomeric Full Facepiece w/4 Point Headstrap |

REUSABLE AIR PURIFYING RESPIRATORS

North 7600 Series Full Facepiece

- 100% Sillicone facepiece is flexible, to provide a soft, secure and comfortable fit
- Wide sealing area for improved fit and ability to fit more facial types
- Nose cup provides less dead air space and channels exhaled breath
- Speech diaphragm is standard to amplify workers' conversations
- Lens offers 200° field of vision and downward view for optimal viewing area in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- · Also available with welding adaptor
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

| SKU | Size | Description |
|-----------|--------------|--|
| 760008AS | Small | Premium Elastomeric Full Facepiece w/5 Point Headstrap |
| 760008A | Medium/Large | Premium Elastomeric Full Facepiece w/5 Point Headstrap |
| 760008ASW | Small | Premium Elastomeric Full Facepiece w/5 Point Headstrap and welding attachment |
| 760008AW | Medium/Large | Premium Elastomeric Full Facepiece w/5 Point Headstrap and welding attachment |



- Breathing tubes thread into North cartridge connectors for flexibility of use, fitting North's popular Full and Half face masks
- Unique Y breathing tube has a 360° swivel connection to allow full movement
- Breathing tube is in the back as to not interfere with the task at hand
- Low profile connectors for wear under welding helmet or faceshields

| SKU | Description | Packaging |
|------------------------|--|-----------|
| Breathing ⁻ | | |
| CF2007 | Airline breathing tube and belt assembly for use with North tight fitting facepieces | Each |



760008A



CF2007

Breathing tube
shown on 7600 face
mask, face mask not
included

N-SERIES CARTRIDGES AND FILTERS









N75001



N75002

N75003



N75004





7581P100





7583P100



7584P100

North Gas and Vapor Cartridges

| SKU | Description | Packaging | |
|--------|---|-----------|--|
| 75SC | Defender™ Multi-Purpose | Pair | |
| | Approved for use against Organic Vapors, Ammonia, I Formaldehyde and Acid Gases (Chlorine, Hydrogen C Sulfur Dioxide, Hydrogen Sulfide (escape), Chlorine D Hydrogen Fluoride) | hloride, | |
| N75001 | Organic Vapor | Pair | |
| | Approved for use against Organic Vapors | | |
| N75002 | Acid Gas Cartridge | Pair | |
| | Approved for use against Acid Gases (Chlorine, Hydro Chloride, Sulfur Dioxide, Hydrogen Fluoride and Chlor and Formaldehyde | ŭ | |
| N75003 | Organic Vapor and Acid Gases | Pair | |
| | Approved for use against Organic Vapors and Acid Ga (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydroge Fluoride and Chloride Dioxide) | | |
| N75004 | Ammonia and Methylamine | Pair | |
| | Approved for use against Ammonia and Methylamine | | |

North Combination Gas and Vapor Cartridges with P100 Particulate Filters

| SKU | Description | Packaging |
|----------|--|---|
| 75SCP100 | Defender™ Multi-Purpose | Pair |
| | Approved for use against Organic Vapors, Ammo Formaldehyde and Acid Gases (Chlorine, Hydro Dioxide, Hydrogen Sulfide (escape), Chloride Dio Fluoride); and 99.97% filter efficiency for all parti | gen Chloride, Sulfur oxide, Hydrogen |
| 7581P100 | Organic Vapor with P100 | Pair |
| | Approved for use against Organic Vapors and 99 for all particulates | 9.97% filter efficiency |
| 7582P100 | Acid Gas with P100 | Pair |
| | Approved for use against Acid Gases (Chlorine, Sulfur Dioxide, Hydrogen Sulfide (escape), Chlor Fluoride); and 99.97% filter efficiency for all parti | ride Dioxide, Hydrogen |
| 7583P100 | Organic Vapor and Acid Gas with P100 | Pair |
| | Approved for use against Organic Vapors and Ad Hydrogen Chloride, Sulfur Dioxide, Hydrogen Su Chloride Dioxide, Hydrogen Fluoride); and 99.97 for all particulates | ılfide (escape), |
| 7584P100 | Ammonia and Methylamine | Pair |
| | Approved for use against Ammonia and Methyla filter efficiency for all particulates | mine; and 99.97% |

N-SERIES CARTRIDGES AND FILTERS

Particulate Filters

| SKU | Description | Packaging |
|------------|--|-----------------|
| 7580P100 | P100 | Pair |
| | 99.97% efficiency for all particulates | |
| 75FFP100 | Pancake, Low Profile P100 Filter | Pair |
| | For use under welding helmets; 99.97% efficiency for a | II particulates |
| 75FFP100NL | Pancake with Odor Relief Low Profile P100 Filter | Pair |
| | For use under welding helmets; 99.97% efficiency for a plus relief from odors caused by nuisance levels of orgagases and ozone | • |
| 7506N95 | N95 Prefilter | Pair |
| | 95% filter efficiency for non-oil based aerosol particulate | es |





7580P100



(%)

2000

75FFP100NL

7506N95



N750027



0001130

N750029

Accessories

| SKU | Description | Packaging |
|---------|--|--------------------|
| N750027 | Seal Check / Filter Cover | Each |
| | Snaps on top of prefilters to hold them in place on North N750015 filter holder | h cartridges or on |
| N750029 | Shower Cap | Each |
| | For use with 7580P100 – deflects moisture during "Decon" shower, and sparks and slag during welding and grinding | |

REUSABLE AIR PURIFYING RESPIRATORS

Sperian Survivair Blue 1[™]

- Dual flange silicone provides a more comfortable and secure fit
- Features a speaking diaphragm for improved communication
- Compatible with S-Series filters and cartridges
- Packaged in a resealable bag to protect the respirator from contamination when not in use

| SKU | Size | Description |
|---------|--------|------------------------------|
| B210010 | Small | S-Series, Silicone Half Mask |
| B220010 | Medium | S-Series, Silicone Half Mask |
| B230010 | Large | S-Series, Silicone Half Mask |

Sperian is now Honeywell

B210010

• Head harness designed to reduce facepiece slippage

- Silicone facepiece construction is lightweight and durable
- Rear split strap for easy donning and better support
- Easily converts to belt-mounted PAPR or SAR-CF
- Compatible with S-Series filters and cartridges

Sperian Survivair 2000™

| SKU | Size | Description |
|---------|--------|------------------------------------|
| B250000 | Small | S-Series, Basic Silicone Half Mask |
| B260000 | Medium | S-Series, Basic Silicone Half Mask |
| B270000 | Large | S-Series, Basic Silicone Half Mask |



B260000

Sperian is now Honeywell



REUSABLE AIR PURIFYING RESPIRATORS

Sperian is now Honeywell



322500

Sperian Survivair PREMIER® Plus

- Triple flange design provides added sealing security
- Silicone facepiece construction is lightweight and durable
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- Strategic lateral placement of inhalation valves and cartridge ports enhances field of vision
- Yoke strap is contoured to match the skirt shape for even pressure point placement
- Cradle and straps are wider to assist in weight distribution for enhanced comfort
- Rear split strap for better support with retainer clips to hold excess straps in place
- Compatible with S-Series filters and cartridges

| SKU | Size | Description |
|--------|--------------|--|
| 321500 | Small | Silicone Facepiece, Fits Petite Face Profiles |
| 322500 | Medium/Large | Basic Silicone Facepiece, Fits Wider Face Profiles |

Sperian Survivair Opti-Fit™ APR

- Choose from a 5-point strap or industrial mesh headnet to fit your comfort and needs
- · Silicone skirt offers exceptional durability and comfort
- All straps are attached to the rim of the facepiece, rather than the silicone skirt, to reduce pressure points and distortion of the sealing surface when tightened
- Replaceable, high impact resistant polycarbonate lens treated with anti-scratch coating
- Mask designed with a wide viewing area offering distortion free visibility and optical clarity
- Molded-in speaking diaphragm provides improved audio transmission for communication
- Compatible with S-Series filters and cartridges
- · Available in 3 sizes for wide range of fit

| SKU | Size | Description | |
|---|--------|------------------------------|--|
| Compatible with S-Series filters and cartridges | | | |
| 752000 | Small | S-Series, 5-Strap Suspension | |
| 762000 | Medium | S-Series, 5-Strap Suspension | |
| 772000 | Large | S-Series, 5-Strap Suspension | |

Sperian is now Honeywell



752000



Sperian Survivair Opti-Fit Convertible Mask Mounted PAPR

| SKU | Size | Description |
|-------------|--------|--|
| 520500 | Small | Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR |
| 520600 | Medium | Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR |
| 520700 | Large | Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR |
| Accessories | | |
| 108000 | | PAPR Filter, High Efficiency (HE) (Box of 4 filters) |

S-SERIES CARTRIDGES AND FILTERS

| Sperian Gas and Vapor Cartridges | | | |
|----------------------------------|--|--------------------------|--|
| SKU | Description | Packaging | |
| B100100 | Organic Vapors | 6 per box | |
| | Approved for use against Organic Vapors | | |
| B100200 | Acid Gases | 6 per box | |
| | Approved for use against Chlorine, Hydrogen (and Formaldehydes | Chloride, Sulfur Dioxide | |
| B100300 | Organic Vapors / Acid Gases | 6 per box | |
| | Approved for use against Organic Vapors, Chlo Sulfur Dioxide, Formaldehyde and Hydrogen S | | |
| 100800 | Multi-Contaminant | Pair | |
| | Approved for use against Organic Vapors, Ami Chlorine, Hydrogen Chloride, Sulfur Dioxide, C Hydrogen Fluoride, Formaldehyde and Hydrog and Nitrogen Dioxide | hlorine Dioxide, | |
| | N95 Filter | | |
| | 95% efficient against particulate aerosols free | of oil | |
| B140074 | Filter Base | 2/Pkg | |
| 106010 | Filter | 24/Box | |
| 140170 | Retainer | 2/Pkg | |
| 105005 | P100 Filters | 10/box | |
| | 99.97% efficient against particulate aerosols from | ee of oil | |
| 105110 | OV/P100 Filter Cartridge | 4/Box | |
| 1052100 | AG/P100 Filter Cartridge | 4/Box | |
| 105310 | OV/AG/P100 Filter Cartridge | 4/Box | |
| | | | |

AM/MA/P100 Filter Cartridge

MA/P100 Filter Cartridge

105410

105810



140170



4/Box

4/Box

ESCAPE MOUTHPIECE RESPIRATOR





North Mouthbit Respirators

- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations
- Large, soft and flexible nose pads hold securely without pinching
- Wider nose clip fits a variety of facial types
- Silicone mouthpiece is more comfortable to wear over long periods
- Packed in sealable plastic bag, carrying bag sold separately (79BAG)

| SKU | Description | Packaging | |
|------|--|----------------|--|
| 7902 | Acid gas mouthbit respirator for protection | Universal size | |
| | from atmospheres containing Chlorine, Hydrogen | | |
| | Chloride, Sulfur Dioxide, Hydrogen Sulfide, | | |
| | (escape) Chloride Dioxide, Hydrogen Fluoride | | |

POWERED AIR-PURIFYING SYSTEMS (PAPR)



CA201



4001

North Compact Air Series 200 PAPR

- Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog
- Vibratory alarm that can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- · Lightweight for improved comfort and longer wear
- The same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements

| SKU | Description | Packaging |
|------------|--|---------------------------------|
| Select you | ır 200 Series Blower and Battery | |
| CA201 | Compact Air 200 PAPR blower and battery assembly with backpad and nylon belt | Each |
| CA201D | Compact Air 200 PAPR blower and battery assembly with decon and PVC belt | Each |
| Select you | ır Breathing Tube | |
| CA127 | 34" (86.4 cm) straight tube for use with Primair Se | eries loose fitting headcovers |
| CA127L | 40" (101.6 cm) straight tube for use with Primair S | Series loose fitting headcovers |
| CA229 | 34" (86.4 cm) "Y" breathing tube, for use with | North tight fitting facepieces |
| Select you | ır Cartridge Filter | |
| SKU | Environment | Cartridge and HEPA Filter |
| 4001 | Organic Vapor | 4001HE |
| 4003 | Organic Vapor/Acid Gas | 4003HE |
| 4004 | Ammonia/Methylamine | 4004HE |
| 40HE | HEPA | |

LOOSE FITTING HEAD COVERS

Primair 100 Series

- Ideal for pharmaceutical and other light duty industries, NIOSH approved with an APF of 25
- Manifold directs air flow to the front lens, not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- Hoods are durable and lightweight, made from spun bond polypropylene
- PA101 is less bulky than full hoods; sealing under the chin, without covering the ears

| SKU | Size | Description | Packaging |
|--------|--------|--|-----------|
| PA101S | Small | Primair 100 headgear with Primair loose fitting head cover | Each |
| PA101M | Medium | Primair 100 headgear with Primair loose fitting head cover | Each |



PA101

Primair Plus Hoods

- Adjustable bib length or cotton neck seal; workers can customize to their liking or need
- Manifold directs air flow to the front lens, not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- North Primair Plus is a full, spun bond polypropylene hood available coated and uncoated: coated hoods provide incidental protection from occasional splash
- Peel-away window is available (item # PA105) to protect the lens from splatter, extending the life of the lens

| SKU | Description | Packaging |
|----------|--|-----------|
| PA111 | Primair 100 headgear with Primair Plus hood | Each |
| PA131 | Hood with cotton neck assembly for Primair 100 headgear | Each |
| PA231E01 | Hood with cotton neck assembly for Primair 200 headgear, includes Fibre-Metal E2 hard hat and carbtex cover for protection during welding and grinding | Each |



PA111

Breathing Tubes for Compact Air PAPR for North Hoods and Facepieces

| SKU | Description | Packaging |
|--------|---|-----------|
| CA127 | 34" (86.4 cm) Straight Tube for North Primair Series | Each |
| CA127L | 40" (101.6 cm) Straight Tube for North Primair Series | Each |
| CA229 | 34" (86.4 cm) Y Tube for North Half Masks and Full Facepieces | Each |







CONTINUOUS FLOW SUPPLIED AIR RESPIRATORS (CF-SAR)



Ambient Air Pump 3/4 HP

- For two workers with a tight fitting facepiece or one worker with loose fitting hood
- Lightweight unit featuring carry handle (55 lbs / 24.9 kilo)
- Supplies up to 10 cfm (283.2 l/min)
- Ideal for a variety of work environments including painting and refinishing booths
- 2 facepieces maximum, 1 hood maximum

| SKU | Description | Packaging |
|-------|-----------------------------------|-----------|
| 86610 | 3/4 HP ambient air breathing pump | Each |



Ambient Air Pump 1/2 HP

- For three workers with a tight fitting facepiece or two workers with a loose fitting hood
- · Built in cooling fan
- Supplies up to 20 cfm (566.3 l/min)
- Ideal for heavy duty applications
- 3 facepieces maximum, 2 hoods maximum

| SKU | Description | Packaging |
|-------|-----------------------------------|-----------|
| 86630 | 1 ½ HP ambient air breathing pump | Each |

Honeywell



86620

Compressor for Pressure Demand Airline

- For use in confined space or in other IDLH environments
- Portable and lightweight to be easily transported
- Connect two workers using pressure demand respirators
- Warning alarm sounds at 84dB from 100 feet away
- Compressed air system supplies up to 100 PSI (6.89 bar)

| SKU | Description | Packaging |
|-------|-------------|-----------|
| 86620 | Compressor | Each |

Honeywe



RPFP100C

Portable Air Filtration Panels

- Sealed safety case protects from dust and liquid penetration
- Clear window allows for an unobstructed view of the gauge inside the case
- Case is lockable to prevent an unauthorized person from changing the air flow
- CO monitor features a visual alarm and up to 90dB audible sound
- Pressure regulator with adjustable knob and locking ring allows the pressure to be set according to Respirator's manufacturer's recommendations

| SKU | Description | Dimensions/Weight (lbs/Kgs) |
|----------|--|--|
| RPFP60C | 60 CFM max flow and 150 psig | 21" x 14.5" x 6.75" / 22 |
| | max inlet, capable for up to 4 workers | 53.3 cm x 36.8 cm x 17.1 cm / 9.97 |
| RPFP100C | 100 CFM max flow and 150 psig max inlet, capable for up to 8 workers | 23" x 16.5" x 7.5" / 24 58.4 cm x 41.9 cm x 19.1 cm / 10.88 |

ESCAPE SOLUTIONS

North Escape Breathing Apparatus (EEBA)

- Transparent polyurethane hood is less claustrophobic and allows for 360° sight
- Full flow of air at a quarter turn provides air flow as quickly as possible
- Air deflector directs air to front of hood and away from workers' eyes
- Pictogram instructions on carrying bag can be understood in any language
- 42 l/min (1.483 cfm) of breathing air is higher than many units so worker is less likely to over breathe
- High visibility carrying bag (EB)

| SKU | Description | Packaging |
|-----|---|-----------|
| 845 | 5 minute breathing time EEBA; bright yellow carrying bag | Each |
| 850 | 10 minute breathing time EEBA; bright orange carrying bag | Each |





845 and 850

Sperian Survivair Escape Breathing Apparatus (EBA)

- The EBA 5 min /10 min are composed of a refillable cylinder
- Features a valve and pressure gauge assembly, breathing tube, protective air hood and regulator assembled in a carry pouch for added convenience
- Hood fits easily over eye glasses, beards and hard hats
- Flexible hood has a large opening with draw string offers a proper fit to wearers
- Clear tuftane film hood with a permanent anti-fog coating

| SKU | Description |
|--------|---|
| 975080 | Survivair 5-Minute Escape Breathing Apparatus (EBA-5) |
| 975090 | Survivair 10-Minute Escape Breathing Apparatus (EBA-10) |





PRESSURE DEMAND SUPPLIED AIR RESPIRATORS (PD-SAR)

Tight-Fitting Pressure Demand SAR

No Coupling, TC-13F-301

- Respirators and Hip-Pacs provide the highest level of interchangeability, protection, and ease of operation
- Full Facepiece PD SARs offer the simplicity and reliability of Survivair Panther® mask-mounted regulators
- Hip-Pacs enhance protection in environments immediately dangerous to life or health (IDLH), with 5-, 10-, or 15-minute escape cylinders
- Survivair Panther PD SARs and Hip-Pacs provide significant cost savings and convenience as part of fully interchangeable respirator systems

| SKU | Description | |
|---|---|--|
| Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 5-Minute Emergency Escape | | |
| P968457 | 2216 psig (153.8 bar), Aluminum, with Quick Disconnect, No Coupling, TC-13F-300 | |
| Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 10-Minute Emergency Escape | | |
| P968477 | 3000 (207.8 bar), Aluminum, without Quick Disconnect, | |

Sperian is now Honeywell



P968457

INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)

An Affordable SCBA with the finest respiratory protection

The Survivair Cougar™ meets the demands of industrial users who want the finest respiratory protection against environments that are Immediately Dangerous to Life or Health (IDLH). The Survivair Cougar is designed to be a basic industrial unit, yet provides superior safety and comfort for industrial needs.

Sperian is now Honeywell



888888

Sperian Survivair Cougar™ SCBA

- Silicone rubber facepiece provides unsurpassed comfort and durability, even in extreme
 heat or cold. Won't oxidize or react with ozone. Also provides better sealing ability
 for improved comfort and fit. Five-strap head harness and skirt are available in 3
 sizes (TwentyTwenty® Plus facepiece). Available in small and standard sizes in black
 (Classic™ facepiece)
- Optional headnet mesh-style head harness

Description

- First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs. Choice of three low air alarms – bell, plain whistle, or warbling whistle
- Second stage regulator has compact, low profile; Survivair Air Klic[™] fastening system; first-breath-on; better downward vision for less chance of damage; allows attachment in any orientation; regulator holder on waist strap allows regulator to be kept in stand-by mode
- Survivair Mighty-Light® backpack is one of the lightest, easiest to use, and most comfortable backpacks in the industry; no tools required – no bolts or screws on harness for quick, easy disassembly and assembly

| 888888 | Survivair Cougar |
|--------------|---|
| 2216 psig (1 | uration includes: Survivair Cougar, 2216 (153.8 bar) bell alarm (22NB). 53.8 bar), 30-minute aluminum cylinder, without locking collar (915141). hty Plus facepiece, medium, black, medium nose cup, silicone headstrap |

555555 Survivair Cougar

SKU

Stock configuration includes: Survivair Cougar, 4500 psig (311.3 bar), bell alarm (22NB). 4500 psig (311.3 bar), 60-minute carbon cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022)

483121 Survivair Cougar

Configuration includes: Survivair Cougar, 2216 psig (153.8 bar), bell alarm (22NB). 2216 psig (153.8 bar), 30-minute carbon cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022), SAR attachment with Hansen couplings, carry case

486121 Survivair Cougar

Configuration includes: Survivair Cougar, 4500 psig (311.3 bar), bell alarm (22NB). 4500 psig (311.3 bar), 30-minute carbon cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022), SAR attachment with Hansen couplings, carrying case

INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)

Survivair Puma™ is the first NIOSH-certified, OSHA-compliant, hooded pressure demand SCBA designed for users with street glasses or facial configurations that are hard to fit with a conventional facepiece.

An SCBA designed for hard to fit users

Sperian Survivair PUMA™ SCBA

- The Survivair Puma is a Survivair Cougar[™] with a tight-fitting hood with a neoprene neck seal and is rated for entry into IDLH environments
- No need for spectacles kits the user can wear normal street glasses (although sports straps on the temples are useful to keep the glasses in place while donning)
- Hood is made from Challenge® NXT barrier fabric (fluoropolymer films laminated to aramid substrates) for excellent permeation resistance; lens is made from 10 mil FEP Teflon
- Flexible neoprene neck seal provides excellent protection against contaminants in IDLH atmospheres
- Factory-installed silicone nose cup; available in 3 sizes; reduces fogging and CO₂ buildup in hood

| SKU | Description |
|----------------|---|
| 777777 | Survivair Puma |
| Stock configur | ration includes: Survivair Cougar/Puma, 2216 psig (|

Stock configuration includes: Survivair Cougar/Puma, 2216 psig (153.8 bar), plain whistle alarm (22PW). 2216 psig (153.8 bar), 30-minute aluminum cylinder, without locking collar (915141). Survivair Puma hood with medium nose cup (968006)

Sperian is now Honeywell

777777

Sperian Survivair PANTHER™ SCBA

- High heat and flashover industrial unit provides protection from unforeseen circumstances in the industrial market
- Mighty-Light backpack and lumbar pad is comfortable and easy to use
- TwentyTwenty Plus available with silicone strap, Kevlar® mesh headnet or classic silicone
- Choice of 3 low air alarms: bell, plain whistle and warbling whistle for choice of preference
- Supplied Air Attachment option allows air to be supplied from a remote source.
 Long duration escape cylinder
- Communications options clear and audible communication for noisy environments. Includes voice amp and hard wired radio systems.

| SKU | Description |
|---|-------------------|
| 493121 | Survivair Panther |
| Configuration includes: Survivair 1997-style Panther 2216 psig (153.8 bar), TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig (153.8 bar) 30-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case | |

496324 Survivair Panther

Configuration includes: Survivair 1997-style Panther 4500 psig (311.3 bar), TwentyTwenty Plus medium facepiece, bell alarm, 4500 psig (311.3 bar) 30-minute carbon cylinder without locking collar, SAR/ buddy breather dual port attachment with Hansen couplings, carrying case



493121